



# the famous S-K WAYNE RATCHET




Figure A  
S-K Ratchet  
Close-Acting  
Triple-tooth contact





Figure B  
Conventional Ratchet  
Wide-Acting  
Coarse Drive Gear

Owned by 7 out of 10 professional mechanics.


S-K Ratchets are positive, close-acting — an invaluable asset in tight work areas. Three teeth of the pawl are engaged at all times while ratchet is in use. Operating in an arc of from 5.1° to 9°, S-K Wayne Ratchets have very little or no back movement. (See Fig. A.)

Conventional ratchets are designed on the principle of a shearing action. Because of tendency to break or shear off, teeth on the drive gear must be large, limiting the number of teeth and positions. Operating in an arc of from 10° to 20°, such ratchets have a 5° to 10° back movement. (See Fig. B.)

**SIMPLIFIED MAINTENANCE.** To increase the life of S-K Ratchets, it is advisable to periodically remove the operating mechanism, following simple steps illustrated below, and wash out accumulated grease and grit in a cleaning solvent. No lubrication is needed to assure proper performance.



TO REMOVE MECHANISM, place ratchet in neutral position.



Compress snap ring with screwdriver, thin or bent-nose plier.




With snap ring compressed, strike back of ratchet on solid surface.



TO REPLACE MECHANISM, set it in neutral position.



Insert unit in handle, holding cap in place. Put snap ring in position.



Compress snap ring with thin or bent-nose plier and seat unit in handle.

## CONTENTS

**S-K  
WAYNE**  
TOOLS

### Socket Sets

|            |      |
|------------|------|
| 1/4" Drive | 1    |
| 3/8" Drive | 2, 3 |
| 1/2" Drive | 4, 5 |
| 3/4" Drive | 6    |

|                  |         |
|------------------|---------|
| Combination Sets | 7, 8, 9 |
|------------------|---------|

### Metric Wrenches, Sockets & Sets

|  |    |
|--|----|
|  | 10 |
|--|----|

### Sockets, Handles & Attachments

|            |        |
|------------|--------|
| 1/4" Drive | 11     |
| 3/8" Drive | 12, 13 |
| 1/2" Drive | 14     |
| 3/4" Drive | 15     |

### Alloy Wrenches

|                           |        |
|---------------------------|--------|
| Combination Wrench Sets   | 16, 17 |
| Box End Wrench Sets       | 18     |
| Open End Wrench Sets      | 19     |
| Individual Alloy Wrenches | 20     |

### Screwdrivers & Sets

|  |    |
|--|----|
|  | 21 |
|--|----|

### Solid Joint Pliers

|                 |            |
|-----------------|------------|
| Small Precision | 22         |
| General Purpose | 22, 23, 30 |
| Industrial      | 24, 25     |
| Electronic      | 26, 27, 28 |

### Adjustable Wrenches

|  |    |
|--|----|
|  | 29 |
|--|----|

### Slip Joint Pliers

|  |        |
|--|--------|
|  | 29, 30 |
|--|--------|

### Economy Pliers

|  |    |
|--|----|
|  | 30 |
|--|----|

### Carbon Wrench Sets

|  |        |
|--|--------|
|  | 31, 32 |
|--|--------|

### Rim Wrenches

|  |    |
|--|----|
|  | 32 |
|--|----|

### Punches & Chisels

|  |        |
|--|--------|
|  | 32, 33 |
|--|--------|

### Tool Boxes

|  |        |
|--|--------|
|  | 34, 35 |
|--|--------|

### Snips

|  |    |
|--|----|
|  | 36 |
|--|----|

### Pipe Tools

|                              |        |
|------------------------------|--------|
| Wrenches: Pipe, Chain, Strap | 36, 37 |
|------------------------------|--------|

|                                |    |
|--------------------------------|----|
| Pipe and Tube Cutters, Reamers | 37 |
|--------------------------------|----|

|                  |    |
|------------------|----|
| Knockout Punches | 38 |
|------------------|----|

|                   |        |
|-------------------|--------|
| Ratchet Threaders | 38, 39 |
|-------------------|--------|

|       |    |
|-------|----|
| Vises | 40 |
|-------|----|

|                           |    |
|---------------------------|----|
| Power Drive & Accessories | 41 |
|---------------------------|----|

### SpaSaver Displays

|  |                        |
|--|------------------------|
|  | 42, 43, 44, 45, 46, 47 |
|--|------------------------|

### Air Compressors

|  |    |
|--|----|
|  | 48 |
|--|----|

### Hose Reels

|  |    |
|--|----|
|  | 49 |
|--|----|

### Hand Pumps

|  |    |
|--|----|
|  | 49 |
|--|----|

## WARRANTY

All S-K Wayne Tools are guaranteed against defective material or workmanship. Any tool showing a defect in material or workmanship, will be repaired or replaced free of charge, upon inspection by the Company. Tools abused or worn out from excessive use will not be replaced.



# 1/4" DRIVE SOCKET SETS

**S-K  
WAYNE**  
TOOLS

®

## A SET No. 4907 (7 pcs.)

7 Deep Sockets, 1/4" square drive, all 6 point. Packed in steel case, 2" high; 4" long.

| No.   | Description      | No.   | Description     |
|-------|------------------|-------|-----------------|
| 41908 | 1/4" Deep Skt.   | 41912 | 3/8" Deep Skt.  |
| 41909 | 9/32" Deep Skt.  | 41914 | 7/16" Deep Skt. |
| 41910 | 5/16" Deep Skt.  | 41916 | 1/2" Deep Skt.  |
| 41911 | 11/32" Deep Skt. |       |                 |

Std. Pkg. 1

Shipping Weight Each .6 lb.

## B STARTER SET No. 4910 (10 pcs.)

9 Standard 6 point Sockets and 1 Spinner Handle, all 1/4" drive. Packed in steel case: 1 1/8" high; 6 1/2" long; 2 5/16" wide.

| No.   | Description      | No.   | Description       |
|-------|------------------|-------|-------------------|
| 40906 | 3/16" 6 pt. Skt. | 40911 | 11/32" 6 pt. Skt. |
| 40907 | 7/32" 6 pt. Skt. | 40912 | 3/8" 6 pt. Skt.   |
| 40908 | 1/4" 6 pt. Skt.  | 40914 | 7/16" 6 pt. Skt.  |
| 40909 | 9/32" 6 pt. Skt. | 40916 | 1/2" 6 pt. Skt.   |
| 40910 | 5/16" 6 pt. Skt. | 40954 | Spinner Handle    |

Std. Pkg. 1

Shipping Weight Each .8 lb.

## C INTERMEDIATE SET No. 4915 (15 pcs.)

11 Standard Sockets, 1 Ratchet and 3 Accessories, all 1/4" drive. Packed in steel case: 1 1/8" high; 6 1/2" long; 2 5/16" wide.

| No.   | Description       | No.   | Description      |
|-------|-------------------|-------|------------------|
| 40906 | 3/16" 6 pt. Skt.  | 40916 | 1/2" 6 pt. Skt.  |
| 40907 | 7/32" 6 pt. Skt.  | 40988 | 1/4" 8 pt. Skt.  |
| 40908 | 1/4" 6 pt. Skt.   | 40900 | 5/16" 8 pt. Skt. |
| 40909 | 9/32" 6 pt. Skt.  | 40954 | Spinner Handle   |
| 40910 | 5/16" 6 pt. Skt.  | 40961 | 2" Extension     |
| 40911 | 11/32" 6 pt. Skt. | 40962 | 6" Extension     |
| 40912 | 3/8" 6 pt. Skt.   | 40970 | Ratchet          |
| 40914 | 7/16" 6 pt. Skt.  |       |                  |

Std. Pkg. 1

Shipping Weight Each 1.4 lbs.

## D MASTER SET No. 4921 (21 pcs.)

9 Standard Sockets and 7 Deep Sockets (all 6 pt.), 1 Ratchet and 4 Accessories, all 1/4" drive. Packed in steel case: 1 1/8" high, 10 1/2" long, 2 1/2" wide.

| No.   | Description      | No.   | Description      |
|-------|------------------|-------|------------------|
| 40906 | 3/16" Std. Skt.  | 41910 | 5/16" Deep Skt.  |
| 40907 | 7/32" Std. Skt.  | 41911 | 11/32" Deep Skt. |
| 40908 | 1/4" Std. Skt.   | 41912 | 3/8" Deep Skt.   |
| 40909 | 9/32" Std. Skt.  | 41914 | 7/16" Deep Skt.  |
| 40910 | 5/16" Std. Skt.  | 41916 | 1/2" Deep Skt.   |
| 40911 | 11/32" Std. Skt. | 40954 | Spinner Handle   |
| 40912 | 3/8" Std. Skt.   | 40961 | 2" Extension     |
| 40914 | 7/16" Std. Skt.  | 40962 | 6" Extension     |
| 40916 | 1/2" Std. Skt.   | 40970 | Ratchet          |
| 41908 | 1/4" Deep Skt.   | 40990 | Universal Joint  |
| 41909 | 9/32" Deep Skt.  |       |                  |

Std. Pkg. 1.

Shipping Weight Each 2.3 lbs.


Invaluable timesavers for mechanics making close adjustments on small nuts and bolts. Also ideal for aircraft mechanics, and radio, TV and appliance repairmen and home hobbyists.





# 3/8" DRIVE SOCKET SETS

**S-K  
WAYNE**  
TOOLS



## A TRAY SET No. 4509 (9 pcs.)

9 Standard Sockets, 3/8" drive, 6 and 12 pt. Packed in handy "flip-lock" tray, 8 3/4" long.

| No.   | Description      | No.   | Description         |
|-------|------------------|-------|---------------------|
| 45112 | 3/8" 6 pt. Skt.  | 45122 | 1 1/16" 12 pt. Skt. |
| 45114 | 7/16" 6 pt. Skt. | 45124 | 3/4" 12 pt. Skt.    |
| 45116 | 1/2" 6 pt. Skt.  | 45126 | 13/16" 12 pt. Skt.  |
| 45118 | 9/16" 6 pt. Skt. | 45128 | 7/8" 12 pt. Skt.    |
| 45120 | 5/8" 12 pt. Skt. |       |                     |

Std. Pkg. 1

Shipping Weight Each 1.2 lbs.

## B FLEX SET No. 4607 (7 pcs.)

7 Flex Sockets, 3/8" drive, all 6 point. Packed in steel case, 1 1/4" high; 6 1/2" long; 2 1/16" wide.

| No.   | Size  | No.   | Size   | No.   | Size |
|-------|-------|-------|--------|-------|------|
| 40612 | 3/8"  | 40618 | 9/16"  | 40624 | 3/4" |
| 40614 | 7/16" | 40620 | 5/8"   |       |      |
| 40616 | 1/2"  | 40622 | 11/16" |       |      |

Std. Pkg. 1

Shipping Weight Each 1.2 lbs.

## C DEEP SOCKET SET No. 4408 (8 pcs.)

8 Deep Sockets, 3/8" drive, all 6 point. Packed in steel case, 1 1/4" high; 7" long; 2 3/4" wide.

| No.   | Size  | No.   | Size   | No.   | Size   |
|-------|-------|-------|--------|-------|--------|
| 40412 | 3/8"  | 40418 | 9/16"  | 40424 | 3/4"   |
| 40414 | 7/16" | 40420 | 5/8"   | 40426 | 13/16" |
| 40416 | 1/2"  | 40422 | 11/16" |       |        |

Std. Pkg. 1

Shipping Weight Each 2.0 lbs.

## D STARTER SET No. 4512 (12 pcs.)

8 Standard Sockets, 1 Spark Plug Socket, with neoprene insert, 1 Ratchet and 2 Accessories, all 3/8" drive. Packed in metal box: 1 1/2" high; 8 1/8" long; 3 3/8" wide.

| No.   | Description         | No.   | Description            |
|-------|---------------------|-------|------------------------|
| 45112 | 3/8" 6 pt. Skt.     | 45124 | 3/4" 12 pt. Skt.       |
| 45114 | 7/16" 6 pt. Skt.    | 45126 | 13/16" 12 pt. Skt.     |
| 45116 | 1/2" 6 pt. Skt.     | 45159 | 1 1/2" Extension       |
| 45118 | 9/16" 6 pt. Skt.    | 45161 | 6" Extension           |
| 45120 | 5/8" 12 pt. Skt.    | 45170 | Ratchet                |
| 45122 | 1 1/16" 12 pt. Skt. | 4426  | 13/16" Spark Plug Skt. |

Std. Pkg. 1

Shipping Weight Each 2.8 lbs.

## E INTERMEDIATE SET No. 4519 (19 pcs.)

9 Standard Sockets, 5 Flex Sockets, 1 Spark Plug Socket, with neoprene insert, 1 Ratchet and 3 Accessories. Packed in metal box: 1 1/2" high; 15" long; 3" wide.

| No.   | Description           | No.   | Description            |
|-------|-----------------------|-------|------------------------|
| 45112 | 3/8" 6 pt. Skt.       | 40616 | 1/2" Flex 6 pt. Skt.   |
| 45114 | 7/16" 6 pt. Skt.      | 40618 | 9/16" Flex 6 pt. Skt.  |
| 45116 | 1/2" 6 pt. Skt.       | 40620 | 5/8" Flex 6 pt. Skt.   |
| 45118 | 9/16" 6 pt. Skt.      | 40622 | 11/16" Flex 6 pt. Skt. |
| 45120 | 5/8" 12 pt. Skt.      | 45160 | 3" Extension           |
| 45122 | 1 1/16" 12 pt. Skt.   | 45161 | 6" Extension           |
| 45124 | 3/4" 12 pt. Skt.      | 45162 | 12" Extension          |
| 45126 | 13/16" 12 pt. Skt.    | 45170 | Ratchet                |
| 45128 | 7/8" 12 pt. Skt.      | 4426  | 13/16" Spark Plug Skt. |
| 40614 | 7/16" Flex 6 pt. Skt. |       |                        |

Std. Pkg. 1

Shipping Weight Each 4.8 lbs.

## F ALL-PURPOSE SET No. 4521 (21 pcs.)

9 Standard Sockets, 8 Deep Sockets, 1 Ratchet and 3 Accessories, all 3/8" drive. Packed in steel case: 1 1/2" high; 15" long; 3" wide.

| No.   | Description              | No.   | Description            |
|-------|--------------------------|-------|------------------------|
| 45112 | 3/8" Std. 6 pt. Skt.     | 40416 | 1/2" Deep 6 pt. Skt.   |
| 45114 | 7/16" Std. 6 pt. Skt.    | 40418 | 9/16" Deep 6 pt. Skt.  |
| 45116 | 1/2" Std. 6 pt. Skt.     | 40420 | 5/8" Deep 6 pt. Skt.   |
| 45118 | 9/16" Std. 6 pt. Skt.    | 40422 | 11/16" Deep 6 pt. Skt. |
| 45120 | 5/8" Std. 12 pt. Skt.    | 40424 | 3/4" Deep 6 pt. Skt.   |
| 45122 | 1 1/16" Std. 12 pt. Skt. | 40426 | 13/16" Deep 6 pt. Skt. |
| 45124 | 3/4" Std. 12 pt. Skt.    | 45159 | 1 1/2" Extension       |
| 45126 | 13/16" Std. 12 pt. Skt.  | 45160 | 3" Extension           |
| 45128 | 7/8" Std. 12 pt. Skt.    | 45170 | Ratchet                |
| 40412 | 3/8" Deep 6 pt. Skt.     | 45190 | Universal Joint        |
| 40414 | 7/16" Deep 6 pt. Skt.    |       |                        |

Std. Pkg. 1

Shipping Weight Each 5.0 lbs.

## G GENERAL PURPOSE SET No. 4525 (25 pcs.)

9 Standard Sockets, 8 Deep Sockets, 1 Spark Plug Socket, 1 Ratchet, 3 Pliers, 1 Wrench and 2 Extensions, all 3/8" drive. Packed in steel case: 1 1/2" high; 17 3/8" long; 4 7/8" wide.

| No.   | Description              | No.   | Description            |
|-------|--------------------------|-------|------------------------|
| 45112 | 3/8" Std. 6 pt. Skt.     | 40420 | 5/8" Deep 6 pt. Skt.   |
| 45114 | 7/16" Std. 6 pt. Skt.    | 40422 | 11/16" Deep 6 pt. Skt. |
| 45116 | 1/2" Std. 6 pt. Skt.     | 40424 | 3/4" Deep 6 pt. Skt.   |
| 45118 | 9/16" Std. 6 pt. Skt.    | 40426 | 13/16" Deep 6 pt. Skt. |
| 45120 | 5/8" Std. 12 pt. Skt.    | 4426  | 13/16" Spark Plug Skt. |
| 45122 | 1 1/16" Std. 12 pt. Skt. | 45160 | 3" Extension           |
| 45124 | 3/4" Std. 12 pt. Skt.    | 45161 | 6" Extension           |
| 45126 | 13/16" Std. 12 pt. Skt.  | 45170 | Ratchet                |
| 45128 | 7/8" Std. 12 pt. Skt.    | 7265  | 6" Thin Nose Plier     |
| 40412 | 3/8" Deep 6 pt. Skt.     | 8010  | 10" Adjustable Wr.     |
| 40414 | 7/16" Deep 6 pt. Skt.    | 15016 | 6" Diagonal            |
| 40416 | 1/2" Deep 6 pt. Skt.     |       | Cutting Plier          |
| 40418 | 9/16" Deep 6 pt. Skt.    | 17717 | 7" Extra Long Chain    |

Std. Pkg. 1

Shipping Weight Each 9.3 lbs.

## H MASTER SET No. 4531 (31 pcs.)

9 Standard Sockets, 8 Deep Sockets, 7 Flex Sockets, 1 Ratchet and 6 Accessories, all 3/8" drive. Packed in steel case: 1 1/2" high; 17 3/8" long; 4 7/8" wide.

| No.   | Description            | No.   | Description              |
|-------|------------------------|-------|--------------------------|
| 40412 | 3/8" Deep 6 pt. Skt.   | 45114 | 7/16" Std. 6 pt. Skt.    |
| 40414 | 7/16" Deep 6 pt. Skt.  | 45116 | 1/2" Std. 6 pt. Skt.     |
| 40416 | 1/2" Deep 6 pt. Skt.   | 45118 | 9/16" Std. 6 pt. Skt.    |
| 40418 | 9/16" Deep 6 pt. Skt.  | 45120 | 5/8" Std. 12 pt. Skt.    |
| 40420 | 5/8" Deep 6 pt. Skt.   | 45122 | 1 1/16" Std. 12 pt. Skt. |
| 40422 | 11/16" Deep 6 pt. Skt. | 45124 | 3/4" Std. 12 pt. Skt.    |
| 40424 | 3/4" Deep 6 pt. Skt.   | 45126 | 13/16" Std. 12 pt. Skt.  |
| 40426 | 13/16" Deep 6 pt. Skt. | 45128 | 7/8" Std. 12 pt. Skt.    |
| 40612 | 3/8" Flex 6 pt. Skt.   | 45153 | Flex Handle              |
| 40614 | 7/16" Flex 6 pt. Skt.  | 45159 | 1 1/2" Extension         |
| 40616 | 1/2" Flex 6 pt. Skt.   | 45160 | 3" Extension             |
| 40618 | 9/16" Flex 6 pt. Skt.  | 45162 | 12" Extension            |
| 40620 | 5/8" Flex 6 pt. Skt.   | 45170 | Ratchet                  |
| 40622 | 11/16" Flex 6 pt. Skt. | 45181 | Speeder Handle           |
| 40624 | 3/4" Flex 6 pt. Skt.   | 45190 | Universal Joint          |
| 45112 | 3/8" Std. 6 pt. Skt.   |       |                          |

Std. Pkg. 1

Shipping Weight Each 8.8 lbs.






B




C



D




E



F



G



H



# 1/2" DRIVE SOCKET SETS

**S-K  
WAYNE**  
TOOLS



## A DEEP SOCKET SET No. 4808 (8 pcs.)

8 Deep Sockets, 1/2" drive. Packed in steel case: 1 1/2" high; 8 3/4" long; 3 3/4" wide.

| No.   | Description              | No.   | Description              |
|-------|--------------------------|-------|--------------------------|
| 40816 | 1/2" Deep 12 pt. Skt.    | 40824 | 3/4" Deep 12 pt. Skt.    |
| 40818 | 9/16" Deep 12 pt. Skt.   | 40826 | 13/16" Deep 12 pt. Skt.  |
| 40820 | 5/8" Deep 12 pt. Skt.    | 40828 | 7/8" Deep 12 pt. Skt.    |
| 40822 | 1 1/16" Deep 12 pt. Skt. | 40830 | 1 5/16" Deep 12 pt. Skt. |

Std. Pkg. 1

Shipping Weight Each 4.3 lbs.

## B STARTER SET No. 4112 (12 pcs.)

9 Standard Sockets, 1 Spark Plug Socket with neoprene insert, 1 Reversible Ratchet and 1 Extension, all 1/2" drive. Packed in steel case: 1 13/16" high; 10 3/4" long; 3 3/4" wide.

| No.   | Description              | No.   | Description              |
|-------|--------------------------|-------|--------------------------|
| 40114 | 7/16" Std. 6 pt. Skt.    | 40126 | 1 3/16" Std. 12 pt. Skt. |
| 40116 | 1/2" Std. 6 pt. Skt.     | 40128 | 7/8" Std. 12 pt. Skt.    |
| 40118 | 9/16" Std. 6 pt. Skt.    | 40130 | 1 5/16" Std. 12 pt. Skt. |
| 40120 | 5/8" Std. 12 pt. Skt.    | 40161 | 5" Extension             |
| 40122 | 1 1/16" Std. 12 pt. Skt. | 42470 | Ratchet                  |
| 40124 | 3/4" Std. 12 pt. Skt.    | 4826  | 1 3/16" Spark Plug Skt.  |

Std. Pkg. 1

Shipping Weight Each 5.2 lbs.

## C INTERMEDIATE SET No. 4116 (16 pcs.)

13 Standard Sockets, 1 Ratchet and 2 Accessories, all 1/2" drive. Packed in steel case: 1 7/8" high; 17" long; 3 5/8" wide.

| No.   | Description              | No.   | Description              |
|-------|--------------------------|-------|--------------------------|
| 40114 | 7/16" Std. 6 pt. Skt.    | 40130 | 1 5/16" Std. 12 pt. Skt. |
| 40116 | 1/2" Std. 6 pt. Skt.     | 40132 | 1" Std. 12 pt. Skt.      |
| 40118 | 9/16" Std. 6 pt. Skt.    | 40134 | 1 1/16" Std. 12 pt. Skt. |
| 40120 | 5/8" Std. 12 pt. Skt.    | 40136 | 1 1/8" Std. 12 pt. Skt.  |
| 40122 | 1 1/16" Std. 12 pt. Skt. | 40140 | 1 1/4" Std. 12 pt. Skt.  |
| 40124 | 3/4" Std. 12 pt. Skt.    | 40161 | 5" Extension             |
| 40126 | 13/16" Std. 12 pt. Skt.  | 41653 | 17" Flex Handle          |
| 40128 | 7/8" Std. 12 pt. Skt.    | 42470 | Ratchet                  |

Std. Pkg. 1

Shipping Weight Each 10.0 lbs.

## D ALL-PURPOSE SET No. 4123 (23 pcs.)

13 Standard Sockets, 7 Deep Sockets, 1 Ratchet and 2 Accessories, all 1/2" drive. Packed in steel case: 2 5/16" high; 18 5/16" long; 6" wide.

| No.   | Description              | No.   | Description              |
|-------|--------------------------|-------|--------------------------|
| 40114 | 7/16" Std. 6 pt. Skt.    | 40140 | 1 1/4" Std. 12 pt. Skt.  |
| 40116 | 1/2" Std. 6 pt. Skt.     | 40816 | 1/2" Deep 12 pt. Skt.    |
| 40118 | 9/16" Std. 6 pt. Skt.    | 40818 | 9/16" Deep 12 pt. Skt.   |
| 40120 | 5/8" Std. 12 pt. Skt.    | 40820 | 5/8" Deep 12 pt. Skt.    |
| 40122 | 1 1/16" Std. 12 pt. Skt. | 40822 | 1 1/16" Deep 12 pt. Skt. |
| 40124 | 3/4" Std. 12 pt. Skt.    | 40824 | 3/4" Deep 12 pt. Skt.    |
| 40126 | 13/16" Std. 12 pt. Skt.  | 40826 | 13/16" Deep 12 pt. Skt.  |
| 40128 | 7/8" Std. 12 pt. Skt.    | 40828 | 7/8" Deep 12 pt. Skt.    |
| 40130 | 1 5/16" Std. 12 pt. Skt. | 40161 | 5" Extension             |
| 40132 | 1" Std. 12 pt. Skt.      | 41653 | 17" Flex Handle          |
| 40134 | 1 1/16" Std. 12 pt. Skt. | 42470 | Ratchet                  |
| 40136 | 1 1/8" Std. 12 pt. Skt.  |       |                          |

Std. Pkg. 1

Shipping Weight Each 15.0 lbs.

## E GENERAL PURPOSE SET No. 4126 (26 pcs.)

13 Standard Sockets, 1 Spark Plug Socket, 1 Ratchet, 6 Open End Wrenches, 1 Plier and 4 Accessories. Packed in heavy-duty steel box with lift-out tote tray. Box Size: 6" high; 17 3/4" long; 6" wide.

| No.   | Description              | No.    | Description                |
|-------|--------------------------|--------|----------------------------|
| 40114 | 7/16" Std. 6 pt. Skt.    | 4826   | 1 3/16" S.P. Skt.          |
| 40116 | 1/2" Std. 6 pt. Skt.     | 40161  | 5" Extension               |
| 40118 | 9/16" Std. 6 pt. Skt.    | 40162  | 10" Extension              |
| 40120 | 5/8" Std. 12 pt. Skt.    | 40190  | Universal Joint            |
| 40122 | 1 1/16" Std. 12 pt. Skt. | 41653  | 17" Flex Handie            |
| 40124 | 3/4" Std. 12 pt. Skt.    | 42470  | Ratchet                    |
| 40126 | 13/16" Std. 12 pt. Skt.  | 7510   | 10" Tongue 'N Groove Plier |
| 40128 | 7/8" Std. 12 pt. Skt.    | O-810  | 1/4" x 5/16" O. E. Wr.     |
| 40130 | 1 5/16" Std. 12 pt. Skt. | O-1214 | 3/8" x 7/16" O. E. Wr.     |
| 40132 | 1" Std. 12 pt. Skt.      | O-1618 | 1/2" x 9/16" O. E. Wr.     |
| 40134 | 1 1/16" Std. 12 pt. Skt. | O-1820 | 9/16" x 5/8" O. E. Wr.     |
| 40136 | 1 1/8" Std. 12 pt. Skt.  | O-2224 | 1 1/16" x 3/4" O. E. Wr.   |
| 40140 | 1 1/4" Std. 12 pt. Skt.  | O-2628 | 1 3/16" x 7/8" O. E. Wr.   |

Std. Pkg. 1

Shipping Weight Each 18.0 lbs.






B



D



C



E



# 3/4" DRIVE SOCKET SETS

**S-K  
WAYNE**  
TOOLS

## A STARTER SET No. 4711 (11 pcs.)

Specially designed for heavy-duty truck, tractor and bus work, this popular assortment will serve the needs of the average mechanic. 9 Sockets, all 12 pt., and 2 Accessories. Packed in steel case: 2 1/2" high; 18 3/8" long; 5 1/2" wide.

| No.   | Description  | No.   | Description    |
|-------|--------------|-------|----------------|
| 47130 | 1 5/16" Skt. | 47146 | 1 7/16" Skt.   |
| 47134 | 1 1/16" Skt. | 47148 | 1 1/2" Skt.    |
| 47136 | 1 1/8" Skt.  | 47152 | 1 5/8" Skt.    |
| 47140 | 1 1/4" Skt.  | 47153 | Slide T Handle |
| 47142 | 1 5/16" Skt. | 47161 | 8" Extension   |
| 47144 | 1 3/8" Skt.  |       |                |

Std. Pkg. 1

Shipping Weight Each 15.7 lbs.

## B BASIC SET No. 4711B (11 pcs.)

Identical to set 4711, but without No. 47153 Slide T Handle, and including No 47170 Ratchet.

| No.   | Description         | No.   | Description         |
|-------|---------------------|-------|---------------------|
| 47130 | 1 5/16" 12 pt. Skt. | 47146 | 1 7/16" 12 pt. Skt. |
| 47134 | 1 1/16" 12 pt. Skt. | 47148 | 1 1/2" 12 pt. Skt.  |
| 47136 | 1 1/8" 12 pt. Skt.  | 47152 | 1 5/8" 12 pt. Skt.  |
| 47140 | 1 1/4" 12 pt. Skt.  | 47161 | 8" Extension        |
| 47142 | 1 5/16" 12 pt. Skt. | 47170 | Ratchet             |
| 47144 | 1 3/8" 12 pt. Skt.  |       |                     |

Std. Pkg. 1

Shipping Weight Each 17.0 lbs.

## C MASTER SET No. 4725 (25 pcs.)

A full-range set to answer the needs of mechanics servicing heavy duty truck, tractor, bus, oil well, railway or diesel equipment. 20 Sockets, all 12 pt., 1 Ratchet and 4 Accessories. Packed in sturdy metal box featuring lift-out tray, piano-type hinge, and hasp for padlock: 9 1/2" high; 20" long; 8 1/2" wide.

| No.   | Description  | No.   | Description    |
|-------|--------------|-------|----------------|
| 47128 | 7/8" Skt.    | 47152 | 1 5/8" Skt.    |
| 47130 | 1 5/16" Skt. | 47154 | 1 11/16" Skt.  |
| 47132 | 1" Skt.      | 47156 | 1 3/4" Skt.    |
| 47134 | 1 1/16" Skt. | 47158 | 1 13/16" Skt.  |
| 47136 | 1 1/8" Skt.  | 47160 | 1 7/8" Skt.    |
| 47138 | 1 3/16" Skt. | 47164 | 2" Skt.        |
| 47140 | 1 1/4" Skt.  | 47168 | 2 1/8" Skt.    |
| 47142 | 1 5/16" Skt. | 47172 | 2 1/4" Skt.    |
| 47144 | 1 3/8" Skt.  | 47153 | Slide T Handle |
| 47146 | 1 7/16" Skt. | 47159 | 3" Extension   |
| 47148 | 1 1/2" Skt.  | 47161 | 8" Extension   |
| 47150 | 1 9/16" Skt. | 47162 | 16" Extension  |
|       |              | 47170 | Ratchet        |

Std. Pkg. 1

Shipping Weight Each 51.0 lbs.



A



B



C



# COMBINATION SETS

**S-K  
WAYNE**  
TOOLS

## **A** GENERAL-PURPOSE COMBINATION SET No. 4250 (50 pcs.)

This 50-piece selection includes a wide range of standard sockets, ratchets, extensions, handles and universal joints, as well as combination wrenches and screwdrivers. Complete set is packed in a very popular style metal box with full-size tote tray — ample space for many additional tools. Box Size: 8 $\frac{3}{4}$ " high; 19" long; 7" wide.

### **1/4" DRIVE COMPONENTS (11 pcs.)**

| No.   | Description       | No.   | Description      |
|-------|-------------------|-------|------------------|
| 40906 | 3/16" 6 pt. Skt.  | 40912 | 3/8" 6 pt. Skt.  |
| 40907 | 7/32" 6 pt. Skt.  | 40914 | 1/16" 6 pt. Skt. |
| 40908 | 1/4" 6 pt. Skt.   | 40916 | 1/2" 6 pt. Skt.  |
| 40909 | 9/32" 6 pt. Skt.  | 40954 | Spinner Handle   |
| 40910 | 5/16" 6 pt. Skt.  | 40961 | 2" Extension     |
| 40911 | 11/32" 6 pt. Skt. |       |                  |

### **3/8" DRIVE COMPONENTS (13 pcs.)**

| No.   | Description        | No.   | Description            |
|-------|--------------------|-------|------------------------|
| 45116 | 1/2" 6 pt. Skt.    | 45161 | 6" Extension           |
| 45118 | 9/16" 6 pt. Skt.   | 45162 | 12" Extension          |
| 45120 | 5/8" 12 pt. Skt.   | 45170 | Ratchet                |
| 45122 | 11/16" 12 pt. Skt. | 45181 | Speeder Handle         |
| 45124 | 3/4" 12 pt. Skt.   | 45190 | Universal Joint        |
| 45159 | 1 1/2" Extension   | 4426  | 13/16" Spark Plug Skt. |
|       |                    | 384   | 3/8" F-1/4" M Adapter  |

### **1/2" DRIVE COMPONENTS (14 pcs.)**

| No.   | Description        | No.   | Description         |
|-------|--------------------|-------|---------------------|
| 40116 | 1/2" 6 pt. Skt.    | 40130 | 15/16" 12 pt. Skt.  |
| 40118 | 9/16" 6 pt. Skt.   | 40132 | 1" 12 pt. Skt.      |
| 40120 | 5/8" 12 pt. Skt.   | 40134 | 1 1/16" 12 pt. Skt. |
| 40122 | 11/16" 12 pt. Skt. | 40136 | 1 1/8" 12 pt. Skt.  |
| 40124 | 3/4" 12 pt. Skt.   | 40140 | 1 1/4" 12 pt. Skt.  |
| 40126 | 13/16" 12 pt. Skt. | 40161 | 5" Extension        |
| 40128 | 7/8" 12 pt. Skt.   | 40170 | Ratchet             |

### **ADDITIONAL COMPONENTS (12 pcs.)**

| No.  | Description        | No.   | Description                              |
|------|--------------------|-------|--|
| C-8  | 1/4" Comb. Wrench  | C-22  | 11/16" Comb. Wrench                      |
| C-10 | 5/16" Comb. Wrench | C-24  | 3/4" Comb. Wrench                        |
| C-12 | 3/8" Comb. Wrench  | 70086 | 6" Round "Keystone"<br>Blade Screwdriver |
| C-14 | 7/16" Comb. Wrench | 71064 | 4" Round "Cabinet"<br>Blade Screwdriver  |
| C-16 | 1/2" Comb. Wrench  | 73002 | #2 4" Phillips Head<br>Screwdriver       |
| C-18 | 9/16" Comb. Wrench |       |  |
| C-20 | 3/4" Comb. Wrench  |       |  |

Std. Pkg. 1

Shipping Weight Each 23.4 lbs.



## **B** BASIC COMBINATION SET No. 4224 (24 pcs.) 1/4" AND 3/8" DRIVE

15 Standard Sockets, 3 Deep Sockets, 1 Spark Plug Socket, 1 Ratchet and 4 Accessories. Packed in metal box: 17 $\frac{1}{16}$ " high; 11 $\frac{3}{16}$ " long; 3 $\frac{3}{8}$ " wide.

### **1/4" DRIVE COMPONENTS (10 pcs.)**

| No.   | Description           | No.   | Description            |
|-------|-----------------------|-------|------------------------|
| 40906 | 3/16" Std. 6 pt. Skt. | 40911 | 11/32" Std. 6 pt. Skt. |
| 40907 | 7/32" Std. 6 pt. Skt. | 40912 | 3/8" Std. 6 pt. Skt.   |
| 40908 | 1/4" Std. 6 pt. Skt.  | 40914 | 7/16" Std. 6 pt. Skt.  |
| 40909 | 9/32" Std. 6 pt. Skt. | 40916 | 1/2" Std. 6 pt. Skt.   |
| 40910 | 5/16" Std. 6 pt. Skt. | 40954 | Spinner Handle         |

### **3/8" DRIVE COMPONENTS (14 pcs.)**

| No.   | Description             | No.   | Description            |
|-------|-------------------------|-------|------------------------|
| 45118 | 9/16" Std. 6 pt. Skt.   | 40416 | 1/2" Deep 6 pt. Skt.   |
| 45120 | 5/8" Std. 12 pt. Skt.   | 40418 | 9/16" Deep 6 pt. Skt.  |
| 45122 | 11/16" Std. 12 pt. Skt. | 45159 | 1 1/2" Extension       |
| 45124 | 3/4" Std. 12 pt. Skt.   | 45161 | 6" Extension           |
| 45126 | 13/16" Std. 12 pt. Skt. | 45170 | Ratchet                |
| 45128 | 7/8" Std. 12 pt. Skt.   | 384   | 3/8" F-1/4" M Adapter  |
| 40414 | 7/16" Deep 6 pt. Skt.   | 4426  | 13/16" Spark Plug Skt. |

Std. Pkg. 1

Shipping Weight Each 3.8 lbs.





# MASTER COMBINATION SETS

**S-K  
WAYNE**  
TOOLS



**MASTER COMBINATION SET No. 4280 (80 pcs.) 1/4" — 3/8" — 1/2" DRIVE**

A really complete Socket Wrench Set — with an all-purpose selection of standard, special and deep sockets, handles, extensions, ratchets, plus 9 combination wrenches, 2 pliers, 2 punches, 1 chisel and 3 screwdrivers. Entire set is packed in our No. 1541 HEAVY DUTY TOOL CHEST. (For detailed information on this chest, see page 35.)

## 1/4" DRIVE COMPONENTS (22 pcs.)

| No.   | Description            | No.   | Description            |
|-------|------------------------|-------|------------------------|
| 40906 | 3/16" Std. 6 pt. Skt.  | 41908 | 1/4" Deep 6 pt. Skt.   |
| 40907 | 7/32" Std. 6 pt. Skt.  | 41909 | 9/32" Deep 6 pt. Skt.  |
| 40908 | 1/4" Std. 6 pt. Skt.   | 41910 | 5/16" Deep 6 pt. Skt.  |
| 40909 | 9/32" Std. 6 pt. Skt.  | 41911 | 11/32" Deep 6 pt. Skt. |
| 40910 | 5/16" Std. 6 pt. Skt.  | 41912 | 3/8" Deep 6 pt. Skt.   |
| 40911 | 11/32" Std. 6 pt. Skt. | 41914 | 7/16" Deep 6 pt. Skt.  |
| 40912 | 3/8" Std. 6 pt. Skt.   | 41916 | 1/2" Deep 6 pt. Skt.   |
| 40914 | 7/16" Std. 6 pt. Skt.  | 40954 | Spinner Handle         |
| 40916 | 1/2" Std. 6 pt. Skt.   | 40961 | 2" Extension           |
| 40988 | 1/4" Std. 8 pt. Skt.   | 40962 | 6" Extension           |
| 40900 | 5/16" Std. 8 pt. Skt.  | 40970 | Ratchet                |

## 3/8" DRIVE COMPONENTS (14 pcs.)

| No.   | Description             | No.   | Description             |
|-------|-------------------------|-------|-------------------------|
| 45112 | 3/8" Std. 6 pt. Skt.    | 45126 | 13/16" Std. 12 pt. Skt. |
| 45114 | 7/16" Std. 6 pt. Skt.   | 45128 | 7/8" Std. 12 pt. Skt.   |
| 45116 | 1/2" Std. 6 pt. Skt.    | 45159 | 1 1/2" Extension        |
| 45118 | 9/16" Std. 6 pt. Skt.   | 45160 | 3" Extension            |
| 45120 | 5/8" Std. 12 pt. Skt.   | 45162 | 12" Extension           |
| 45122 | 11/16" Std. 12 pt. Skt. | 45170 | Ratchet                 |
| 45124 | 3/4" Std. 12 pt. Skt.   | 4426  | 13/16" Spark Plug Skt.  |

## 1/2" DRIVE COMPONENTS (27 pcs.)

| No.   | Description              | No.   | Description              |
|-------|--------------------------|-------|--------------------------|
| 40114 | 7/16" Std. 6 pt. Skt.    | 40816 | 1/2" Deep 12 pt. Skt.    |
| 40116 | 9/16" Std. 6 pt. Skt.    | 40818 | 5/8" Deep 12 pt. Skt.    |
| 40118 | 5/8" Std. 6 pt. Skt.     | 40820 | 3/4" Deep 12 pt. Skt.    |
| 40120 | 11/16" Std. 12 pt. Skt.  | 40822 | 1 1/16" Deep 12 pt. Skt. |
| 40122 | 1 1/16" Std. 12 pt. Skt. | 40824 | 3/4" Deep 12 pt. Skt.    |
| 40124 | 3/4" Std. 12 pt. Skt.    | 40826 | 13/16" Deep 12 pt. Skt.  |
| 40126 | 13/16" Std. 12 pt. Skt.  | 40828 | 7/8" Deep 12 pt. Skt.    |
| 40128 | 7/8" Std. 12 pt. Skt.    | 40830 | 15/16" Deep 12 pt. Skt.  |
| 40130 | 15/16" Std. 12 pt. Skt.  | 40161 | 5" Extension             |
| 40132 | 1" Std. 12 pt. Skt.      | 40162 | 10" Extension            |
| 40134 | 1 1/16" Std. 12 pt. Skt. | 40181 | Speeder Handle           |
| 40136 | 1 1/8" Std. 12 pt. Skt.  | 40190 | Universal Joint          |
| 40140 | 1 1/4" Std. 12 pt. Skt.  | 41653 | 17" Flex Handle          |
|       |                          | 42470 | Ratchet                  |

## ADDITIONAL COMPONENTS (17 pcs.)

| No.   | Description         | No.   | Description                          |
|-------|---------------------|-------|--------------------------------------|
| C-8   | 1/4" Comb. Wrench   | 17717 | 7" Long Nose Plier                   |
| C-10  | 5/16" Comb. Wrench  | 6306  | 9" Aligning Punch                    |
| C-12  | 3/8" Comb. Wrench   | 6520  | 6 1/2" Oct. Cold Chisel              |
| C-14  | 7/16" Comb. Wrench  | 6012  | 4 1/2" Prick Punch                   |
| C-16  | 1/2" Comb. Wrench   | 71064 | 4" Round "Cabinet" Blade Screwdriver |
| C-18  | 9/16" Comb. Wrench  | 72106 | 6" Square Blade Screwdriver          |
| C-20  | 5/8" Comb. Wrench   | 73002 | 4" #2 Phillips (Stubby)              |
| C-22  | 11/16" Comb. Wrench |       |                                      |
| C-24  | 3/4" Comb. Wrench   |       |                                      |
| 15016 | 6" Diagonal Cutter  |       |                                      |

No. 4280 Master Combination Set: Std. Pkg. 1. Shipping Weight Each 57.5 lbs.



**MASTER COMBINATION SET No. 4221 (121 pcs.)****1/4" - 3/8" - 1/2" DRIVE**

Largest, most complete Combination Set available. Includes all-around selection of standard, special and deep sockets, handles, extensions, ratchets, universal joints, and flex sockets. Plus 9 combination wrenches, 3 box wrenches, 1 adjustable wrench, 4 pliers, 7 punches, 6 chisels and 6 screwdrivers. Entire set is packed in our No. 1552 HEAVY DUTY TWO DRAWER TOOL CHEST. (For detailed information on this chest, see page 35.)

**1/4" DRIVE COMPONENTS (23 pcs.)**

| No.   | Description            | No.   | Description            |
|-------|------------------------|-------|------------------------|
| 40906 | 3/16" Std. 6 pt. Skt.  | 41908 | 1/4" Deep 6 pt. Skt.   |
| 40907 | 7/32" Std. 6 pt. Skt.  | 41909 | 9/32" Deep 6 pt. Skt.  |
| 40908 | 1/4" Std. 6 pt. Skt.   | 41910 | 5/16" Deep 6 pt. Skt.  |
| 40909 | 9/32" Std. 6 pt. Skt.  | 41911 | 11/32" Deep 6 pt. Skt. |
| 40910 | 5/16" Std. 6 pt. Skt.  | 41912 | 3/8" Deep 6 pt. Skt.   |
| 40911 | 11/32" Std. 6 pt. Skt. | 41914 | 7/16" Deep 6 pt. Skt.  |
| 40912 | 3/8" Std. 6 pt. Skt.   | 41916 | 1/2" Deep 6 pt. Skt.   |
| 40914 | 7/16" Std. 6 pt. Skt.  | 40954 | Spinner Handle         |
| 40916 | 1/2" Std. 6 pt. Skt.   | 40961 | 2" Extension           |
| 40988 | 1/4" Std. 8 pt. Skt.   | 40962 | 6" Extension           |
| 40900 | 5/16" Std. 8 pt. Skt.  | 40970 | Ratchet                |
|       |                        | 40990 | Universal Joint        |

**3/8" DRIVE COMPONENTS (33 pcs.)**

| No.   | Description             | No.   | Description            |
|-------|-------------------------|-------|------------------------|
| 45112 | 3/8" Std. 6 pt. Skt.    | 40612 | 3/8" Flex 6 pt. Skt.   |
| 45114 | 7/16" Std. 6 pt. Skt.   | 40614 | 7/16" Flex 6 pt. Skt.  |
| 45116 | 1/2" Std. 6 pt. Skt.    | 40616 | 1/2" Flex 6 pt. Skt.   |
| 45118 | 9/16" Std. 6 pt. Skt.   | 40618 | 9/16" Flex 6 pt. Skt.  |
| 45120 | 5/8" Std. 12 pt. Skt.   | 40620 | 5/8" Flex 6 pt. Skt.   |
| 45122 | 11/16" Std. 12 pt. Skt. | 40622 | 11/16" Flex 6 pt. Skt. |
| 45124 | 3/4" Std. 12 pt. Skt.   | 40624 | 3/4" Flex 6 pt. Skt.   |
| 45126 | 13/16" Std. 12 pt. Skt. | 4426  | 13/16" Spark Plug Skt. |
| 45128 | 7/8" Std. 12 pt. Skt.   | 45153 | Flex Handle            |
| 40412 | 3/8" Deep 6 pt. Skt.    | 45159 | 1 1/2" Extension       |
| 40414 | 7/16" Deep 6 pt. Skt.   | 45160 | 3" Extension           |
| 40416 | 1/2" Deep 6 pt. Skt.    | 45161 | 6" Extension           |
| 40418 | 9/16" Deep 6 pt. Skt.   | 45162 | 12" Extension          |
| 40420 | 5/8" Deep 6 pt. Skt.    | 45170 | Ratchet                |
| 40422 | 11/16" Deep 6 pt. Skt.  | 45181 | Speeder Handle         |
| 40424 | 3/4" Deep 6 pt. Skt.    | 45190 | Universal Joint        |
| 40426 | 13/16" Deep 6 pt. Skt.  |       |                        |

**1/2" DRIVE COMPONENTS (29 pcs.)**

| No.   | Description              | No.   | Description             |
|-------|--------------------------|-------|-------------------------|
| 40114 | 7/16" Std. 6 pt. Skt.    | 40816 | 1/2" Deep 12 pt. Skt.   |
| 40116 | 1/2" Std. 6 pt. Skt.     | 40818 | 9/16" Deep 12 pt. Skt.  |
| 40118 | 9/16" Std. 6 pt. Skt.    | 40820 | 5/8" Deep 12 pt. Skt.   |
| 40120 | 5/8" Std. 12 pt. Skt.    | 40822 | 11/16" Deep 12 pt. Skt. |
| 40122 | 11/16" Std. 12 pt. Skt.  | 40824 | 3/4" Deep 12 pt. Skt.   |
| 40124 | 3/4" Std. 12 pt. Skt.    | 40826 | 13/16" Deep 12 pt. Skt. |
| 40126 | 13/16" Std. 12 pt. Skt.  | 40828 | 7/8" Deep 12 pt. Skt.   |
| 40128 | 7/8" Std. 12 pt. Skt.    | 40830 | 15/16" Deep 12 pt. Skt. |
| 40130 | 15/16" Std. 12 pt. Skt.  | 40160 | 2" Extension            |
| 40132 | 1" Std. 12 pt. Skt.      | 40161 | 5" Extension            |
| 40134 | 1 1/16" Std. 12 pt. Skt. | 40162 | 10" Extension           |
| 40136 | 1 1/8" Std. 12 pt. Skt.  | 40181 | Speeder Handle          |
| 40140 | 1 1/4" Std. 12 pt. Skt.  | 40190 | Universal Joint         |
| 4V118 | 9/16" Ford V8 Rod Skt.   | 41653 | Flex Head Handle        |
|       |                          | 42470 | Ratchet                 |

**ADDITIONAL COMPONENTS (36 pcs.)**

| No.    | Description                | No.   | Description                            |
|--------|----------------------------|-------|--|
| M-1214 | 3/8" x 7/16" Box Wr.       | 6208  | 6" Machine Drift Punch                 |
| M-1618 | 1/2" x 9/16" Box Wr.       | 6306  | 9" Aligning Punch                      |
| M-2022 | 5/8" x 11/16" Box Wr.      | 6508  | 5" Octagon Cold Chisel                 |
| C-8    | 1/4" Comb. Wrench          | 6516  | 6" Octagon Cold Chisel                 |
| C-10   | 5/16" Comb. Wrench         | 6520  | 6 1/2" Octagon Cold Chisel             |
| C-12   | 3/8" Comb. Wrench          |       |  |
| C-14   | 7/16" Comb. Wrench         | 6612  | 6" Diamond Point Chisel                |
| C-16   | 1/2" Comb. Wrench          |       |  |
| C-18   | 9/16" Comb. Wrench         | 6708  | 5 1/2" Cape Chisel                     |
| C-20   | 5/8" Comb. Wrench          | 6808  | 6" Round Nose Cape Chisel              |
| C-22   | 11/16" Comb. Wrench        |       |  |
| C-24   | 3/4" Comb. Wrench          | 6912  | 4 1/2" Center Punch                    |
| 7510   | 10" Tongue 'N Groove Plier | 70044 | 3 1/2" Round Blade Screwdriver         |
| 7206   | 6" Combination Plier       | 70086 | 6" Round Blade Screwdriver             |
| 15016  | 6" Diagonal Cutting Plier  | 71066 | 6" Round Cabinet Blade Screwdriver     |
| 17717  | 7" Long Chain Nose Plier   | 72081 | 1 1/4" Stubby Square Blade Screwdriver |
| 8010   | 10" Adjustable Wr.         | 72106 | 6" Square Blade Screwdriver            |
| 6103   | 4 1/2" Pin Punch Pt. 2     |       |  |
| 6104   | 4 1/2" Pin Punch Pt. 3     | 73002 | 4" #2 Phillips Scwdr.                  |
| 6105   | 4 1/2" Pin Punch Pt. 4     |       |  |
| 6106   | 4 1/2" Pin Punch Pt. 5     |       |  |

No. 4221 Master Combination Set: Std. Pkg. 1. Shipping Weight Each 75.8 lbs.



# METRIC TOOLS



## METRIC COMBINATION WRENCHES & SETS



(A)

### (A) INDIVIDUAL METRIC COMBINATION WRENCHES

| Item No. | Size   | Std. Pkg. Quantity | Pkg. Wt. |
|----------|--------|--------------------|----------|
| 8307     | 7 mm.  | 6                  | .3 lb.   |
| 8308     | 8 mm.  | 6                  | .3 lb.   |
| 8309     | 9 mm.  | 6                  | .4 lb.   |
| 8310     | 10 mm. | 6                  | .5 lb.   |
| 8311     | 11 mm. | 6                  | .7 lb.   |
| 8312     | 12 mm. | 6                  | .8 lb.   |
| 8313     | 13 mm. | 6                  | 1.0 lb.  |
| 8314     | 14 mm. | 6                  | 1.4 lbs. |
| 8315     | 15 mm. | 6                  | 1.6 lbs. |
| 8316     | 16 mm. | 6                  | 1.9 lbs. |
| 8317     | 17 mm. | 6                  | 2.1 lbs. |
| 8318     | 18 mm. | 6                  | 2.3 lbs. |
| 8319     | 19 mm. | 6                  | 2.9 lbs. |
| 8321     | 21 mm. | 6                  | 3.8 lbs. |
| 8322     | 22 mm. | 6                  | 4.5 lbs. |

7mm. thru 13 mm. wrenches have 6 pt. box ends.  
14 mm. thru 22 mm. wrenches have 12 pt. box ends.

### (B) SET 1811 (11 pcs. in tool bag) METRIC COMBINATION WRENCHES

| No.  | Size   | No.  | Size   |
|------|--------|------|--------|
| 8307 | 7 mm.  | 8313 | 13 mm. |
| 8308 | 8 mm.  | 8314 | 14 mm. |
| 8309 | 9 mm.  | 8315 | 15 mm. |
| 8310 | 10 mm. | 8317 | 17 mm. |
| 8311 | 11 mm. | 8319 | 19 mm. |
| 8312 | 12 mm. |      |        |

Std. Pkg. 3

Shipping Wt. 6.25 lbs.

### (C) SET 1807 (7 pcs. in tool bag) METRIC COMBINATION WRENCHES

| No.  | Size   | No.  | Size   |
|------|--------|------|--------|
| 8307 | 7 mm.  | 8313 | 13 mm. |
| 8309 | 9 mm.  | 8314 | 14 mm. |
| 8310 | 10 mm. | 8315 | 15 mm. |
| 8311 | 11 mm. |      |        |

Std. Pkg. 6

Shipping Wt. 5.8 lbs.

## METRIC SOCKETS & SETS — 3/8" DRIVE



(D)

### (D) INDIVIDUAL METRIC SOCKETS

All 6 point — 3/8" drive

| Item No. | Size   | Std. Pkg. Quantity | Pkg. Weight |
|----------|--------|--------------------|-------------|
| 307      | 7 mm.  | 6                  | .3 lb.      |
| 308      | 8 mm.  | 6                  | .3 lb.      |
| 309      | 9 mm.  | 6                  | .3 lb.      |
| 310      | 10 mm. | 6                  | .3 lb.      |
| 311      | 11 mm. | 6                  | .3 lb.      |
| 312      | 12 mm. | 6                  | .3 lb.      |
| 313      | 13 mm. | 6                  | .4 lb.      |
| 314      | 14 mm. | 6                  | .4 lb.      |
| 315      | 15 mm. | 6                  | .5 lb.      |
| 316      | 16 mm. | 6                  | .6 lb.      |
| 317      | 17 mm. | 6                  | .7 lb.      |
| 318      | 18 mm. | 6                  | .8 lb.      |
| 319      | 19 mm. | 6                  | .8 lb.      |

### (E) SET No. 14 — 3/8" DRIVE

10 metric sockets, 6 point, sizes 7 mm. through 15 mm. and 17 mm.; 13/16" spark plug holding socket; 1 1/2" and 6" extensions; and famous S-K ratchet. Metal box 1 3/8" x 8 3/8" x 3 3/8".

Std. Pkg. 1

Shipping Wt. 2.6 lbs.

### (F) SET No. 13 — 3/8" DRIVE

13 metric sockets, 6 point, sizes 7 mm. through 19 mm. in unique flip-lock tray.

Std. Pkg. 1

Shipping Wt. 1.3 lbs.



(B)

(C)



(E)

(F)



S-K  $\frac{1}{4}$ " drive sockets and handles are widely preferred by automotive, aircraft and industrial mechanics who appreciate smart design, accurate machining and high-quality finishes.

# **$\frac{1}{4}$ " DRIVE SOCKETS, HANDLES & ATTACHMENTS**



## **(A) REVERSIBLE RATCHET**

Has 60-Tooth mechanism, an exclusive design which permits operation in arcs as small as  $6^\circ$ . For other details on S-K Ratchets, see Inside Front Cover.

| Part Number | Length            | Head Diam. | Pkg.* Weight |
|-------------|-------------------|------------|--------------|
| 40970       | 4 $\frac{1}{2}$ " | 1"         | 1.1 lbs.     |

## **(B) SPINNER HANDLE**

| Part Number | Length | Pkg.* Weight |
|-------------|--------|--------------|
| 40954       | 6"     | 1.0 lb.      |

## **(C) EXTENSIONS**

| Part Number | Length | Diam.             | Pkg.* Weight |
|-------------|--------|-------------------|--------------|
| 40961       | 2"     | $\frac{21}{64}$ " | .3 lb.       |
| 40962       | 6"     | $\frac{21}{64}$ " | .9 lb.       |

## **(D) UNIVERSAL JOINT**

| Part Number | Length             | Pkg.* Weight |
|-------------|--------------------|--------------|
| 40990       | 1 $\frac{1}{32}$ " | .3 lb.       |

## **(E) STANDARD SOCKETS 409 Series 6 PT.**

| Part Number | Size               | Length          | Pkg.* Weight |
|-------------|--------------------|-----------------|--------------|
| 40906       | $\frac{3}{16}$ "   | $\frac{7}{8}$ " | .2 lb.       |
| 40907       | $\frac{7}{32}$ "   | $\frac{7}{8}$ " | .2 lb.       |
| 40908       | $\frac{1}{4}$ "    | $\frac{7}{8}$ " | .2 lb.       |
| 40909       | $\frac{9}{32}$ "   | $\frac{7}{8}$ " | .2 lb.       |
| 40910       | $\frac{5}{16}$ "   | $\frac{7}{8}$ " | .2 lb.       |
| 40911       | 1 $\frac{1}{32}$ " | $\frac{7}{8}$ " | .2 lb.       |
| 40912       | $\frac{3}{8}$ "    | $\frac{7}{8}$ " | .2 lb.       |
| 40914       | $\frac{7}{16}$ "   | $\frac{7}{8}$ " | .3 lb.       |
| 40916       | $\frac{1}{2}$ "    | $\frac{7}{8}$ " | .3 lb.       |


## **(F) STANDARD SOCKETS 409 Series 8 PT.**

| Part Number | Size             | Length          | Pkg.* Weight |
|-------------|------------------|-----------------|--------------|
| 40988       | $\frac{1}{4}$ "  | $\frac{7}{8}$ " | .2 lb.       |
| 40900       | $\frac{5}{16}$ " | $\frac{7}{8}$ " | .3 lb.       |

## **(G) DEEP SOCKET 419 Series 6 PT.**

| Part Number | Size               | Length | Pkg.* Weight |
|-------------|--------------------|--------|--------------|
| 41908       | $\frac{1}{4}$ "    | 2"     | .3 lb.       |
| 41909       | $\frac{9}{32}$ "   | 2"     | .3 lb.       |
| 41910       | $\frac{5}{16}$ "   | 2"     | .4 lb.       |
| 41911       | 1 $\frac{1}{32}$ " | 2"     | .4 lb.       |
| 41912       | $\frac{3}{8}$ "    | 2"     | .5 lb.       |
| 41914       | $\frac{7}{16}$ "   | 2"     | .6 lb.       |
| 41916       | $\frac{1}{2}$ "    | 2"     | .7 lb.       |


\*All above items packed in standard package of 6






## RATCHET RENEWALS

**1/4" | 3/8" | 1/2" | 3/4"**



S-K ratchets are designed so it is a simple operation to remove a worn operating mechanism and install a Ratchet Renewal unit. (Further information on Inside Front Cover.)

| Part Number | Drive Size | Std. Pkg. | Weight Each |
|-------------|------------|-----------|-------------|
| 40970-2     | 1/4"       | 1         | .1 lb.      |
| 45170-2     | 3/8"       | 1         | .2 lb.      |
| 42470-2     | 1/2"       | 1         | .3 lb.      |
| 47170-2     | 3/4"       | 1         | 1.0 lb.     |



If upon inspection the operating mechanism (illustrated above) is found to be worn out, Ratchet Renewals are available from your tool source. On-the-spot purchase and installation of a renewal unit eliminates the necessity of a mechanic being without his ratchet while it is being serviced.

## 3/8" DRIVE SOCKETS, HANDLES & ATTACHMENTS



### A STANDARD SOCKETS 451 Series 6 PT.

| Part Number | Size  | Length | Pkg.* Weight |
|-------------|-------|--------|--------------|
| 45112       | 3/8"  | 7/8"   | .2 lb.       |
| 45114       | 7/16" | 7/8"   | .3 lb.       |
| 45116       | 1/2"  | 7/8"   | .3 lb.       |
| 45118       | 9/16" | 7/8"   | .4 lb.       |

### B STANDARD SOCKETS 451 Series 12 PT.

| Part Number | Size   | Length | Pkg.* Weight |
|-------------|--------|--------|--------------|
| 45120       | 5/8"   | 7/8"   | .5 lb.       |
| 45122       | 11/16" | 1"     | .6 lb.       |
| 45124       | 3/4"   | 1"     | .7 lb.       |
| 45126       | 13/16" | 1 1/8" | .9 lb.       |
| 45128       | 7/8"   | 1 1/8" | 1.0 lb.      |

### C SPARK PLUG SOCKETS 6 PT.

Both have neoprene inserts which hold spark plug securely. Protects porcelain.

| Part Number | Size   | Length  | Pkg.* Weight |
|-------------|--------|---------|--------------|
| 4420        | 5/8"   | 2 3/8"  | 1.6 lbs.     |
| 4426        | 13/16" | 2 5/16" | 1.7 lbs.     |

### D DEEP SOCKETS 404 Series 6 PT.

| Part Number | Size   | Length | Pkg.* Weight |
|-------------|--------|--------|--------------|
| 40412       | 3/8"   | 1 3/4" | .5 lb.       |
| 40414       | 7/16"  | 1 3/4" | .5 lb.       |
| 40416       | 1/2"   | 1 3/4" | .6 lb.       |
| 40418       | 9/16"  | 1 3/4" | .8 lb.       |
| 40420       | 5/8"   | 2 1/2" | 1.3 lbs.     |
| 40422       | 11/16" | 2 1/2" | 1.5 lbs.     |
| 40424       | 3/4"   | 2 1/2" | 1.9 lbs.     |
| 40426       | 13/16" | 2 1/2" | 2.1 lbs.     |

### E ADAPTERS

Permit use of 1/4" and 1/2" drive sockets with 3/8" drive handles.

| Part Number | Size          | Length  | Pkg.* Weight |
|-------------|---------------|---------|--------------|
| 384         | 3/8" F-1/4" M | 1 1/8"  | .4 lb.       |
| 451         | 3/8" F-1/2" M | 1 5/16" | .5 lb.       |



A  
(6 pt.)



B

(12 pt.)



C



D



E



**F REVERSIBLE RATCHET**

Another of the famous line of S-K Ratchets — with close, positive action assured by 40-tooth mechanism. This handle saves time on jobs in cramped quarters. For details on S-K Ratchets, see Inside Front Cover.

| Part Number | Length | Head Diam. | Pkg.* Weight |
|-------------|--------|------------|--------------|
| 45170       | 7½"    | 1⅝"        | 3.7 lbs.     |

**G ROTO-RATCHET**

Ten-inch handle pivots through full 270° arc, offers unmatched versatility of use. Nickel chrome plated for superior protection and appearance. Tested and proved by auto mechanics.

| Part No. | Length | Yoke Diam. | Pkg.* Weight |
|----------|--------|------------|--------------|
| 3870     | 10½"   | 1⅞"        | 6.2 lbs.     |

**H SPEEDER HANDLE**

| Part Number | Length | Diam. | Pkg.* Weight |
|-------------|--------|-------|--------------|
| 45181       | 16½"   | ⅜"    | 5.9 lb.      |

**J EXTENSIONS**

| Part Number | Length | Diam. | Pkg.* Weight |
|-------------|--------|-------|--------------|
| 45159       | 1½"    | 7/16" | .5 lb.       |
| 45160       | 3"     | 7/16" | 1.0 lb.      |
| 45161       | 6"     | 7/16" | 1.7 lbs.     |
| 45162       | 12"    | 7/16" | 3.3 lbs.     |

**K FLEX HEAD HANDLE**

| Part Number | Length | Head Diam. | Pkg.* Weight |
|-------------|--------|------------|--------------|
| 45153       | 7½"    | ¾"         | 3.1 lbs.     |

**L FLEX SOCKETS 406 Series 6 PT.**



| Part Number | Size   | Length  | Pkg.* Weight |
|-------------|--------|---------|--------------|
| 40612       | ⅜"     | 1⅝"     | .5 lb.       |
| 40614       | 7/16"  | 1⅝"     | .5 lb.       |
| 40616       | ½"     | 1⅝"     | .6 lb.       |
| 40618       | 9/16"  | 1¾"     | .7 lb.       |
| 40620       | 5/8"   | 125/32" | .8 lb.       |
| 40622       | 11/16" | 113/16" | .8 lb.       |
| 40624       | ¾"     | 1⅞"     | .9 lb.       |

**M UNIVERSAL JOINT**

| Part Number | Length | Pkg.* Weight |
|-------------|--------|--------------|
| 45190       | 1⅞"    | .8 lb.       |

\*All above items packed in standard package of 6

These ⅜" drive sockets and handles are widely preferred by automotive, aircraft and industrial mechanics who appreciate smart design, accurate machining and high-quality finish.





# 1/2" DRIVE SOCKETS, HANDLES & ATTACHMENTS



## A REVERSIBLE RATCHET

Precision machined, 50-tooth mechanism assures close action. For other details, see Inside Front Cover.

| Part Number | Length  | Head Diam. | Pkg.* Weight |
|-------------|---------|------------|--------------|
| 42470       | 10 1/2" | 1 3/4"     | 7.5 lbs.     |
| 40170       | 15"     | 1 7/8"     | 10.8 lbs.    |

## B SPEEDER HANDLE

| Part Number | Length | Diam. | Pkg.* Weight |
|-------------|--------|-------|--------------|
| 40181       | 18"    | 1/2"  | 9.9 lbs.     |

## C FLEX HEAD HANDLE

| Part Number | Length  | Head Diam. | Pkg.* Weight |
|-------------|---------|------------|--------------|
| 40253       | 15 1/2" | 1 1/8"     | 8.7 lbs.     |
| 41653       | 17"     | 1 1/8"     | 12.5 lbs.    |

## D EXTENSIONS

| Part Number | Length | Diam. | Pkg.* Weight |
|-------------|--------|-------|--------------|
| 40160       | 2"     | 9/16" | 1.1 lbs.     |
| 40161       | 5"     | 9/16" | 2.2 lbs.     |
| 40162       | 10"    | 9/16" | 4.0 lbs.     |

## E STANDARD SOCKETS 401 Series 6 PT.

| Part Number | Size  | Length   | Pkg.* Weight |
|-------------|-------|----------|--------------|
| 40114       | 7/16" | 1 1/2"   | .8 lb.       |
| 40116       | 1/2"  | 1 1/2"   | .8 lb.       |
| 40118       | 9/16" | 1 17/32" | .9 lb.       |

## F STANDARD SOCKETS 401 Series 12 PT.

|       |         |          |          |
|-------|---------|----------|----------|
| 40214 | 7/16"   | 1 1/2"   | .8 lb.   |
| 40216 | 1/2"    | 1 1/2"   | .8 lb.   |
| 40218 | 9/16"   | 1 17/32" | .9 lb.   |
| 40120 | 5/8"    | 1 9/16"  | .9 lb.   |
| 40122 | 1 1/16" | 1 19/32" | 1.3 lbs. |
| 40124 | 3/4"    | 1 19/32" | 1.5 lbs. |
| 40126 | 13/16"  | 1 5/8"   | 1.6 lbs. |
| 40128 | 7/8"    | 1 21/32" | 1.8 lbs. |
| 40130 | 15/16"  | 1 21/32" | 2.0 lbs. |
| 40132 | 1"      | 1 11/16" | 2.6 lbs. |
| 40134 | 1 1/16" | 1 23/32" | 2.8 lbs. |
| 40136 | 1 1/8"  | 1 3/4"   | 3.1 lbs. |
| 40138 | 1 3/16" | 1 3/4"   | 3.6 lbs. |
| 40140 | 1 1/4"  | 1 3/4"   | 3.6 lbs. |

## G DEEP SOCKETS 408 Series 12 PT.

| Part Number | Size    | Length | Pkg.* Weight |
|-------------|---------|--------|--------------|
| 40816       | 1/2"    | 3 1/4" | 1.9 lbs.     |
| 40818       | 9/16"   | 3 1/4" | 1.9 lbs.     |
| 40820       | 5/8"    | 3 1/4" | 2.1 lbs.     |
| 40822       | 11/16"  | 3 1/4" | 2.2 lbs.     |
| 40824       | 3/4"    | 3 1/4" | 2.6 lbs.     |
| 40826       | 13/16"  | 3 1/4" | 2.4 lbs.     |
| 40828       | 7/8"    | 3 1/4" | 3.7 lbs.     |
| 40830       | 15/16"  | 3 1/4" | 4.0 lbs.     |
| 40832       | 1"      | 3 1/4" | 4.4 lbs.     |
| 40834       | 1 1/16" | 3 1/4" | 4.7 lbs.     |
| 40836       | 1 1/8"  | 3 1/4" | 4.9 lbs.     |

## H SPARK PLUG SOCKET 6 PT.

Neoprene insert holds spark plug securely. Protects porcelain.

| Part Number | Size   | Length   | Pkg.* Weight |
|-------------|--------|----------|--------------|
| 4826        | 13/16" | 2 17/32" | 1.8 lbs.     |

## J UNIVERSAL JOINT

Part Number 40190; Length 2 5/16"; Pkg.\* Weight 1.5 lbs.

## K FORD V8 CONNECTING ROD SOCKET



Part Number 4V118; Size 9/16"; Length, 1 1/4"; Pkg.\* Weight .8 lbs. (Extra thin — not guaranteed)

## L ADAPTERS

Part Number 401; Size 1/2" Female — 3/8" Male; Length 1 3/8". Permits use of 3/8" drive sockets with 1/2" drive handles. Pkg.\* Weight .6 lbs.

Part Number 407; Size 1/2" Female — 3/4" Male; Length 1 7/8". Permits use of 3/4" drive sockets with 1/2" drive handles. Pkg.\* Weight 1.5 lbs.

\*All above items packed in standard package of 6.





# 3/4" DRIVE SOCKETS, HANDLES & ATTACHMENTS

**S-K**  
**WAYNE**  
TOOLS

®

These heavy-duty tools handle the big jobs in factories and heavy industrial work. Also used extensively in shipyards, heavy construction, and servicing of trucks, tractors, oil wells, buses, railway and diesel equipment.

## (A) REVERSIBLE RATCHET

Positive type, 70-tooth mechanism operates in only 5.1°. Strength, balance and durability are contributing factors also to its unprecedented mechanic acceptance. For other details on S-K Ratchets, see Inside Front Cover.

| Part Number | Length | Head Diam. | Pkg.* Weight |
|-------------|--------|------------|--------------|
| 47170       | 18"    | 2 7/8"     | 5.2 lbs.     |

## (B) FLEX HEAD HANDLE

| Part Number | Length | Head Diam. | Pkg.* Weight |
|-------------|--------|------------|--------------|
| 47155       | 19"    | 1 1/2"     | 3.6 lbs.     |

## (C) EXTENSIONS

| Part Number | Length | Diam.   | Pkg.* Weight |
|-------------|--------|---------|--------------|
| 47159       | 3"     | 1 5/16" | .8 lb.       |
| 47161       | 8"     | 1 5/16" | 1.7 lbs.     |
| 47162       | 16"    | 1 5/16" | 3.4 lbs.     |

## (D) SLIDE "T" HANDLE

| Part Number | Length | Diam. | Pkg.* Weight |
|-------------|--------|-------|--------------|
| 47153       | 18"    | 7/8"  | 3.8 lbs.     |

## (E) STANDARD SOCKETS 471 Series 12 PT.

| Part Number | Size     | Length   | Pkg.* Weight |
|-------------|----------|----------|--------------|
| 47128       | 7/8"     | 2"       | .5 lb.       |
| 47130       | 1 5/16"  | 2"       | .5 lb.       |
| 47132       | 1"       | 2"       | .5 lb.       |
| 47134       | 1 1/16"  | 2"       | .5 lb.       |
| 47136       | 1 1/8"   | 2 1/16"  | .6 lb.       |
| 47138       | 1 3/16"  | 2 3/32"  | .6 lb.       |
| 47140       | 1 1/4"   | 2 1/8"   | .6 lb.       |
| 47142       | 1 5/16"  | 2 3/32"  | .8 lb.       |
| 47144       | 1 3/8"   | 2 3/16"  | .8 lb.       |
| 47146       | 1 7/16"  | 2 1/4"   | .9 lb.       |
| 47148       | 1 1/2"   | 2 5/16"  | .9 lb.       |
| 47150       | 1 9/16"  | 2 11/32" | 1.0 lb.      |
| 47152       | 1 5/8"   | 2 3/8"   | 1.0 lb.      |
| 47154       | 1 11/16" | 2 1/16"  | 1.1 lbs.     |
| 47156       | 1 3/4"   | 2 1/2"   | 1.2 lbs.     |
| 47158       | 1 13/16" | 2 9/16"  | 1.3 lbs.     |
| 47160       | 1 7/8"   | 2 3/8"   | 1.4 lbs.     |
| 47164       | 2"       | 2 11/16" | 1.5 lbs.     |
| 47168       | 2 1/8"   | 3 3/32"  | 1.8 lbs.     |
| 47172       | 2 1/4"   | 3 15/32" | 2.6 lbs.     |

\*All above items packed in standard package of 1.





## ALLOY COMBINATION WRENCH SETS



A



B



C

These sets include C series alloy combination wrenches, properly machined and heat treated — nickel chrome plated and highly polished. Tool rolls are tough vinyl impregnated cotton with clear plastic pockets. Grommets for hanging.

### A SET 1706 (6 pcs. in tool roll)

| No.  | Size             | No.  | Size              |
|------|------------------|------|-------------------|
| C-14 | $\frac{7}{16}$ " | C-20 | $\frac{5}{8}$ "   |
| C-16 | $\frac{1}{2}$ "  | C-22 | $\frac{11}{16}$ " |
| C-18 | $\frac{9}{16}$ " | C-24 | $\frac{3}{4}$ "   |

Std. Pkg. 1

Shipping Weight 1.9 lbs.

### B SET 1713 (13 pcs. in tool roll)

| No.  | Size             | No.  | Size              |
|------|------------------|------|-------------------|
| C-8  | $\frac{1}{4}$ "  | C-22 | $\frac{11}{16}$ " |
| C-10 | $\frac{5}{16}$ " | C-24 | $\frac{3}{4}$ "   |
| C-12 | $\frac{3}{8}$ "  | C-26 | $\frac{13}{16}$ " |
| C-14 | $\frac{7}{16}$ " | C-28 | $\frac{7}{8}$ "   |
| C-16 | $\frac{1}{2}$ "  | C-30 | $\frac{15}{16}$ " |
| C-18 | $\frac{9}{16}$ " | C-32 | 1"                |
| C-20 | $\frac{5}{8}$ "  |      |                   |

Std. Pkg. 1

Shipping Weight 5.25 lbs.


### C SET 1714 (14 pcs. in tool roll)

| No.  | Size              | No.  | Size              |
|------|-------------------|------|-------------------|
| C-12 | $\frac{3}{8}$ "   | C-26 | $\frac{13}{16}$ " |
| C-14 | $\frac{7}{16}$ "  | C-28 | $\frac{7}{8}$ "   |
| C-16 | $\frac{1}{2}$ "   | C-30 | $\frac{15}{16}$ " |
| C-18 | $\frac{9}{16}$ "  | C-32 | 1"                |
| C-20 | $\frac{5}{8}$ "   | C-34 | $\frac{11}{16}$ " |
| C-22 | $\frac{11}{16}$ " | C-36 | $\frac{1}{8}$ "   |
| C-24 | $\frac{3}{4}$ "   | C-40 | $\frac{1}{4}$ "   |

Std. Pkg. 4

Shipping Weight 48.0 lbs.





**D SET 1780**

(8 pcs. in carton)

| No.  | Size    |
|------|---------|
| C-32 | 1"      |
| C-34 | 1 1/16" |
| C-36 | 1 1/8"  |
| C-40 | 1 1/4"  |
| C-42 | 1 5/16" |
| C-44 | 1 3/8"  |
| C-46 | 1 7/16" |
| C-48 | 1 1/2"  |

Shipping Weight 25.6 lbs.  
Std. Pkg. 1



**E SET 1707 (7 pcs. in tool bag)**

| No.  | Size  | No.  | Size   |
|------|-------|------|--------|
| C-8  | 1/4"  | C-16 | 1 1/2" |
| C-10 | 5/16" | C-18 | 9/16"  |
| C-12 | 3/8"  | C-20 | 5/8"   |
| C-14 | 7/16" |      |        |

Std. Pkg. 6

Shipping Weight 6.1 lbs.



**F SET 1709 (9 pcs. in tool bag)**

| No.  | Size  | No.  | Size    |
|------|-------|------|---------|
| C-8  | 1/4"  | C-18 | 9/16"   |
| C-10 | 5/16" | C-20 | 5/8"    |
| C-12 | 3/8"  | C-22 | 1 1/16" |
| C-14 | 7/16" | C-24 | 3/4"    |
| C-16 | 1/2"  |      |         |

Std. Pkg. 6

Shipping Weight 10.8 lbs.



**G SET 1712 (12 pcs. in tool bag)**

| No.  | Size  | No.  | Size    |
|------|-------|------|---------|
| C-8  | 1/4"  | C-20 | 5/8"    |
| C-10 | 5/16" | C-22 | 1 1/16" |
| C-12 | 3/8"  | C-24 | 3/4"    |
| C-14 | 7/16" | C-26 | 13/16"  |
| C-16 | 1/2"  | C-28 | 7/8"    |
| C-18 | 9/16" | C-30 | 15/16"  |

Std. Pkg. 3


Shipping Weight 12.1 lbs.








A



B



C



D

## ALLOY BOX END WRENCH SETS



Sets contain combinations of the B and M series alloy box wrenches. Each wrench designed for strength, light weight and proper leverage. Tool rolls are made of durable vinyl impregnated cotton with heavy clear plastic pockets. All containers grommeted for hanging.

### A SET 333 (3 pcs. in tool bag) SHORT PATTERN 6 PT. BOX WRENCHES

| No.    | Size                               | No.    | Size                                |
|--------|------------------------------------|--------|-------------------------------------|
| M-1214 | $\frac{3}{8}$ " x $\frac{7}{16}$ " | M-2022 | $\frac{5}{8}$ " x $1\frac{1}{16}$ " |
| M-1618 | $\frac{1}{2}$ " x $\frac{9}{16}$ " |        |                                     |

Std. Pkg. 6

Shipping Wt. 3.1 lbs.

### B SET 350 (5 pcs. in tool bag) LONG PATTERN 12 PT. BOX WRENCHES

| No.    | Size                               | No.    | Size                                |
|--------|------------------------------------|--------|-------------------------------------|
| B-1214 | $\frac{3}{8}$ " x $\frac{7}{16}$ " | B-2224 | $1\frac{1}{16}$ " x $\frac{3}{4}$ " |
| B-1618 | $\frac{1}{2}$ " x $\frac{9}{16}$ " | B-2628 | $1\frac{3}{16}$ " x $\frac{7}{8}$ " |
| B-1820 | $\frac{9}{16}$ " x $\frac{5}{8}$ " |        |                                     |

Std. Pkg. 6

Shipping Weight 13 lbs.

### C SET 360 (6 pcs. in tool roll) LONG PATTERN 12 PT. BOX WRENCHES

| No.    | Size                               | No.    | Size                                |
|--------|------------------------------------|--------|-------------------------------------|
| B-1214 | $\frac{3}{8}$ " x $\frac{7}{16}$ " | B-2224 | $1\frac{1}{16}$ " x $\frac{3}{4}$ " |
| B-1618 | $\frac{1}{2}$ " x $\frac{9}{16}$ " | B-2628 | $1\frac{3}{16}$ " x $\frac{7}{8}$ " |
| B-1820 | $\frac{9}{16}$ " x $\frac{5}{8}$ " | B-3032 | $1\frac{5}{16}$ " x 1"              |

Std. Pkg. 1

Shipping Weight 3.3 lbs.

### D SET 311R (11 pcs. in tool roll) LONG AND SHORT PATTERN BOX WRENCHES

| No.    | Size                                | No.    | Size                                |
|--------|-------------------------------------|--------|-------------------------------------|
| B-1214 | $\frac{3}{8}$ " x $\frac{7}{16}$ "  | B-2628 | $1\frac{3}{16}$ " x $\frac{7}{8}$ " |
| B-1416 | $\frac{7}{16}$ " x $\frac{1}{2}$ "  | B-3032 | $1\frac{5}{16}$ " x 1"              |
| B-1618 | $\frac{1}{2}$ " x $\frac{9}{16}$ "  | M-1214 | $\frac{3}{8}$ " x $\frac{7}{16}$ "  |
| B-1820 | $\frac{9}{16}$ " x $\frac{5}{8}$ "  | M-1618 | $\frac{1}{2}$ " x $\frac{9}{16}$ "  |
| B-2024 | $\frac{5}{8}$ " x $\frac{3}{4}$ "   | M-2022 | $\frac{5}{8}$ " x $1\frac{1}{16}$ " |
| B-2224 | $1\frac{1}{16}$ " x $\frac{3}{4}$ " |        |                                     |

B series are long pattern 12 pt; M series short pattern 6 pt.

Std. Pkg. 1

Shipping Wt. 4.6 lbs.



# ALLOY OPEN END WRENCH SETS



## A SET 550 (5 pcs. in tool bag) OPEN END WRENCHES

| No.    | Size         | No.    | Size           |
|--------|--------------|--------|----------------|
| O-810  | 1/4" x 5/16" | O-1820 | 9/16" x 5/8"   |
| O-1214 | 3/8" x 7/16" | O-2224 | 1 1/16" x 3/4" |
| O-1618 | 1/2" x 9/16" |        |                |

Std. Pkg. 6

Shipping Weight 6.6 lbs.

## B SET 570 (7 pcs. in tool bag) OPEN END WRENCHES

| No.    | Size         | No.    | Size           |
|--------|--------------|--------|----------------|
| O-810  | 1/4" x 5/16" | O-2224 | 1 1/16" x 3/4" |
| O-1214 | 3/8" x 7/16" | O-2628 | 1 3/16" x 7/8" |
| O-1618 | 1/2" x 9/16" | O-3032 | 1 5/16" x 1"   |
| O-1820 | 9/16" x 5/8" |        |                |

Std. Pkg. 3

Shipping Weight 8.75 lbs.

## C SET 508 (8 pcs. in tool roll) OPEN END WRENCHES

| No.    | Size         | No.    | Size           |
|--------|--------------|--------|----------------|
| O-810  | 1/4" x 5/16" | O-1820 | 9/16" x 5/8"   |
| O-1214 | 3/8" x 7/16" | O-2224 | 1 1/16" x 3/4" |
| O-1416 | 7/16" x 1/2" | O-2628 | 1 3/16" x 7/8" |
| O-1618 | 1/2" x 9/16" | O-3032 | 1 5/16" x 1"   |

Std. Pkg. 1

Shipping Weight 3.1 lbs.

## D SET 25 (25 pcs.) COMPLETE WORKSHOP SET

Complete set of 25 wrenches, sizes 1/4" through 1 1/4", mounted on tempered masonite perfboard. Set includes 5 long pattern box wrenches: B-1214 through B-2628; 14 combination wrenches; C-12 through C-40; and 6 open end wrenches: O-810 through O-2428. Hangers, perfboard and mounting screws packaged with wrenches in one carton. Perfboard dimensions: 2' x 2'.

Std. Pkg. 1

Shipping Weight 21 lbs.



A



B



C

D



# FORGED ALLOY WRENCHES

**S-K**  
**WAYNE**  
TOOLS

®

## A C-SERIES COMBINATION WRENCHES, 12 PT. BOX

| Part Number | Size    | Length   | Std. Pkg. | Pkg. Wt. |
|-------------|---------|----------|-----------|----------|
| *C-8        | 1/4"    | 3 5/8"   | 6         | .3 lb.   |
| *C-10       | 5/16"   | 4 1/8"   | 6         | .4 lb.   |
| *C-12       | 3/8"    | 4 1/2"   | 6         | .5 lb.   |
| *C-14       | 7/16"   | 5 1/8"   | 6         | .7 lb.   |
| C-16        | 1/2"    | 5 7/8"   | 6         | 1.0 lb.  |
| C-18        | 9/16"   | 6 5/8"   | 6         | 1.4 lbs. |
| C-20        | 5/8"    | 7 1/2"   | 6         | 1.9 lbs. |
| C-22        | 11/16"  | 8 3/8"   | 6         | 2.3 lbs. |
| C-24        | 3/4"    | 9 1/4"   | 6         | 2.9 lbs. |
| C-26        | 13/16"  | 10 3/8"  | 6         | 3.8 lbs. |
| C-28        | 7/8"    | 11 1/8"  | 6         | 4.5 lbs. |
| C-30        | 15/16"  | 12 1/8"  | 6         | 6.5 lbs. |
| C-32        | 1"      | 13 3/8"  | 6         | 7.0 lbs. |
| C-34        | 1 1/16" | 14 3/4"  | 3         | 5.2 lbs. |
| C-36        | 1 1/8"  | 15 3/4"  | 3         | 6.4 lbs. |
| C-40        | 1 1/4"  | 17"      | 3         | 7.0 lbs. |
| C-42        | 1 5/16" | 18 3/8"  | 1         | 4.0 lbs. |
| C-44        | 1 3/8"  | 18 3/8"  | 1         | 4.0 lbs. |
| C-46        | 1 7/16" | 19 7/16" | 1         | 4.5 lbs. |
| C-48        | 1 1/2"  | 19 7/16" | 1         | 4.5 lbs. |

\* 6 point

## B B-SERIES LONG PATTERN BOX WRENCHES, 12 PT.

| Part Number | Size          | Length  | Std. Pkg. | Pkg. Weight |
|-------------|---------------|---------|-----------|-------------|
| B-1214      | 3/8" x 7/16"  | 7 3/8"  | 6         | 1.0 lb.     |
| B-1416      | 7/16" x 1/2"  | 8"      | 6         | 1.5 lbs.    |
| B-1618      | 1/2" x 9/16"  | 8 3/4"  | 6         | 1.6 lbs.    |
| B-1820      | 9/16" x 5/8"  | 9 7/8"  | 6         | 2.3 lbs.    |
| B-2024      | 5/8" x 3/4"   | 10 3/8" | 6         | 3.0 lbs.    |
| B-2224      | 11/16" x 3/4" | 11 3/8" | 6         | 3.3 lbs.    |
| B-2628      | 13/16" x 7/8" | 13"     | 6         | 4.5 lbs.    |
| B-3032      | 15/16" x 1"   | 15"     | 6         | 6.3 lbs.    |

## C M-SERIES SHORT PATTERN BOX WRENCHES, 6 PT.

| Part Number | Size          | Length | Std. Pkg. | Pkg. Weight |
|-------------|---------------|--------|-----------|-------------|
| M-1214      | 3/8" x 7/16"  | 4 3/4" | 6         | .7 lb.      |
| M-1618      | 1/2" x 9/16"  | 5 5/8" | 6         | 1.0 lb.     |
| M-2022      | 5/8" x 11/16" | 6 3/8" | 6         | 1.4 lbs.    |

## D O-SERIES OPEN END WRENCHES

| Part Number | Size          | Length  | Std. Pkg. | Pkg. Wt. |
|-------------|---------------|---------|-----------|----------|
| O-810       | 1/4" x 5/16"  | 4 1/2"  | 6         | .5 lb.   |
| O-1214      | 3/8" x 7/16"  | 5"      | 6         | .7 lb.   |
| O-1416      | 7/16" x 1/2"  | 5 3/8"  | 6         | .9 lb.   |
| O-1618      | 1/2" x 9/16"  | 6"      | 6         | 1.2 lbs. |
| O-1820      | 9/16" x 5/8"  | 6 1/4"  | 6         | 1.7 lbs. |
| O-2224      | 11/16" x 3/4" | 7 5/8"  | 6         | 2.8 lbs. |
| O-2628      | 13/16" x 7/8" | 9 1/8"  | 6         | 4.0 lbs. |
| O-3032      | 15/16" x 1"   | 10 3/4" | 6         | 6.5 lbs. |

SEE PAGE 10 FOR METRIC ALLOY WRENCHES



# SCREWDRIVERS & SETS



## A ROUND "KEYSTONE" BLADE SCREWDRIVERS

| No.   | Blade Size    | Std. Pkg. | Pkg. Wt. |
|-------|---------------|-----------|----------|
| 70044 | 1/8" x 3 1/2" | 6         | .5 lb.   |
| 70084 | 1/4" x 4"     | 6         | 1.3 lbs. |
| 70086 | 1/4" x 6"     | 6         | 1.9 lbs. |
| 70106 | 5/16" x 6"    | 6         | 2.0 lbs. |
| 70128 | 3/8" x 8"     | 6         | 3.5 lbs. |

## B SQUARE BLADE SCREWDRIVERS

| No.          | Blade Size    | Std. Pkg. | Pkg. Wt. |
|--------------|---------------|-----------|----------|
| 72081 Stubby | 1/4" x 1 1/4" | 6         | .8 lb.   |
| 72084        | 1/4" x 4"     | 6         | 1.5 lbs. |
| 72106        | 5/16" x 6"    | 6         | 2.9 lbs. |
| 72128        | 3/8" x 8"     | 6         | 4.0 lbs. |
| 72130        | 3/8" x 10"    | 6         | 4.2 lbs. |

## C ROUND "CABINET" BLADE SCREWDRIVERS

| No.   | Blade Size | Std. Pkg. | Pkg. Wt. |
|-------|------------|-----------|----------|
| 71064 | 3/16" x 4" | 6         | 1.2 lb.  |
| 71066 | 3/16" x 6" | 6         | 1.5 lb.  |

## D PHILLIPS HEAD SCREWDRIVERS

| No.          | Blade Size        | Std. Pkg. | Pkg. Wt. |
|--------------|-------------------|-----------|----------|
| 73001        | #1- 3/16" x 3"    | 6         | 1.0 lb.  |
| 73002        | #2- 1/4" x 4"     | 6         | 1.7 lb.  |
| 73003        | #3- 5/16" x 6"    | 6         | 2.2 lbs. |
| 73022 Stubby | #2- 1/4" x 1 1/4" | 6         | .9 lb.   |

## E No. 70300: 3-PC. GENERAL SCREWDRIVER SET

General 3-pc. set suitable for all-around requirements. Contains No. 70044 round blade 1/8" x 3 1/2", No. 73002 Phillips #2- 1/4" x 4", No. 70084 round blade 1/4" x 4". In clear vinyl tool bag.

Std. Pkg. 6

Pkg. Wt. 4.0 lbs.

## F No. 70600 6-PC PROFESSIONAL SET

Top quality 6-pc. set selected to meet all the requirements of professional tradesmen. Contains No. 73002 #2- 1/4" x 4" Phillips, No. 72081 stubby square blade 1/4" x 1 1/4", No. 72106 square blade 5/16" x 6", No. 70044 round blade 1/8" x 3 1/2", No. 70086 round blade, 1/4" x 6", No. 71066 round cabinet blade 3/16" x 6". In clear vinyl tool bag.

Std. Pkg. 3

Pkg. Wt. 4.5 lbs.

## G No. 73400 4-PC. PHILLIPS SET

Complete 4-pc. Phillips-head set contains No. 73001 #1- 3/16" x 3" No. 73002 #2- 1/4" x 4", No. 73003 #3- 5/16" x 6", No. 73022 #2- 1/4" x 1 1/4" stubby. In clear vinyl tool bag.

Std. Pkg. 6

Pkg. Wt. 5.9 lbs.





# SMALL PRECISION PLIERS



Expressly designed for accurate and exacting work in such fields as watchmaking, hobby-crafts, model building, and all phases of electronics. Precision crafted in every detail, with polished heads and vinyl Cushion Grip handles.

## **(A) DIAGONAL CUTTING PLIERS**

Designed for close cutting of small soft wires. Cushion Grip handles.

| No. | Size   | Std. Pkg. | Pkg. Wt. |
|-----|--------|-----------|----------|
| 181 | 4 1/4" | 1         | .25 lb.  |

## **(B) END CUTTING NIPPER**

Carefully edged to give a clean close cut. Cushion Grip handles.

| No. | Size   | Std. Pkg. | Pkg. Wt. |
|-----|--------|-----------|----------|
| 182 | 4 1/4" | 1         | .25 lb.  |

## **(C) CHAIN NOSE PLIERS (no cutters)**

Slender, smooth jaws. Inside length, 1 3/32", tapering to closed point diameter of 1/16". Cushion Grip handles.

| No. | Size   | Std. Pkg. | Pkg. Wt. |
|-----|--------|-----------|----------|
| 183 | 4 1/4" | 1         | .25 lb.  |

## **(D) FLAT NOSE PLIERS (no cutters)**

Flat, smooth jaws. Inside length 1"; width at points 7/32". Cushion Grip handles.

| No. | Size   | Std. Pkg. | Pkg. Wt. |
|-----|--------|-----------|----------|
| 184 | 4 1/4" | 1         | .25 lb.  |

## **(E) ROUND NOSE/ROUND JAW PLIERS (no cutters)**



Round, smooth jaws. Inside length 1 3/16", each tip tapering to 1/32" diameter. Cushion Grip handles.

| No. | Size   | Std. Pkg. | Pkg. Wt. |
|-----|--------|-----------|----------|
| 185 | 4 1/4" | 1         | .25 lb.  |

## **(F) No. 90 (5-pcs.) PRECISION PLIER SET**

Matches set includes all pliers listed above, in zippered case of washable blue vinyl. Polished heads and Cushion Grip handles.

| No. | Size            | Std. Pkg. | Pkg. Wt. |
|-----|-----------------|-----------|----------|
| 90  | 5 3/4" x 9 1/4" | 1         | 1 lb.    |





# GENERAL PURPOSE PLIERS

**S-K  
WAYNE**  
TOOLS

Top quality in every detail, all S-K Wayne pliers on these two pages are drop forged, individually fitted, tempered, adjusted and tested. Cutting edges are induction hardened. Heads are highly polished. With vinyl Cushion Grip handles for extra comfort and control.

## G DIAGONAL CUTTING PLIERS

General all purpose cutting pliers, properly balanced with keen edges for cutting. Cushion Grip handles.

| No.   | Size | Std. Pkg. | Pkg. Wt. |
|-------|------|-----------|----------|
| 15014 | 4½"  | 1         | .25 lb.  |
| 15015 | 5"   | 1         | .25 lb.  |
| 15016 | 6"   | 1         | .37 lb.  |

## H HEAVY DUTY DIAGONAL CUTTING PLIERS

Cutter is close to the joint, supplying added leverage for heavy wire work and close cutting. Cushion Grip handles.

| No.   | Size | Std. Pkg. | Pkg. Wt. |
|-------|------|-----------|----------|
| 16107 | 7"   | 1         | .50 lb.  |

## J ELECTRICIAN'S SIDE CUTTING PLIERS

General electrician's tool for installation of domestic and industrial wiring, plant maintenance and repair. Cushion Grip handles.

| No.   | Size | Std. Pkg. | Pkg. Wt. |
|-------|------|-----------|----------|
| 18306 | 6"   | 1         | .50 lb.  |
| 18307 | 7"   | 1         | .75 lb.  |
| 18308 | 8"   | 1         | .80 lb.  |

## K END CUTTING NIPPERS

For close cutting where powerful leverage is required. Cushion Grip handles.

| No.   | Jaw Width | Size | Std. Pkg. | Pkg. Wt. |
|-------|-----------|------|-----------|----------|
| 18506 | 1"        | 6"   | 1         | .60 lb.  |
| 18507 | 1⅜"       | 7"   | 1         | .62 lb.  |
| 18508 | 1⅜"       | 8"   | 1         | 1 lb.    |

## L FENCE TOOL AND STAPLE PULLER

Stretches wire tight before fastening. Cuts wire. Pulls out stubborn staples. Drives staples. Cushion Grip handles.

| No.   | Size | Std. Pkg. | Pkg. Wt. |
|-------|------|-----------|----------|
| 18750 | 10"  | 1         | 1.5 lbs. |

## M BATTERY PLIERS

Specially designed thin jaws are set at a 30° angle allowing easy access to terminal nuts. Fully polished faces. Cushion Grip handles.

| No.   | Size | Std. Pkg. | Pkg. Wt. |
|-------|------|-----------|----------|
| 19488 | 8"   | 1         | .50 lb.  |

## N DIAGONAL CUTTING PLIERS (full fashioned handles)

A well balanced tool with handles specially curved to give extra hand comfort in continuous cutting. Cushion Grip handles.

| No.   | Size | Std. Pkg. | Pkg. Wt. |
|-------|------|-----------|----------|
| 15027 | 7"   | 1         | .50 lb.  |

## O EXTRA LONG CHAIN NOSE PLIERS (with cutters)

Extra long serrated jaws: Inside length 2¾", tapering to a closed point diameter of ⅛". Cushion Grip handles.

| No.   | Size | Std. Pkg. | Pkg. Wt. |
|-------|------|-----------|----------|
| 17817 | 7"   | 1         | .40 lb.  |

For same pliers (no cutters), see 17717 page 24.

## P LONG CHAIN NOSE PLIERS (with cutters)

Long serrated jaws: Inside length 1⅜", tapering to closed point diameter of ⅛". Cushion Grip handles.

| No.   | Size | Std. Pkg. | Pkg. Wt. |
|-------|------|-----------|----------|
| 16616 | 6"   | 1         | .35 lb.  |

For same pliers (no cutters), see 16716 page 24.

## Q SHORT CHAIN NOSE PLIERS (with cutters)

Short serrated jaws: Inside length 1⅛", tapering to a closed point diameter of ⅛". Cushion Grip handles.


| No.   | Size | Std. Pkg. | Pkg. Wt. |
|-------|------|-----------|----------|
| 16415 | 5"   | 1         | .25 lb.  |

For same pliers (no cutters), see 16435 page 24.

## R CURVED CHAIN NOSE PLIERS (no cutters)

Strong serrated jaws, tapering to a closed point diameter of ⅛" and curved to reach areas inaccessible to other pliers. Cushion Grip handles.

| No.   | Size | Std. Pkg. | Pkg. Wt. |
|-------|------|-----------|----------|
| 16315 | 6"   | 1         | .40 lb.  |





# INDUSTRIAL PLIERS

**S-K  
WAYNE**  
TOOLS

®

## **(A) SHORT CHAIN NOSE PLIERS (no cutter)**

Smooth jaws have  $1\frac{1}{32}$ " inside length, tapering to closed point diameter of  $\frac{1}{16}$ ". Cushion Grip handles.

| No.   | Size | Std. Pkg. | Pkg. Wt. |
|-------|------|-----------|----------|
| 16435 | 5"   | 1         | .25 lb.  |

For same plier with cutter, see 16415 page 23.

## **(B) LONG CHAIN NOSE PLIERS (no cutter)**

Long serrated jaws have  $1\frac{1}{16}$ " inside length, tapering to closed point diameter of  $\frac{1}{8}$ ". Ideal for getting into hard-to-reach spots. Cushion Grip handles.

| No.   | Size | Std. Pkg. | Pkg. Wt. |
|-------|------|-----------|----------|
| 16716 | 6"   | 1         | .50 lb.  |

For same plier with cutter, see 16616 page 23.

For same plier with smooth jaws, see 146 page 27.

## **(C) EXTRA LONG CHAIN NOSE PLIERS (no cutter)**

Extra long serrated jaws have  $2\frac{3}{4}$ " inside length, tapering to closed point diameter of  $\frac{1}{8}$ ". Designed for maximum "reach" into hard-to-get-at locations. Cushion Grip handles.

| No.   | Size | Std. Pkg. | Pkg. Wt. |
|-------|------|-----------|----------|
| 17717 | 7"   | 1         | .50 lb.  |

For same plier with cutter, see 17817 page 23.

## **(D) SHORT FLAT NOSE PLIERS (no cutter)**

A precision tool for light, fine bench work. Squared nose, smooth jaws. Cushion Grip handles.

| No.   | Inside Length     | Size | Std. Pkg. | Pkg. Wt. |
|-------|-------------------|------|-----------|----------|
| 16015 | $1\frac{1}{4}$ "  | 5"   | 1         | .25 lb.  |
| 16016 | $1\frac{7}{16}$ " | 6"   | 1         | .50 lb.  |

## **(E) LONG FLAT NOSE PLIERS (no cutter)**

Long serrated jaws, flat and sturdy, have  $2\frac{3}{16}$ " inside length. Squared jaws. Cushion Grip handles.

| No.   | Size | Std. Pkg. | Pkg. Wt. |
|-------|------|-----------|----------|
| 17416 | 6"   | 1         | .50 lb.  |


For same plier with cutter, see 17516 below.

## **(F) LONG FLAT NOSE PLIERS (with cutter)**

Long serrated jaws having inside length of  $2\frac{3}{16}$ ". Squared nose. Cushion Grip handles.

| No.   | Size | Std. Pkg. | Pkg. Wt. |
|-------|------|-----------|----------|
| 17516 | 6"   | 1         | .50 lb.  |

For same plier without cutter, see 17416 above.





Designed for use in all industrial applications, construction, oil fields, . . . as well as the radio and electronic fields. Each tool is drop forged, individually fitted, tempered, adjusted and tested. Highly polished heads, induction hardened cutting edges. With vinyl Cushion Grip handles for maximum comfort and control.

**G RADIO AND IGNITION PLIERS WITH NOSE CUTTERS**

Cutters are  $\frac{1}{4}$ " long,  $\frac{1}{4}$ " from tip. Tool is designed to reach into tight spots and grip or cut small wires. Ideal in precision wiring where ordinary pliers are too bulky. Tapers to a closed point diameter of  $\frac{1}{8}$ ". Serrated tip. With cross coil spring, Cushion Grip handles.

| No.   | Size | Std. Pkg. | Pkg. Wt. |
|-------|------|-----------|----------|
| 16535 | 5"   | 1         | .25 lb.  |

**H HARD WIRE DIAGONAL CUTTING PLIERS**

Edged for cutting hard wire in small sizes not larger than  $\frac{1}{16}$ " diameter. Not intended for soft wire. A sturdy, well balanced tool. Cushion Grip handles.

| No.   | Size | Std. Pkg. | Pkg. Wt. |
|-------|------|-----------|----------|
| 12066 | 6"   | 1         | .50 lb.  |

**J DUCK BILL OR WEAVERS' PLIERS (no cutter)**

Carefully tempered smooth jaws, with  $2\frac{3}{16}$ " inside length, are thin and flat to reach into tight places. Squared jaws. Cushion Grip handles.

| No.   | Size | Std. Pkg. | Pkg. Wt. |
|-------|------|-----------|----------|
| 16516 | 6"   | 1         | .50 lb.  |

**K LONG SLIM NOSE PLIERS (no cutter)**

Slender serrated jaws have  $2\frac{7}{32}$ " inside length, tapering to closed point diameter of  $\frac{3}{32}$ ". Reaches areas inaccessible to other pliers and has unusual gripping capacity. Cushion Grip handles.

| No.   | Size | Std. Pkg. | Pkg. Wt. |
|-------|------|-----------|----------|
| 16216 | 6"   | 1         | .50 lb.  |

For cross coil spring, see 140 page 27.

**L LINEMEN'S SIDE CUTTING PLIERS**

Powerful heavy duty side-cutting pliers for linemen in high wire and plant maintenance work. Cushion Grip handles.

| No.   | Size | Std. Pkg. | Pkg. Wt. |
|-------|------|-----------|----------|
| 18016 | 6"   | 1         | .50 lb.  |
| 18017 | 7"   | 1         | .75 lb.  |
| 18018 | 8½"  | 1         | 1 lb.    |






# ELECTRONIC PLIERS



- Full polished heads
- Cushion Grip handles
- Cross coil springs



## **(A) EXTRA FINE NEEDLE NOSE PLIERS (no cutter)**

With smooth jaws, radiused edges. For use on hair wires and sub-miniature assembly. Precision aligned. Will not nick or score wire, even with repeated shaping or forming. Inside length  $1\frac{3}{32}$ ". Tapers to a closed point diameter of  $\frac{3}{32}$ ".

| No. | Size             | Std. Pkg. | Pkg. Wt. |
|-----|------------------|-----------|----------|
| 100 | $4\frac{1}{2}$ " | 1         | .25 lb.  |

## **(B) PRECISION (NEEDLE POINT) DIAGONAL CUTTERS**

For soft wire only. Fine, exact cutting tip. Flush edge for close, square cut. Cutting edge specially designed to facilitate maintenance of cutting tip alignment.

| No. | Size             | Std. Pkg. | Pkg. Wt. |
|-----|------------------|-----------|----------|
| 101 | $4\frac{1}{4}$ " | 1         | .25 lb.  |

## **(C) NEEDLE NOSE PLIERS (no cutter)**

With smooth jaws, radiused edges. Special quality features in this pliers allow repeated reshaping and forming of wire without creasing, nicking or scoring. Inside length  $1\frac{3}{32}$ ". Tapers to a closed point diameter of  $\frac{3}{32}$ ".

| No. | Size             | Std. Pkg. | Pkg. Wt. |
|-----|------------------|-----------|----------|
| 102 | $4\frac{1}{2}$ " | 1         | .25 lb.  |

## **(D) PRECISION TRANSVERSE CUTTING PLIERS**

For soft wire only. Designed to cut wires from components where accessibility from side is impossible. Also ideal for stripping narrow TV lead-in wire. Inside length  $1\frac{1}{16}$ ".

| No. | Size             | Std. Pkg. | Pkg. Wt. |
|-----|------------------|-----------|----------|
| 103 | $4\frac{1}{4}$ " | 1         | .25 lb.  |

## **(E) SLIM-TAPERED DIAGONAL CUTTERS**

For soft wire only. Semi-flush edge makes a clean cut with minimum of wire peak. Facilitates precision cutting even in tightest areas.

| No. | Size             | Std. Pkg. | Pkg. Wt. |
|-----|------------------|-----------|----------|
| 104 | $4\frac{1}{4}$ " | 1         | .25 lb.  |

For flush cut, see 174, page 28.

## **(F) EXTRA-FINE OBLIQUE CUTTING PLIERS**

Semi-flush edge for soft wire only. For fine, exact tip-cutting in even the most restricted work areas. Offset cutter ideal for module work.

| No. | Size             | Std. Pkg. | Pkg. Wt. |
|-----|------------------|-----------|----------|
| 106 | $4\frac{1}{2}$ " | 1         | .25 lb.  |

For flush cut, see 176 page 28.





Quality built in every detail, these precision S-K Wayne pliers are expressly designed for the exacting electronics industry. Each tool is drop forged, individually fitted, tempered, adjusted and tested. Highly polished heads, with cross coil springs and Cushion Grip handles for maximum comfort and accuracy.

#### **G PRECISION NEEDLE POINT DIAGONAL CUTTERS**

Flush edge for soft wire only. For fine, exact tip-cutting with the precision of smaller diagonals on heavier gauge soft wire. Flush edge makes square cut with no wire peaks. Specially designed cutting edge facilitates maintaining of tip-cutting alignment.

| No. | Size | Std. Pkg. | Pkg. Wt. |
|-----|------|-----------|----------|
| 120 | 5"   | 1         | .25 lb.  |

#### **H PRECISION SLIM NOSE PLIERS (no cutter)**

With serrated jaws. Tapers to a closed point diameter of  $\frac{3}{32}$ ". Slim  $1\frac{1}{4}$ " nose permits forming or squeezing wire to component with no springing tip movement. Excellent for squeezing wires around terminals.

| No. | Size | Std. Pkg. | Pkg. Wt. |
|-----|------|-----------|----------|
| 121 | 5"   | 1         | .25 lb.  |

For smooth jaws, see 122 below.

#### **J SLIM NOSE PLIERS (no cutter)**

Strong, short, slim nose makes this an excellent production line tool. Smooth jaws radiused edges. Will not crease insulation, won't nick or score wire. Inside length:  $1\frac{1}{4}$ ". Tapers to a closed point diameter of  $\frac{3}{32}$ ".

| No. | Size | Std. Pkg. | Pkg. Wt. |
|-----|------|-----------|----------|
| 122 | 5"   | 1         | .25 lb.  |

For serrated jaws, see 121 above.

#### **K LONG CHAIN NOSE PLIERS (no cutter)**

Standard chain nose pliers (without cutter) with smooth jaws, radiused edges for forming or looping wire without creasing or nicking. Inside length  $1\frac{3}{16}$ ". Tapers to a closed point diameter of  $\frac{3}{32}$ ".

| No. | Size | Std. Pkg. | Pkg. Wt. |
|-----|------|-----------|----------|
| 146 | 6"   | 1         | .25 lb.  |

For serrated jaws see 16716 page 24.

#### **L LONG SLIM NOSE PLIERS (no cutter)**

Fine, serrated jaws have  $2\frac{7}{32}$ " inside length, tapering to a closed point diameter of  $\frac{3}{32}$ ". Ideal for reaching areas inaccessible to other pliers.




| No. | Size | Std. Pkg. | Pkg. Wt. |
|-----|------|-----------|----------|
| 140 | 6"   | 1         | .25 lb.  |

Without cross coil spring, see 16216 page 25.  
For smooth jaws, see 145 page 28.

#### **M PINNED LONG NOSE PLIERS WITH CUTTER IN TIP**


For soft wire only. Combines advantages of diagonal and chain nose pliers. Flush edges for square cut. Pinned jaws maintain alignment of cutting edges. Serrated jaws.

| No. | Size | Std. Pkg. | Pkg. Wt. |
|-----|------|-----------|----------|
| 141 | 6"   | 1         | .25 lb.  |





- Full polished heads • Cushion Grip handles
- Cross coil springs



## ELECTRONIC PLIERS

**S-K  
WAYNE**  
TOOLS

®

### **[N] SLIM-TAPERED DIAGONAL CUTTERS**

Makes precision, flush cut! Needle point nose facilitates precision cutting even in the tightest work areas.

| No. | Size   | Std. Pkg. | Pkg. Wt. |
|-----|--------|-----------|----------|
| 174 | 4 1/4" | 1         | .25 lb.  |

For semi-flush cut, see 104 page 26.

### **[P] EXTRA-FINE OBLIQUE CUTTERS**

Makes precision, flush cut! For fine, exact tip-cutting in even the most restricted work areas. Offset cutter ideal for module work.

| No. | Size   | Std. Pkg. | Pkg. Wt. |
|-----|--------|-----------|----------|
| 176 | 4 1/2" | 1         | .25 lb.  |

For semi-flush cut, see 106 page 26.

### **[Q] LONG SLIM NOSE PLIERS (no cutter)**

Serrated jaws, inside length, 2 7/32" tapering to a closed point diameter of 3/32", permits greater accessibility in small component assembly. Pinned jaw assures perfect nose alignment, longer plier life.

| No. | Size | Std. Pkg. | Pkg. Wt. |
|-----|------|-----------|----------|
| 144 | 6"   | 1         | .25 lb.  |

### **[R] NEEDLE POINT DIAGONAL CUTTERS**

The nose of these popular diagonal pliers is tapered to a 60° angle to give the cutters their fine 3/32" closed needle point. Semi-flush cut.

| No.   | Size   | Std. Pkg. | Pkg. Wt. |
|-------|--------|-----------|----------|
| 17014 | 4 1/2" | 1         | .25 lb.  |
| 17015 | 5"     | 1         | .25 lb.  |
| 17016 | 6"     | 1         | .50 lb.  |

### **[S] NEEDLE POINT DIAGONAL CUTTERS**

For light electronic work. Narrow tapered nose for close cutting. Cross coil spring enhances production line efficiency and speed. Semi-flush cut.

| No.   | Size | Std. Pkg. | Pkg. Wt. |
|-------|------|-----------|----------|
| 16255 | 5"   | 1         | .25 lb.  |

### **Not Shown: LONG SLIM NOSE PLIERS (no cutter)**

Extra slim 2 7/32" nose tapering to a closed point diameter 3/32", permits maximum accessibility. Pinned jaws assure perfect nose alignment, longer pliers life. Smooth jaws, radiused edges. Will not crease insulation, won't score or nick wire.

| No. | Size | Std. Pkg. | Pkg. Wt. |
|-----|------|-----------|----------|
| 145 | 6"   | 1         | .25 lb.  |

For serrated jaws, see 140 on page 27.

### **Not Shown: EXTRA FINE LONG NOSE PLIERS**

Like No. 17717. Serrated jaws have inside length of 2 3/4", tapering to a closed point diameter of 1/16".

| No. | Size | Std. Pkg. | Pkg. Wt. |
|-----|------|-----------|----------|
| 160 | 7"   | 1         | .50 lb.  |



# ADJUSTABLE WRENCHES & PLIERS

**S-K  
WAYNE**  
TOOLS

## A NICKEL CHROME PLATED ADJUSTABLE WRENCHES

Forged from alloy steel, polished heads.

| No.  | Length | Std. Pkg. | Std. Pkg. Wt. |
|------|--------|-----------|---------------|
| 8004 | 4"     | 1         | .2 lb.        |
| 8006 | 6"     | 1         | .3 lb.        |
| 8008 | 8"     | 1         | .6 lb.        |
| 8010 | 10"    | 1         | .9 lb.        |
| 8012 | 12"    | 1         | 1.6 lbs.      |
| 8016 | 16"    | 1         | 3.9 lbs.      |

## B BLACK OXIDE FINISH ADJUSTABLE WRENCHES

Forged from alloy steel.

| No.  | Length | Std. Pkg. | Std. Pkg. Wt. |
|------|--------|-----------|---------------|
| 8104 | 4"     | 6         | .6 lb.        |
| 8106 | 6"     | 6         | 1.7 lbs.      |
| 8108 | 8"     | 6         | 3.4 lbs.      |
| 8110 | 10"    | 6         | 5.3 lbs.      |
| 8112 | 12"    | 3         | 5.1 lbs.      |
| 8116 | 16"    | 1         | 3.9 lbs.      |

## REPLACEMENT PARTS FOR ADJUSTABLE WRENCHES

| Part           | Adjustable Wrench Length |        |        |        |        |        |
|----------------|--------------------------|--------|--------|--------|--------|--------|
|                | 4"                       | 6"     | 8"     | 10"    | 12"    | 16"    |
| Jaw (Chrome)   | 8004-2                   | 8006-2 | 8008-2 | 8010-2 | 8012-2 | 8016-2 |
| Jaw (Black)    | 8104-2                   | 8106-2 | 8108-2 | 8110-2 | 8112-2 | 8116-2 |
| Knurl          | 8004-3                   | 8006-3 | 8008-3 | 8010-3 | 8012-3 | 8016-3 |
| Pin and Spring | 8004-4                   | 8006-4 | 8008-4 | 8010-4 | 8012-4 | 8016-4 |

## C TONGUE 'N GROOVE PLIER —

Cushion grip handles — polished chrome faces

Jaws of 7516 adjust to 11 positions with maximum opening of 4¼". These pliers are highly polished nickel-chrome. Handles coated with blue vinyl plastic.

| No.  | Length | Std. Pkg. | Std. Pkg. Wt. |
|------|--------|-----------|---------------|
| 7507 | 6½"    | 3         | 1.2 lbs.      |
| 7510 | 10"    | 3         | 2.5 lbs.      |
| 7516 | 16"    | 1         | 2.8 lbs.      |

## D COMBINATION PLIER

A top quality plier, nickel chrome plated, with highly polished faces.

| No.  | Length | Std. Pkg. | Std. Pkg. Wt. |
|------|--------|-----------|---------------|
| 7205 | 5"     | 3         | 1.0 lb.       |
| 7206 | 6"     | 3         | 1.4 lbs.      |
| 7208 | 8"     | 3         | 2.1 lbs.      |
| 7210 | 10"    | 3         | 2.5 lbs.      |

## E THIN NOSE COMBINATION PLIER

Nickel chrome plated with highly polished faces.


| No.  | Length | Std. Pkg. | Std. Pkg. Wt. |
|------|--------|-----------|---------------|
| 7265 | 6"     | 3         | 1.2 lbs.      |

## F HOSE CLAMP PLIER

Chrome plated, polished faces. Two-position adjustment accommodates all size clamps.

| No.  | Length | Std. Pkg. | Std. Pkg. Wt. |
|------|--------|-----------|---------------|
| 7408 | 8"     | 3         | 2.0 lbs.      |

Improved design! Forged from alloy steel, each S-K Wayne adjustable wrench is machined to micro-tolerances to assure precision jaw fit . . . easy-gliding jaw operation. With polished "Thin-line" heads for easy access into tight areas.





# ECONOMY PLIERS



## A TONGUE 'N GROOVE PLIER

The 7500 has ground faces, black oxide finish.

| No.  | Length | Std. Pkg. | Std. Pkg. Wt. |
|------|--------|-----------|---------------|
| 7500 | 10"    | 3         | 2.5 lbs.      |

## B COMBINATION PLIER — Satin Finish

Top quality plier, chrome plated and satin finished.

| No.  | Length | Std. Pkg. | Std. Pkg. Wt. |
|------|--------|-----------|---------------|
| 7305 | 5"     | 12        | 3.5 lbs.      |
| 7306 | 6"     | 12        | 5.4 lbs.      |
| 7308 | 8"     | 12        | 8.4 lbs.      |
| 7310 | 10"    | 12        | 10.5 lbs.     |

## C STRAIGHT THIN NOSE COMBINATION PLIER — Satin Finish


Useful for home and professional work. Chrome plated and satin finished.

| No.  | Length | Std. Pkg. | Std. Pkg. Wt. |
|------|--------|-----------|---------------|
| 7365 | 6"     | 12        | 5.2 lbs.      |

## D DIAGONAL CUTTING PLIERS

Used for close cutting of small wires, brads and for electrical repairs. Polished heads, with jet black handles.

| No.   | Size | Std. Pkg. | Pkg. Wt. |
|-------|------|-----------|----------|
| 16005 | 5"   | 1         | .25 lb.  |
| 16006 | 6"   | 1         | .50 lb.  |



## E WATER PUMP PLIER

Chrome plated with polished nose.

| No.  | Length | Std. Pkg. | Std. Pkg. Wt. |
|------|--------|-----------|---------------|
| 7410 | 10"    | 12        | 8.2 lbs.      |

## F DIAGONAL CUTTING PLIERS — FULL FASHIONED HANDLES

For close cutting with added leverage. A sturdy tool. Polished heads, with full fashion jet black handles.

| No.   | Size | Std. Pkg. | Pkg. Wt. |
|-------|------|-----------|----------|
| 16077 | 7"   | 1         | .50 lb.  |

## G LONG CHAIN NOSE SIDE CUTTING PLIERS

Loops, bends and cuts wire. For electrical and light repair work. Polished heads, with jet black handles.

| No.   | Size | Std. Pkg. | Pkg. Wt. |
|-------|------|-----------|----------|
| 16606 | 6"   | 1         | .25 lb.  |
| 17807 | 7"   | 1         | .50 lb.  |

## H SIDE CUTTING PLIERS


A good serviceable tool for general repair work. Middle teeth in nose give a firm grip. Polished heads, with jet black handles.

| No.   | Size | Std. Pkg. | Pkg. Wt. |
|-------|------|-----------|----------|
| 13808 | 8"   | 1         | .75 lb.  |

## J HEAVY DUTY DIAGONAL CUTTING PLIERS

A sturdy tool designed for close cutting with maximum leverage. Drop forged from selected steel, with polished heads, jet black handles.


| No.   | Size | Std. Pkg. | Pkg. Wt. |
|-------|------|-----------|----------|
| 17007 | 7"   | 1         | .50 lb.  |





# CARBON WRENCH SETS

**S-K  
WAYNE**  
TOOLS



## A 15° OPEN END WRENCH SETS — Satin Finish

Demand for these nickel-chrome plated open end wrenches is never ending. Drop-forged from fine grain controlled steel. Openings are carefully machined to uniform dimensions and each tool carefully tempered.

| Part No. | Description | Size Range     | Std. Pkg. Wt. |
|----------|-------------|----------------|---------------|
| 45       | 5-pc. set   | 5/16" to 3/4"  | 2.8 lbs.      |
| 46       | 6-pc. set   | 5/16" to 7/8"  | 4.1 lbs.      |
| 66       | 6-pc. set   | 3/8" to 1"     | 5.6 lbs.      |
| 68       | 6-pc. set   | 1/2" to 1 1/8" | 8.0 lbs.      |

Packed 3 to a carton.

## B 15° OPEN END WRENCH SETS — No. 4000 SERIES — Polished, Nickel-Chrome Plated

Drop-forged from fine grain controlled steel. These popular sets are similar to the sets above except the heads are polished to a very high luster. Nickel-chrome plated for full protection.

| Part No. | Description | Size Range    | Std. Pkg. Wt. |
|----------|-------------|---------------|---------------|
| 4500     | 5-pc. set   | 5/16" to 3/4" | 2.8 lbs.      |
| 4600     | 6-pc. set   | 5/16" to 7/8" | 4.1 lbs.      |

Packed 3 to a carton.

## C 10° BOX WRENCH SETS (SHORT PATTERN) — No. 2000 SERIES — Polished Heads

Wrenches are offset 10°, are nickel-chrome plated and have polished heads.

| Part No. | Description | Size Range      | Std. Pkg. Wt. |
|----------|-------------|-----------------|---------------|
| 2300     | 3-pc. set   | 3/8" to 1 1/16" | 1.4 lbs.      |
| 2400     | 4-pc. set   | 3/8" to 1 3/16" | 2.1 lbs.      |

Packed 3 to a carton.

## D 45° BOX WRENCH SETS (SHORT PATTERN) — No. 5000 SERIES — Polished Heads

Drop forged from fine grain controlled steel, expertly hardened and nickel-chrome plated.

| Part No. | Description | Size Range      | Std. Pkg. Wt. |
|----------|-------------|-----------------|---------------|
| 5300     | 3-pc. set   | 3/8" to 1 1/16" | 3.5 lbs.      |
| 5400     | 4-pc. set   | 3/8" to 2 5/32" | 5.8 lbs.      |

Packed 6 to a carton.

## E 45° BOX WRENCH SETS (LONG PATTERN) — No. 3100 SERIES — Polished Heads

Drop forged from fine grain controlled steel, expertly hardened and nickel-chrome plated. Sturdy "hand size" handles for positive grip. Precision broached.

| Part No. | Description | Size Range     | Std. Pkg. Wt. |
|----------|-------------|----------------|---------------|
| 3150     | 5-pc. set   | 3/8" to 7/8"   | 6.0 lbs.      |
| 3160     | 6-pc. set   | 3/8" to 1"     | 8.7 lbs.      |
| 3170     | 7-pc. set   | 3/8" to 1 1/8" | 13.0 lbs.     |

Packed 3 to a carton.

## F COMBINATION WRENCH SETS — No. 800 SERIES — Satin Finish

Wrenches in the 800 Series are drop-forged from fine grain controlled steel. Each tool is individually tempered, nickel and chrome plated. These wrench sets give the tool user top quality at popular prices.

| Part No. | Description | Size Range       | Std. Pkg. Wt. |
|----------|-------------|------------------|---------------|
| 845      | 5-pc. set   | 3/8" to 3/8"     | 2.4 lbs.      |
| 850      | 5-pc. set   | 7/16" to 1 1/16" | 3.0 lbs.      |
| 860      | 6-pc. set   | 3/8" to 3/4"     | 3.5 lbs.      |
| 866      | 6-pc. set   | 7/16" to 3/4"    | 4.0 lbs.      |

Packed 3 to a carton.

## METRIC SETS

Polished heads; nickel-chrome plated.

## G METRIC OPEN END WRENCH SET

| Part No. | Description | Size Range      | Std. Pkg. Wt. |
|----------|-------------|-----------------|---------------|
| 45-M     | 5-pc. Set   | 8 mm. to 17 mm. | 2.1 lbs.      |

Packed 3 to a carton.

## F METRIC COMBINATION WRENCH SETS

| Part No. | Description | Size Range       | Std. Pkg. Wt. |
|----------|-------------|------------------|---------------|
| 950      | 5-pc. Set   | 10 mm. to 15 mm. | 3.0 lbs.      |
| 960      | 6-pc. Set   | 10 mm. to 17 mm. | 4.0 lbs.      |

Packed 3 to a carton.





## CARBON WRENCH SETS

**S-K  
WAYNE**  
TOOLS



(A)



(B)

### (A) SET No. 514 CHROMALOY SPECIAL (14 pcs.)

Includes 14 carbon combination wrenches, sizes  $\frac{1}{4}$ ",  $\frac{5}{16}$ ",  $\frac{3}{8}$ ",  $\frac{7}{16}$ ",  $\frac{1}{2}$ ",  $\frac{9}{16}$ ",  $\frac{5}{8}$ ",  $\frac{11}{16}$ ",  $\frac{3}{4}$ ",  $\frac{13}{16}$ ",  $\frac{7}{8}$ ",  $\frac{15}{16}$ ", 1",  $1\frac{1}{16}$ ".


| No. | No. Pcs. | Std. Pkg. | Std. Pkg. Wt. |
|-----|----------|-----------|---------------|
| 514 | 14       | 1         | 6.8 lbs.      |

### (B) No. 584: ShoPak SPECIAL (84 pcs.)

A complete assortment of most wanted sizes and types of wrenches . . . in dramatic merchandising carton. Special analysis steel, drop forged, heat treated, nickel chrome plated.

- 9 short pattern box wrenches, 10° offset —  $\frac{3}{8}$ " thru  $1\frac{1}{16}$ ".
- 9 short pattern box wrenches, 45° offset —  $\frac{3}{8}$ " thru  $1\frac{1}{16}$ ".
- 15 long pattern box wrenches, 45° offset —  $\frac{3}{8}$ " thru  $\frac{7}{8}$ ".
- 33 combination wrenches —  $\frac{3}{8}$ " thru  $\frac{3}{4}$ ".
- 18 open end wrenches —  $\frac{5}{16}$ " thru  $\frac{7}{8}$ ".

| No. | No. Pcs. | Std. Pkg. | Std. Pkg. Wt. |
|-----|----------|-----------|---------------|
| 584 | 84       | 1         | 14.4 lbs.     |



### STANDARD RIM WRENCHES

Famous for dependability in garages and service shops. Upset forged from fine grain steel. Bright finish.

| Part No. | Length             | Socket Size  | Std. Pkg. | Std. Pkg. Wt. |
|----------|--------------------|--|-----------|---------------|
| 9000*    | 14"                | $1\frac{1}{16}$ " x $\frac{3}{4}$ " x $1\frac{13}{16}$ " x 19 mm.        | 25        | 50.0 lbs.     |
| 9400     | 16 $\frac{1}{2}$ " | $\frac{3}{4}$ " x $\frac{3}{4}$ " x $1\frac{13}{16}$ " x $\frac{7}{8}$ " | 25        | 70.0 lbs.     |
| 9500     | 20"                | $\frac{3}{4}$ " x $\frac{3}{4}$ " x $1\frac{13}{16}$ " x $\frac{7}{8}$ " | 25        | 83.0 lbs.     |
| 9600*    | 16"                | $1\frac{1}{16}$ " x $\frac{3}{4}$ " x $1\frac{13}{16}$ " x 19 mm.        | 25        | 55.0 lbs.     |

\*Note metric socket 19 mm.

### FORGED-TYPE RIM WRENCHES — Chrome Plated

Forged — professional type — guaranteed unbreakable in service. Chrome-plated finish, polished sockets.

| Part No. | Length             | Socket Size   | Std. Pkg. | Std. Pkg. Wt. |
|----------|--------------------|---|-----------|---------------|
| 9710     | 16 $\frac{1}{2}$ " | $\frac{3}{4}$ " x $\frac{3}{4}$ " x $1\frac{13}{16}$ " x $\frac{7}{8}$ "    | 25        | 72.0 lbs.     |
| 9720     | 22"                | $\frac{3}{4}$ " x $1\frac{13}{16}$ " x $\frac{7}{8}$ " x $1\frac{13}{16}$ " | 10        | 45.0 lbs.     |

## PUNCHES & CHISELS

**S-K  
WAYNE**  
TOOLS

Top quality throughout, each item is forged from alloy steel to correct proportions. Accurately ground and heat treated to exacting specifications. Nickel-chrome plated . . . with highly polished heads.

### (A) PRICK PUNCHES

| No.  | Stock            | Length            | Std. Pkg. | Pkg. Wt. |
|------|------------------|-------------------|-----------|----------|
| 6010 | $\frac{5}{16}$ " | 4 $\frac{1}{2}$ " | 6         | .50 lb.  |
| 6012 | $\frac{3}{8}$ "  | 4 $\frac{1}{2}$ " | 6         | .75 lb.  |

### (B) PIN PUNCHES

| No.   | Point No. | Size             | Length            | Std. Pkg. | Pkg. Wt. |
|-------|-----------|------------------|-------------------|-----------|----------|
| 6103  | 2         | $\frac{3}{32}$ " | 4 $\frac{1}{2}$ " | 6         | .50 lb.  |
| 6104  | 3         | $\frac{1}{8}$ "  | 4 $\frac{1}{2}$ " | 6         | .50 lb.  |
| 6105  | 4         | $\frac{5}{32}$ " | 4 $\frac{1}{2}$ " | 6         | .50 lb.  |
| 6105L | 1         | $\frac{5}{32}$ " | 8"                | 6         | 1.00 lb. |
| 6106  | 5         | $\frac{3}{16}$ " | 4 $\frac{1}{2}$ " | 6         | .50 lb.  |
| 6106L | 2         | $\frac{3}{16}$ " | 8"                | 6         | 1.00 lb. |
| 6108  | 7         | $\frac{1}{4}$ "  | 6"                | 6         | 1.00 lb. |
| 6110  | 8         | $\frac{5}{16}$ " | 6"                | 6         | 1.00 lb. |

### (C) MACHINE DRIFT PUNCHES

| No.  | Point            | Length | Std. Pkg. | Pkg. Wt.  |
|------|------------------|--------|-----------|-----------|
| 6204 | $\frac{1}{8}$ "  | 5"     | 6         | .50 lb.   |
| 6206 | $\frac{3}{16}$ " | 5"     | 6         | 1.00 lb.  |
| 6208 | $\frac{1}{4}$ "  | 6"     | 6         | 1.75 lbs. |

### (D) ALIGNING PUNCHES


| No.  | Point and Stock                    | Length | Std. Pkg. | Pkg. Wt.  |
|------|------------------------------------|--------|-----------|-----------|
| 6304 | $\frac{1}{8}$ " x $\frac{3}{8}$ "  | 9"     | 6         | 1.25 lbs. |
| 6306 | $\frac{3}{16}$ " x $\frac{1}{2}$ " | 9"     | 6         | 2.00 lbs. |
| 6308 | $\frac{1}{4}$ " x $\frac{5}{8}$ "  | 9"     | 6         | 3.00 lbs. |
| 6310 | $\frac{5}{16}$ " x $\frac{3}{4}$ " | 12"    | 6         | 5.00 lbs. |

### (E) DIAMOND POINT CHISEL

| No.  | Cut             | Length | Std. Pkg. | Pkg. Wt. |
|------|-----------------|--------|-----------|----------|
| 6612 | $\frac{3}{8}$ " | 6"     | 6         | 3.0 lbs. |

### (F) CAPE CHISEL

| No.  | Cut             | Length            | Std. Pkg. | Pkg. Wt.  |
|------|-----------------|-------------------|-----------|-----------|
| 6708 | $\frac{1}{4}$ " | 5 $\frac{1}{2}$ " | 6         | 1.75 lbs. |





**G OCTAGON COLD CHISELS**

| No.   | Cut   | Length | Std. Pkg. | Pkg. Wt.  |
|-------|-------|--------|-----------|-----------|
| 6508  | 1/4"  | 5"     | 6         | .50 lb.   |
| 6510  | 5/16" | 5"     | 6         | .75 lb.   |
| 6512  | 3/8"  | 5 1/2" | 6         | 1.00 lb.  |
| 6516  | 1/2"  | 6"     | 6         | 1.50 lbs. |
| 6516L | 1/2"  | 12"    | 6         | 3.00 lbs. |
| 6520  | 5/8"  | 6 1/2" | 6         | 2.00 lbs. |
| 6520L | 5/8"  | 12"    | 6         | 4.00 lbs. |
| 6524  | 3/4"  | 7"     | 6         | 3.00 lbs. |
| 6524L | 3/4"  | 12"    | 6         | 6.00 lbs. |
| 6528  | 7/8"  | 8"     | 6         | 5.75 lbs. |
| 6532  | 1"    | 8 1/2" | 6         | 7.50 lbs. |

**H CENTER PUNCHES**

| No.   | Stock | Length | Std. Pkg. | Pkg. Wt.  |
|-------|-------|--------|-----------|-----------|
| 6910  | 5/16" | 4 1/2" | 6         | .50 lb.   |
| 6912  | 3/8"  | 4 1/2" | 6         | .75 lb.   |
| 6912L | 3/8"  | 6"     | 6         | 1.00 lb.  |
| 6914  | 7/16" | 4 1/2" | 6         | 1.25 lbs. |
| 6916  | 1/2"  | 4 1/2" | 6         | 1.25 lbs. |
| 6916L | 1/2"  | 6"     | 6         | 1.75 lbs. |

**J ROUND NOSE CAPE CHISEL**

| No.  | Cut  | Length | Std. Pkg. | Pkg. Wt. |
|------|------|--------|-----------|----------|
| 6808 | 1/4" | 6"     | 6         | 2.0 lbs. |

**K 12-PC. PUNCH AND CHISEL SET No. 3412**

Includes pin punches 6103, 6104, 6105, 6106, center punch 6912, diamond point chisel 6612, cold chisel 6508, cape chisel 6708, cold chisel 6516, round nose cape chisel 6808, machine drift punch 6208, cold chisel 6520. Standard package 1. Wt. 2.75 lbs.

**L 5-PC. PUNCH AND CHISEL SET No. 3405**


Includes drift punch 6208, center punch 6912, pin punch 6105, and cold chisels 6516 and 6520. Clear plastic tool bag. Standard package 6. Wt. 6.5 lbs.

**M 3-PC. CHISEL SET No. 3403**

Includes cold chisels 6508, 6516, 6520. Clear plastic tool bag. Standard package 6. Wt. 4.0 lbs.

**N 4-PC. PIN PUNCH SET No. 3404**

Includes pin punches 6106, 6105, 6104, 6103. Clear plastic tool bag. Standard package 6. Wt. 2.0 lbs.

**K****L****M****N****E****J****G****H****F**






A



B



C



D



E



F



G



# TOOL BOXES



## A No. 1502 HEAVY DUTY TOOL BOX

Lift-out tote tray has heavy carrying bar and full length partition for socket wrenches. Ample room under the tray for storage of other tools. Has metal carrying handle, and heavy-duty nickel-plated draw bolt equipped for padlock.

| No.  | Dimensions        | Std. Pkg. | Ship. Wt. |
|------|-------------------|-----------|-----------|
| 1502 | 19" x 7" x 8 3/4" | 1         | 11.0 lbs. |

## B No. 1519 GENERAL PURPOSE TOOL BOX

Designed to withstand roughest use. Has lift-out tray. Full length piano type hinge, and heavy duty, nickel-plated draw bolt equipped for padlock. Metal handle.

| No.  | Dimensions        | Std. Pkg. | Ship. Wt. |
|------|-------------------|-----------|-----------|
| 1519 | 19" x 7" x 7 1/4" | 1         | 9.0 lbs.  |

## C No. 1500 GENERAL MECHANIC'S BOX

Sturdy tool box in popular hip-roof style. Separate lift-out tote tray with carrying bar and full length partition. Ample room below tray for other tools. Quality hardware includes round carrying handle, nickel-plated draw bolt.

| No.  | Dimensions        | Std. Pkg. | Ship. Wt. |
|------|-------------------|-----------|-----------|
| 1500 | 17 5/8" x 6" x 6" | 1         | 6.0 lbs.  |

## D No. 1520 ALL-PURPOSE TOOL BOX

Extremely versatile box, ideal for mechanics, electricians, plumbers etc. Sturdy metal handle. Convenient lift-out tote tray with tubular handle, partition for tools and small parts. Spotwelded seams, piano type hinge, and heavy duty, nickel-plated draw bolt equipped for padlock.

| No.  | Dimensions            | Std. Pkg. | Ship. Wt. |
|------|-----------------------|-----------|-----------|
| 1520 | 20" x 8 1/2" x 9 1/2" | 1         | 13.0 lbs. |

## H S-K WAYNE TOOL BOXES IN SELF-MERCHANDISING CARTONS

No. 1519-3 Merchandiser with 3 S-K Wayne No. 1519 tool boxes. Display size: 19 1/2" x 8 3/4" x 35" high, including header. Shipping wt. 30 lbs.

No. 1500-4 Merchandiser with 4 S-K Wayne No. 1500 tool boxes. Display size: 18" x 7 1/4" x 38 1/2" high, including header. Shipping wt. 27 lbs.

Quality constructed to the same exacting standards as the famous tools they hold. Sturdy steel construction throughout, with heavy-duty, nickel plated hardware.

## E No. 1544 HEAVY DUTY MACHINIST CHEST

A chest that's always in demand. Steel construction throughout. Drawers cannot fall out. Equipped with nickel-plated hardware throughout. The front panel slides into a recess at bottom of the drawers when chest is open. When chest is closed, this panel fits against drawers and is held by nickel-plated lock, locking drawers securely.

| No.  | Dimensions         | Std. Pkg. | Ship. Wt. |
|------|--------------------|-----------|-----------|
| 1544 | 20" x 8 3/4" x 13" | 1         | 27.0 lbs. |

## F No. 1541 HEAVY DUTY TOOL CHEST

An ideal chest for the professional mechanic. Top compartment contains an 18" tote tray for carrying emergency tools right to the job. Free-sliding drawers with compound slides. Top drawer is divided into compartments for miscellaneous small tools. The bottom drawer will accommodate 3/4" drive items and other bulky tools. Removable front panel covers drawers and is securely locked in place by cover. Heavy-duty, nickel-plated draw bolt equipped for padlock.

| No.  | Dimensions      | Std. Pkg. | Ship. Wt. |
|------|-----------------|-----------|-----------|
| 1541 | 22" x 10" x 10" | 1         | 30.0 lbs. |

## G No. 1552 HEAVY DUTY TWO DRAWER TOOL CHEST

Here is a chest that's really professional in every man-sized detail. The top compartment contains 18 1/2" x 7 1/2" tote tray with partitions, ideal for carrying tools right to the job. Drawers, a full 22 1/2" wide, are free sliding compound type. Top drawer, 2 1/2" deep, is divided into compartments for organizing smaller tools. Bottom drawer, 3 3/8" deep, will accommodate 3/4" drive sockets and other bulky tools. Heavy duty nickel plated hardware including side-carrying handles and drawer pulls. Cylinder lock with keys . . . locks lid and drawers for complete tool security.

| No.  | Dimensions                     | Std. Pkg. | Ship. Wt. |
|------|--------------------------------|-----------|-----------|
| 1552 | 26 1/8" x 10 1/16" x 11 11/16" | 1         | 38.5 lbs. |





# SNIPS

**S-K  
WAYNE**  
TOOLS

®

## (A) STANDARD OR STRAIGHT PATTERN SNIPS (straight cut)

Drop forged from high carbon tool steel, carefully heat treated. Highly polished blades are specially designed to stay sharp and give uniform shearing action over their entire length. Bolt and nut assembly machine finished and hardened to reduce wear . . . Cushion Grip handles.

| No.  | Length | Cut | Std. Pkg. | Pkg. Wt.  |
|------|--------|-----|-----------|-----------|
| 7607 | 7"     | 1¾" | 1         | .75 lb.   |
| 7610 | 10"    | 2½" | 1         | 1.50 lbs. |
| 7612 | 12¾"   | 3"  | 1         | 2.00 lbs. |

## (B) DUCK BILL OR CIRCULAR PATTERN SNIPS

Popular "duck bill" type. Drop forged, with same quality features as Standard Pattern Snips described above. Designed to cut circles or intricate scrolls. Cushion Grip handles.

| No.  | Length | Cut | Std. Pkg. | Pkg. Wt.  |
|------|--------|-----|-----------|-----------|
| 7707 | 7"     | 1¾" | 1         | .50 lb.   |
| 7710 | 10"    | 2½" | 1         | 1.00 lb.  |
| 7712 | 12¾"   | 3"  | 1         | 1.50 lbs. |

## (C) COMPOUND LEVERAGE AVIATION TYPE SNIPS

These superior snips are designed for the tinner, mechanic and all-around user. Compound leverage affords faster, easier cutting of circles, squares and irregular patterns.

Cutting blades are drop forged from alloy steel, ground and finished for smoother cuts with less wrist fatigue. Cushion Grip handles are correctly shaped for comfort in either hand and proportional for extra leverage with perfect balance. 3 Models—all 10" in length.

| No.  | Description of Cut    | Std. Pkg. | Pkg. Wt. |
|------|-----------------------|-----------|----------|
| 7801 | Cuts Left—1¾" cut     | 1         | 1.0 lb.  |
| 7802 | Cuts Right—1¾" cut    | 1         | 1.0 lb.  |
| 7803 | Cuts Straight—1½" cut | 1         | 1.0 lb.  |





# PIPE TOOLS

**NYE  
WAYNE**  
TOOLS

## D HEAVY DUTY PIPE WRENCHES

Super-rugged construction, built to traditional S-K Wayne quality standards. Handles, guaranteed against breakage, are of special malleable iron for strength and durability. Baked enamel finish guards against rust and corrosion. Specially-hardened forged jaws for "bite" that really holds.

| No.   | Length | Capacity | Std. Pkg. | Std. Pkg. Wt. |
|-------|--------|----------|-----------|---------------|
| 11006 | 6"     | 3/4"     | 6         | 2.75 lbs.     |
| 11008 | 8"     | 1"       | 6         | 5.25 lbs.     |
| 11010 | 10"    | 1 1/2"   | 6         | 11.25 lbs.    |
| 11012 | 12"    | 2"       | 6         | 18.00 lbs.    |
| 11014 | 14"    | 2"       | 6         | 22.50 lbs.    |
| 11018 | 18"    | 2 1/2"   | 6         | 35.50 lbs.    |
| 11024 | 24"    | 3"       | 3         | 30.00 lbs.    |
| 11036 | 36"    | 4 1/2"   | 1         | 19.50 lbs.    |
| 11048 | 48"    | 6"       | 1         | 34.00 lbs.    |

See price list for replacement parts.

## E STILLSON PATTERN PIPE WRENCHES

Extra rugged construction, forged from alloy steel.

| No.  | Length | Capacity | Std. Pkg. | Std. Pkg. Wt. |
|------|--------|----------|-----------|---------------|
| 7006 | 6"     | 1/2"     | 6         | 2.2 lbs.      |
| 7008 | 8"     | 3/4"     | 6         | 4.0 lbs.      |
| 7010 | 10"    | 1"       | 6         | 8.0 lbs.      |
| 7014 | 14"    | 1 1/2"   | 6         | 15.0 lbs.     |
| 7018 | 18"    | 2"       | 6         | 25.4 lbs.     |
| 7024 | 24"    | 2 1/2"   | 6         | 45.0 lbs.     |

See price list for replacement parts.

## F RATCHETING CHAIN WRENCHES

Ideal for hard-to-get-at spots. Needs less than 3/4" clearance for inserting chain. Capable of ratcheting action where handle swing is limited.

| No.   | Length  | Capacity  | Std. Pkg. | Std. Pkg. Wt. |
|-------|---------|-----------|-----------|---------------|
| 11144 | 12"     | 1/2" - 4" | 1         | 1.75 lbs.     |
| 11146 | 20 3/4" | 3" - 6"   | 1         | 4.50 lbs.     |

## G ALUMINUM ALLOY STRAP WRENCHES

For mar-free handling of chrome tubing, etc. Weighs half as much as malleable types . . . yet exceeds gov't strength specifications by over 2 to 1. Made of space-age aluminum alloy. With specially-treated slip-proof strap.

| No.   | Size | Capacity  | Std. Pkg. | Std. Pkg. Wt. |
|-------|------|-----------|-----------|---------------|
| 11152 | 12"  | 1/2" - 2" | 1         | .8 lbs.       |
| 11155 | 18"  | 1" - 5"   | 1         | 1.7 lbs.      |

See price list for replacement straps.

## H HEAVY DUTY PIPE CUTTERS

Solid malleable construction, with all steel handles. Roller blocks travel on extra wide ways for continuous alignment.

| No.   | Nye No. | Capacity  | Cutter Wheels | Std. Pkg. | Pkg. Wt.  |
|-------|---------|-----------|---------------|-----------|-----------|
| 10817 | 2N      | 1/8" - 2" | 2             | 1         | 5.5 lbs.  |
| 10818 | 2N-3W   | 1/8" - 2" | 3             | 1         | 5.5 lbs.  |
| 10820 | 4N      | 2" - 4"   | 2             | 1         | 17.0 lbs. |
| 10821 | 4N-3W   | 2" - 4"   | 3             | 1         | 17.0 lbs. |
| 10819 | 2NP     | 1/8" - 2" | 3             | 1         | 8.0 lbs.  |

## J TUBE CUTTERS WITH ROLLERS

Recommended for copper, aluminum and other non-ferrous metals. Sturdy malleable construction (except for No. 10829, which has aluminum alloy body).

| No.   | Nye No. | Capacity       | Std. Pkg. | Pkg. Wt. |
|-------|---------|----------------|-----------|----------|
| 10825 | N00C    | 3/16" - 1 1/8" | 1         | 1.0 lbs. |
| 10827 | N25C    | 1/2" - 2 1/8"  | 1         | 2.5 lbs. |
| 10829 | N4TC    | 2" - 4 1/8"    | 1         | 4.0 lbs. |

## K UTILITY TUBE CUTTER

A really all-purpose tool for tubing 1/8" to 1" O.D. With parkerized knob.

| No.   | Nye No. | Capacity  | Std. Pkg. | Pkg. Wt. |
|-------|---------|-----------|-----------|----------|
| 10826 | N22C    | 1/8" - 1" | 1         | 1.0 lbs. |

## STEEL TUBING CUTER (not shown)

For thinwall conduit up to 1 1/2", pipe up to 3/4". Also cuts copper tubing up to 2 1/8". Malleable construction. With sliding T-handle for fast and easy feeding.

| No.   | Nye No. | Capacity      | Std. Pkg. | Pkg. Wt. |
|-------|---------|---------------|-----------|----------|
| 10828 | N25SB   | 1/2" - 2 1/8" | 1         | 2.5 lbs. |

## L RATCHET REAMER

For reaming 1/4" to 3" pipe. Complete with ratchet, handle and specially ground, readily replaceable blades. Rugged construction.

| No.   | Nye No. | Capacity  | Std. Pkg. | Pkg. Wt. |
|-------|---------|-----------|-----------|----------|
| 10800 | NRR     | 1/4" - 3" | 1         | 6.5 lbs. |

## M SPIRAL-FLUTED RATCHET REAMER


For reaming 1/4" to 2" pipe. Complete with ratchet, handle and readily replaceable blades.

| No.   | Nye No. | Capacity  | Std. Pkg. | Pkg. Wt. |
|-------|---------|-----------|-----------|----------|
| 10801 | N44RR   | 1/4" - 2" | 1         | 4.5 lbs. |

## N BIT BRACE SPIRAL FLUTE REAMERS

Made with tapered shank to fit any standard bit brace. Spiral flutes give excellent shearing action.

| No.   | Nye No. | Capacity      | Std. Pkg. | Pkg. Wt.  |
|-------|---------|---------------|-----------|-----------|
| 10802 | N42     | 1/8" - 1"     | 1         | .75 lbs.  |
| 10803 | N42 1/2 | 1/8" - 1 1/4" | 1         | .75 lbs.  |
| 10804 | N44     | 1/4" - 2"     | 1         | 1.25 lbs. |






# 

**NYE  
WAYNE  
TOOLS**

### MANUAL KNOCKOUT PUNCH SETS

Each set includes hand-operated chuck with bearing, drive nut with screw and ballbearing. Exclusive "fast run-up" drive screw has coarser thread (12 vs 24) . . . reduces cutting operation by 50%. Die inserts included in Sets 10901, 10902 and 10903.



| No.   | Nye No.   | Holes Cut (pipe size)                     | Shpg. Wt.  |
|-------|-----------|---|------------|
| 10900 | N 1/2" MS | 1/2" - 12 ga.                             | 0.5 lbs.   |
| 10901 | N1MS      | 1/2" - 12 ga.<br>3/4", 1", 1 1/4" - 8 ga. | 3.75 lbs.  |
| 10902 | N2MS      | 1 1/2", 2", 2 1/2" - 6 ga.                | 11.75 lbs. |
| 10903 | N3MS      | 3", 3 1/2", 4" - 6 ga.                    | 33.00 lbs. |


### HYDRAULIC KNOCKOUT PUNCH SETS

These power operated sets combine all the advantages of our exclusive "Four-Point" punch design (see above), with the extra speed and ease of hydraulic operation. Each set features its own high-powered ram. Patented coupler (connecting ram piston with cutter) safeguards piston and punch. All sets furnished in sturdy metal carrying case.

| No.   | Nye No. | Holes Cut (pipe size)                     | Ram Cap. | Shpg. Wt. |
|-------|---------|---|----------|-----------|
| 10905 | N1HS    | 1/2" - 12 ga.<br>3/4", 1", 1 1/4" - 8 ga. | 10 ton   | 6.0 lbs.  |
| 10906 | N2HS    | 1 1/2", 2", 2 1/2" - 4 ga.                | 20 ton   | 13.0 lbs. |
| 10907 | N3HS    | 3", 3 1/2", 4" - 4 ga.                    | 25 ton   | 33.0 lbs. |

**Hydraulic Pump** for above hydraulic sets. Complete with hose and coupler.

| No.   | Nye No. | P.S.I. Rating | Shpg. Wt. |
|-------|---------|---------------|-----------|
| 10908 | NHPS    | 10,000        | 26.0 lbs. |



### A FAMOUS "51-B" RATCHET PIPE THREADER

The most complete ratchet threader on the market. Cuts straight, tapered or drip threads from the same set of high speed dies. Thread-depth adjustment permits instant setting for standard, extra-deep or shallow cut. Instant pipe-size selection lets you switch in seconds to handle 1", 1 1/4", 1 1/2" or 2" pipe. Spin-back feature eliminates tedious reverse ratcheting in returning lead screw to threading position, saves time in hand or power operations. Automatic release opens dies automatically, assures jam-proof and damage-free operation. Positive setting for all threads gives you uniform threading every time.

| No.   | Nye No. | Description          | Shpg. Wt. |
|-------|---------|----------------------|-----------|
| 10300 | N-51B   | Threader with dies   | 23.5 lbs. |
| 10301 | N-51DC  | Dies only (set of 4) | 0.5 lbs.  |

# 

**NYE  
WAYNE  
TOOLS**

### B MANUAL RATCHET STOCKS

Segmental dies for threading pipe (P) or conduit (C). Available in 2 series of stocks: Series 11 (1/2" thru 1 1/4" capacity) or Series 12 (1/2" thru 2" capacity). Sets feature standard malleable ratchet or "space age" aluminum alloy ratchet with light weight one-piece design. All dies accurately cut from first quality steel. Designed to maintain precision performance during high speed operation.

#### SERIES 11 (1/2" thru 1 1/4" capacity)

##### Sets with Aluminum Ratchet:

| No.   | Nye No.  | Item complete with dies          | Shpg. Wt.  |
|-------|----------|----------------------------------|------------|
| 10731 | N11-4PA  | Stock 1/2", 3/4", 1", 1 1/4" (P) | 13.75 lbs. |
| 10732 | N11-4CA  | Stock 1/2", 3/4", 1", 1 1/4" (C) | 13.75 lbs. |
| 10733 | N11-31PA | Stock 1/2", 3/4", 1" (P)         | 10.75 lbs. |
| 10734 | N11-31CA | Stock 1/2", 3/4", 1" (C)         | 10.75 lbs. |
| 10730 | N11-RA   | Alum. Ratchet/handle             | 2.00 lbs.  |

##### Sets with Malleable Ratchet:

| No.   | Nye No. | Item complete with dies          | Shpg. Wt. |
|-------|---------|----------------------------------|-----------|
| 10674 | N11-4P  | Stock 1/2", 3/4", 1", 1 1/4" (P) | 16.0 lbs. |
| 10675 | N11-4C  | Stock 1/2", 3/4", 1", 1 1/4" (C) | 16.0 lbs. |
| 10676 | N11-31P | Stock 1/2", 3/4", 1" (P)         | 13.0 lbs. |
| 10678 | N11-31C | Stock 1/2", 3/4", 1" (C)         | 13.0 lbs. |
| 10665 | N11-R   | Malleable Ratchet/handle         | 4.25 lbs. |


##### Segmental Stock for 11 Series Ratchets:

| No.   | Nye No.       | Die head with die | Shpg. Wt. |
|-------|---------------|-------------------|-----------|
| 10666 | N11H-1/2P     | 1/2" (P)          | 2.5 lbs.  |
| 10667 | N11H-1/2C     | 1/2" (C)          | 2.5 lbs.  |
| 10668 | N11H-3/4P     | 3/4" (P)          | 2.5 lbs.  |
| 10669 | N11H-3/4C     | 3/4" (C)          | 2.5 lbs.  |
| 10670 | N11H-1P       | 1" (P)            | 3.0 lbs.  |
| 10671 | N11H-1C       | 1" (C)            | 3.0 lbs.  |
| 10672 | N11H-1 1/4" P | 1 1/4" (P)        | 3.0 lbs.  |
| 10673 | N11H-1 1/4" C | 1 1/4" (C)        | 3.0 lbs.  |

##### Dies Only for 11 Series Ratchets:

Sold in sets of 4. Shpg. wt., each, 0.5 lbs.

| No.   | Nye No.   | Size     | No.   | Nye No.       | Size       |
|-------|-----------|----------|-------|---------------|------------|
| 10713 | N11D-1/2P | 1/2" (P) | 10717 | N11D-1P       | 1" (P)     |
| 10714 | N11D-1/2C | 1/2" (C) | 10718 | N11D-1C       | 1" (C)     |
| 10715 | N11D-3/4P | 3/4" (P) | 10719 | N11D-1 1/4" P | 1 1/4" (P) |
| 10716 | N11D-3/4C | 3/4" (C) | 10720 | N11D-1 1/4" C | 1 1/4" (C) |





**SERIES 12 (1/2" thru 2" capacity)**
**Sets with Aluminum Ratchet:**

| No.   | Nye No.  | Item complete with dies                      | Shpg. Wt. |
|-------|----------|--|-----------|
| 10746 | N12-6PA  | Stock 1/2", 3/4", 1", 1 1/4", 1 1/2", 2" (P) | 31.5 lbs. |
| 10747 | N12-6CA  | Stock 1/2", 3/4", 1", 1 1/4", 1 1/2", 2" (C) | 31.5 lbs. |
| 10744 | N12-5PA  | Stock 3/4", 1", 1 1/4", 1 1/2", 2" (P)       | 27.5 lbs. |
| 10745 | N12-5CA  | Stock 3/4", 1", 1 1/4", 1 1/2", 2" (C)       | 27.5 lbs. |
| 10742 | N12-4PA  | Stock 1", 1 1/4", 1 1/2", 2" (P)             | 23.5 lbs. |
| 10743 | N12-4CA  | Stock 1", 1 1/4", 1 1/2", 2" (C)             | 23.5 lbs. |
| 10740 | N12-3PA  | Stock 1 1/4", 1 1/2", 2" (P)                 | 21.5 lbs. |
| 10741 | N12-3CA  | Stock 1 1/4", 1 1/2", 2" (C)                 | 21.5 lbs. |
| 10738 | N12-2PA  | Stock 1 1/2", 2" (P)                         | 16.5 lbs. |
| 10739 | N12-2CA  | Stock 1 1/2", 2" (C)                         | 16.5 lbs. |
| 10748 | N12-40PA | Stock 1/2", 3/4", 1", 1 1/4" (P)             | 17.5 lbs. |
| 10749 | N12-40CA | Stock 1/2", 3/4", 1", 1 1/4" (C)             | 17.5 lbs. |
| 10737 | N12-RA   | Alum. Ratchet with handle                    | 3.25 lbs. |

**Sets with Malleable Ratchet:**

| No.   | Nye No. | Item complete with dies                      | Shpg. Wt. |
|-------|---------|--|-----------|
| 10688 | N12-6P  | Stock 1/2", 3/4", 1", 1 1/4", 1 1/2", 2" (P) | 35.0 lbs. |
| 10689 | N12-6C  | Stock 1/2", 3/4", 1", 1 1/4", 1 1/2", 2" (C) | 35.0 lbs. |
| 10690 | N12-5P  | Stock 3/4", 1", 1 1/4", 1 1/2", 2" (P)       | 31.0 lbs. |
| 10691 | N12-5C  | Stock 3/4", 1", 1 1/4", 1 1/2", 2" (C)       | 31.0 lbs. |
| 10692 | N12-4P  | Stock 1", 1 1/4", 1 1/2", 2" (P)             | 27.0 lbs. |
| 10693 | N12-4C  | Stock 1", 1 1/4", 1 1/2", 2" (C)             | 27.0 lbs. |
| 10694 | N12-3P  | Stock 1 1/4", 1 1/2", 2" (P)                 | 25.0 lbs. |
| 10695 | N12-3C  | Stock 1 1/4", 1 1/2", 2" (C)                 | 25.0 lbs. |
| 10696 | N12-2P  | Stock 1 1/2", 2" (P)                         | 20.0 lbs. |
| 10697 | N12-2C  | Stock 1 1/2", 2" (C)                         | 20.0 lbs. |
| 10698 | N12-40P | Stock 1/2", 3/4", 1", 1 1/4" (P)             | 23.0 lbs. |
| 10699 | N12-40C | Stock 1/2", 3/4", 1", 1 1/4" (C)             | 23.0 lbs. |
| 10700 | N12-R   | Malleable Ratchet/handle                     | 6.75 lbs. |

**Segmental Stock for 12 Series Ratchets:**

| No.   | Nye No.     | Die head with die | Shpg. Wt. |
|-------|-------------|-------------------|-----------|
| 10701 | N12H-1/2P   | 1/2" (P)          | 4.0 lbs.  |
| 10702 | N12H-1/2C   | 1/2" (C)          | 4.0 lbs.  |
| 10703 | N12H-3/4P   | 3/4" (P)          | 4.0 lbs.  |
| 10704 | N12H-3/4C   | 3/4" (C)          | 4.0 lbs.  |
| 10705 | N12H-1P     | 1" (P)            | 5.5 lbs.  |
| 10706 | N12H-1C     | 1" (C)            | 5.5 lbs.  |
| 10707 | N12H-1 1/4P | 1 1/4" (P)        | 5.5 lbs.  |
| 10708 | N12H-1 1/4C | 1 1/4" (C)        | 5.5 lbs.  |
| 10709 | N12H-1 1/2P | 1 1/2" (P)        | 5.5 lbs.  |
| 10710 | N12H-1 1/2C | 1 1/2" (C)        | 5.5 lbs.  |
| 10711 | N12H-2P     | 2" (P)            | 6.75 lbs. |
| 10712 | N12H-2C     | 2" (C)            | 6.75 lbs. |

**Dies Only for 12 Series Ratchets:**

Sold in sets of 4. Shpg. wt., each, 0.5 lbs.

| No.   | Nye No.   | Size     | No.   | Nye No.     | Size       |
|-------|-----------|----------|-------|-------------|------------|
| 10713 | N12D-1/2P | 1/2" (P) | 10719 | N12D-1 1/4P | 1 1/4" (P) |
| 10714 | N12D-1/2C | 1/2" (C) | 10720 | N12D-1 1/4C | 1 1/4" (C) |
| 10715 | N12D-3/4P | 3/4" (P) | 10721 | N12D-1 1/2P | 1 1/2" (P) |
| 10716 | N12D-3/4C | 3/4" (C) | 10722 | N12D-1 1/2C | 1 1/2" (C) |
| 10717 | N12D-1P   | 1" (P)   | 10723 | N12D-2P     | 2" (P)     |
| 10718 | N12D-1C   | 1" (C)   | 10724 | N12D-2C     | 2" (C)     |

**C TRIPLEX SOLID DIE STOCK**

For use with skip-tooth dies for Pipe (P) or Conduit (C) threading. Use with power drive or for hand threading. A lightweight one-piece stock with openings in body for oiling and chip clearance. Supplied in two combinations: 3/8" to 3/4" and 1/2" to 1".

| No.   | Nye No. | Item complete with R H skip-tooth dies | Shpg. Wt.  |
|-------|---------|--|------------|
| 10751 | NT-30P  | Stock 3/8", 1/2", 3/4" (P)             | 11.25 lbs. |
| 10752 | NT-30C  | Stock 3/8", 1/2", 3/4" (C)             | 11.25 lbs. |
| 10753 | NT-31P  | Stock 1/2", 3/4", 1" (P)               | 11.25 lbs. |
| 10754 | NT-31C  | Stock 1/2", 3/4", 1" (C)               | 11.25 lbs. |
| 10750 | NT-0    | Stock less dies, bushing               | 8.25 lbs.  |

**D IMPROVED SOLID MALLEABLE STOCK**

For use with skip-tooth dies (pipe or conduit) and solid bolt dies. Equipped with built-in adjustable guide. No bushings required.

| No.   | Nye No. | Item complete with R H skip-tooth dies     | Shpg. Wt.  |
|-------|---------|--|------------|
| 10756 | N1-16P  | Stock 1/8", 1/4", 3/8", 1/2", 3/4", 1" (P) | 12.25 lbs. |
| 10757 | N1-16C  | Stock 1/8", 1/4", 3/8", 1/2", 3/4", 1" (C) | 12.25 lbs. |
| 10758 | N1-15P  | Stock 1/4", 3/8", 1/2", 3/4", 1" (P)       | 11.25 lbs. |
| 10759 | N1-15C  | Stock 1/4", 3/8", 1/2", 3/4", 1" (C)       | 11.25 lbs. |
| 10760 | N1-14P  | Stock 3/8", 1/2", 3/4", 1" (P)             | 10.25 lbs. |
| 10761 | N1-14C  | Stock 3/8", 1/2", 3/4", 1" (C)             | 10.25 lbs. |
| 10762 | N1-13P  | Stock 3/8", 1/2", 3/4" (P)                 | 9.75 lbs.  |
| 10763 | N1-13C  | Stock 3/8", 1/2", 3/4" (C)                 | 9.75 lbs.  |
| 10764 | N1-131P | Stock 1/2", 3/4", 1" (P)                   | 9.75 lbs.  |
| 10765 | N1-131C | Stock 1/2", 3/4", 1" (C)                   | 9.75 lbs.  |
| 10766 | N1-12P  | Stock 1/2", 3/4" (P)                       | 8.25 lbs.  |
| 10767 | N1-12C  | Stock 1/2", 3/4" (C)                       | 8.25 lbs.  |
| 10755 | N1-10   | Stock with handle less dies                | 7.00 lbs.  |

**Not Shown: SOLID SKIP-TOOTH DIES**


With easy-starting throat design for clean, leak-proof threads. Special construction reduces friction, permits more chip clearance when backing off. These solid skip-tooth dies fit all makes of solid stocks that accommodate die dimensions 2 1/2" x 2 1/2" x 3/4", which is size of all dies listed. Available for Pipe (P) or Conduit (C) threading. Shpg. wt., each, 1 lb.

| No.   | Nye No.     | Size | No.   | Nye No.     | Size |
|-------|-------------|------|-------|-------------|------|
| 10770 | ND1-1/8 (P) | 1/8" | 10775 | ND1-3/4 (P) | 3/4" |
| 10771 | ND1-1/4 (P) | 1/4" | 10776 | ND1-3/4 (C) | 3/4" |
| 10772 | ND1-3/8 (P) | 3/8" | 10777 | ND1-1 (P)   | 1"   |
| 10773 | ND1-1/2 (P) | 1/2" | 10778 | ND1-1 (C)   | 1"   |
| 10774 | ND1-1/2 (C) | 1/2" |       |             |      |

**Not Shown: SOLID BOLT DIES**

Can be used in all makes of solid stocks that accommodate die dimensions 2 1/2" x 2 1/2" x 3/4". Shpg. wt., each, 1 lb.

| No.   | Nye No.    | Size  | No.   | Nye No.     | Size   |
|-------|------------|-------|-------|-------------|--------|
| 10779 | ND-1B-1/4  | 1/4"  | 10785 | ND-1B-5/8   | 5/8"   |
| 10780 | ND-1B-5/16 | 5/16" | 10786 | ND-1B-3/4   | 3/4"   |
| 10781 | ND-1B-3/8  | 3/8"  | 10787 | ND-1B-7/8   | 7/8"   |
| 10782 | ND-1B-7/16 | 7/16" | 10788 | ND-1B-1     | 1"     |
| 10783 | ND-1B-1/2  | 1/2"  | 10789 | ND-1B-1 1/8 | 1 1/8" |
| 10784 | ND-1B-9/16 | 9/16" |       |             |        |





# **VICES**

**NYE  
WAYNE**  
TOOLS

## **(A) MULTIVISE COMBINATION VISE STAND**



Converts from  
Chain Vise to  
Yoke Vise



Converts from  
Yoke Vise to  
Chain Vise

Here's the most versatile Vise Stand you've ever seen. Use it as a yoke vise ( $\frac{1}{8}$ " -  $2\frac{1}{2}$ " ) or a chain vise ( $\frac{1}{8}$ " - 5"), depending on your need. Conversion takes less than a minute — all you do is secure one bolt!

This unique vise concept saves money 3 ways. You reduce your initial investment: whether you buy stand plus yoke unit or stand plus chain unit, you actually pay less than for conventional "one-way" units. You save money later: when the time comes to supplement your present equipment, all you buy is the vise unit or yoke unit itself . . . and save the price of a second stand.

You save on the job, too. Large top-operating handle and direct-action clamping assure faster operation. And our new aluminum alloy casting combines easier portability with maximum strength. Other features include double socket efficiency benders, slots for holding tools, ceiling brace screw, tap hole in base for 1" pipe. Folding tray acts as leg brace.

| No.   | Nye No. | Description          | Shipping Wt. |
|-------|---------|----------------------|--------------|
| 10886 | N-500   | MultiVise Stand      | 40.0 lbs.    |
| 10887 | N-500Y  | MultiVise Yoke unit  | 5.0 lbs.     |
| 10889 | N-500C  | MultiVise Chain unit | 3.0 lbs.     |

## **(B) YOKE TYPE VISES**

Yoke-type vises have pipe rest and benders on base, extra long jaws.

| No.   | Nye No. | Capacity                           | Shipping Wt. |
|-------|---------|------------------------------------|--------------|
| 10875 | N00     | $\frac{1}{8}$ " - $1\frac{1}{2}$ " | 6.00 lbs.    |
| 10876 | N0      | $\frac{1}{8}$ " - 2"               | 8.75 lbs.    |
| 10877 | N1      | $\frac{1}{8}$ " - $2\frac{1}{2}$ " | 12.00 lbs.   |
| 10878 | N2      | $\frac{1}{8}$ " - $3\frac{1}{2}$ " | 21.50 lbs.   |
| 10879 | N3      | $\frac{1}{8}$ " - $4\frac{1}{2}$ " | 27.50 lbs.   |

## **(C) CHAIN VISES**

Easy to operate vise screw and handle. Vises No. 10881 and 10882 are similar to No. 10880 shown except for style of jaws and no pipe rest and bender.

| No.   | Nye No. | Capacity                           | Shipping Wt. |
|-------|---------|------------------------------------|--------------|
| 10880 | 61      | $\frac{1}{8}$ " - $2\frac{1}{2}$ " | 8.75 lbs.    |
| 10881 | 52      | $\frac{1}{4}$ " - 4"               | 15.00 lbs.   |
| 10882 | 53      | $\frac{1}{4}$ " - 8"               | 37.00 lbs.   |

## **(D) SELF-LOCKING CLAMP KIT VISES**

Handy portable clamp kit vises attach quickly to plank or work bench.

| No.   | Nye No. | Capacity                           | Shipping Wt. |
|-------|---------|------------------------------------|--------------|
| 10883 | 900     | $\frac{1}{8}$ " - $1\frac{1}{2}$ " | 8.00 lbs.    |
| 10884 | 90      | $\frac{1}{8}$ " - 2"               | 13.25 lbs.   |
| 10885 | 91      | $\frac{1}{8}$ " - $2\frac{1}{2}$ " | 16.75 lbs.   |

## **(E) PIPE RESTS (2" AND 4")**




Folding type. Swivel head, with height adjustment. Steel rollers provide easy rolling without tipping.

| No.   | Nye No. | Capacity | Ht. Adj.         | Shipping Wt. |
|-------|---------|----------|------------------|--------------|
| 10891 | NAR2    | 2"       | 5"               | 8.5 lbs.     |
| 10892 | NAR4    | 4"       | $4\frac{1}{2}$ " | 23.0 lbs.    |

## **(F) VISE STAND**

Designed to accommodate Bench Vises 10875, 10876, 10877, 10880 and 10883; also Clamp Vise 10883. Has lightweight aluminum base plate. Heavy gauge folding tool tray acts as leg brace.

| No.   | Nye No. | Description     | Shipping Wt. |
|-------|---------|-----------------|--------------|
| 10890 | N7V     | Stand with tray | 24.0 lbs.    |





# POWER DRIVE & ACCESSORIES

**NYE  
WAYNE**  
TOOLS

## A POWER DRIVE (with TOOL TRAY)

Most powerful drive on the market.  $\frac{3}{4}$ " HP reversible Universal Motor with detachable 15-foot oil resistant cord. Handy tool tray included as standard equipment . . . along with 2 case-hardened movable rest bars. Positive grip spin chuck has  $\frac{1}{8}$ " to 2" capacity for pipe and  $\frac{5}{16}$ " to 2" capacity for bolts. Replaceable chuck inserts included as standard equipment . . . with patented retainer to keep them in place. Drive mounts easily on bench, truck or No. 10103 Tripod Stand. Hardened steel gears have ball bearing shafts. Factory greased, never needs regreasing.

| No.   | Nye No.   | Voltage | Shipping Wt. |
|-------|-----------|---------|--------------|
| 10101 | N101 115V | 115     | 100 lbs.     |
| 10102 | N101 230V | 230     | 100 lbs.     |

## TRIPOD STAND (not shown)

Expressly made for power drive above. Has aluminum base plate and convenient folding tray that braces legs.

| No.   | Nye No. | Shipping Wt. |
|-------|---------|--------------|
| 10103 | N7-101  | 24.0 lbs.    |

## B QUICK-OPENING DIE HEADS

Fit instantly on No. 10112 Saddle, requiring no bolts or clamps. Heads are complete with high speed dies for long cutting life.

| No.   | Nye No. | Capacity                          | Type    | Shipping Wt. |
|-------|---------|-----------------------------------|---------|--------------|
| 10104 | Q02-P   | $\frac{1}{2}$ " - $\frac{3}{4}$ " | Pipe    | 9.0 lbs.     |
| 10105 | Q02-C   | $\frac{1}{2}$ " - $\frac{3}{4}$ " | Conduit | 9.0 lbs.     |
| 10106 | Q04-P   | 1" - 2"                           | Pipe    | 13.5 lbs.    |
| 10107 | Q04-C   | 1" - 2"                           | Conduit | 13.5 lbs.    |

## C POWER DRIVE SADDLE


Mounts easily on power drive rest bars. Floating die head action in saddle allows faster, more accurate operation. Holds our quick-opening die heads in perfect alignment.

| No.   | Nye No. | Shipping Wt. |
|-------|---------|--------------|
| 10112 | N101-DS | 4.0 lbs.     |

## DIES ONLY (not shown)

For replacement use in quick-opening die heads described above. Each set contains 4 dies.

| No.   | Nye No. | Fits Head No. | Shipping Wt. |
|-------|---------|---------------|--------------|
| 10108 | Q02D-P  | 10104         | .75 lbs.     |
| 10109 | Q02D-C  | 10105         | .75 lbs.     |
| 10110 | Q04D-P  | 10106         | 1.25 lbs.    |
| 10111 | Q04D-C  | 10107         | 1.25 lbs.    |



## D PIPE CUTTER

Mounts on power drive rest bar for use in normal upright position. Allows operator to see cut-off position.

| No.   | Nye No.  | Capacity             | Shipping Wt. |
|-------|----------|----------------------|--------------|
| 10115 | N101-PCH | $\frac{1}{8}$ " - 2" | 8.0 lbs.     |

## E PIPE REAMER

For highest efficiency reaming. Mounts on power drive rest bar to afford perfect reaming on all size pipe and conduit  $\frac{1}{8}$ " to 2". Removes burrs cleanly . . . without cutting walls. Malleable iron body. Bit is lathe type, replaceable.

| No.   | Nye No.     | Capacity             | Shipping Wt. |
|-------|-------------|----------------------|--------------|
| 10114 | N101 Reamer | $\frac{1}{8}$ " - 2" | 2.5 lbs.     |

## OILER UNIT WITH PAN (not shown)

Includes Nye pressure oil gun, hand operated, plus 16" x 16" oil reservoir pan (with double strainer to keep oil clean for constant re-use). Usable on power drive stands and vise stands of all makes.

| No.   | Nye No.  | Description      | Shipping Wt. |
|-------|----------|------------------|--------------|
| 10116 | N101-N0  | Oiler and pan    | 22.0 lbs.    |
| 10117 | N101-N0B | Mounting bracket | 2.0 lbs.     |




## PIPE THREADING OIL (not shown)

Recommended where highest film strength is desired. Available dark or clear with sulphur base. Sold in case lots only.

| No.   | Nye No. | Type  | Size   | No. in Case | Case Wt.  |
|-------|---------|-------|--------|-------------|-----------|
| 10250 | 4D      | Dark  | 1 qt.  | 12          | 29.5 lbs. |
| 10251 | 4C      | Clear | 1 qt.  | 12          | 29.5 lbs. |
| 10252 | 1D      | Dark  | 1 gal. | 6           | 52.0 lbs. |
| 10253 | 1C      | Clear | 1 gal. | 6           | 52.0 lbs. |
| 10254 | 5D      | Dark  | 5 gal. | 1           | 42.0 lbs. |
| 10255 | 5C      | Clear | 5 gal. | 1           | 42.0 lbs. |

## UNIVERSAL DRIVE SHAFT (not shown)

| No.   | Nye No. | Stock Capacity | Shipping Wt. |
|-------|---------|----------------|--------------|
| 10118 | NP25    | up to 12"      | 34.0 lbs.    |





# SPASAVER DISPLAYS



## C No. 87 SPASAVER DISPLAY

A real producer of volume sales on 1/4", 3/8" and 1/2" drive sockets and handles. Includes balanced stock of 87 different tools, selected to provide maximum turnover and dollar value. Total inventory: 92 tools. Two each of Nos. 45170, 40824, 40826, 40828 and 42470; one each of all others. Smartly arranged on attractive background.

| 1/4" Drive       |                   |                   |
|------------------|-------------------|-------------------|
| 384 Adapter      | 40910 Skt. 5/16"  | 40954 Spin Handle |
| 40906 Skt. 3/16" | 40911 Skt. 11/32" | 40961 Ext. 2"     |
| 40907 Skt. 7/32" | 40912 Skt. 3/8"   | 40962 Ext. 6"     |
| 40908 Skt. 1/4"  | 40914 Skt. 7/16"  | 40970 Ratchet     |
| 40909 Skt. 9/32" | 40916 Skt. 1/2"   | 40990 Univ. Jnt.  |

| 3/8" Drive             |                        |                   |
|------------------------|------------------------|-------------------|
| 451 Adapter            | 40614 Flex Skt. 7/16"  | 45124 Skt. 3/4"   |
| 40412 Dp. Skt. 3/8"    | 40616 Flex Skt. 1/2"   | 45126 Skt. 13/16" |
| 40414 Dp. Skt. 7/16"   | 40618 Flex Skt. 9/16"  | 45128 Skt. 7/8"   |
| 40416 Dp. Skt. 1/2"    | 40620 Flex Skt. 5/8"   | 45153 Flex Handle |
| 40418 Dp. Skt. 9/16"   | 40622 Flex Skt. 11/16" | 45159 Ext. 1 1/2" |
| 40420 Dp. Skt. 5/8"    | 40624 Flex Skt. 3/4"   | 45160 Ext. 3"     |
| 40422 Dp. Skt. 11/16"  | 45112 Skt. 3/8"        | 45161 Ext. 6"     |
| 40424 Dp. Skt. 3/4"    | 45114 Skt. 7/16"       | 45162 Ext. 12"    |
| 40426 Dp. Skt. 13/16"  | 45116 Skt. 1/2"        | 45170 Ratchet     |
| 4426 S. P. Skt. 13/16" | 45118 Skt. 9/16"       | 45181 Speeder     |
| 4420 S. P. Skt. 3/8"   | 45120 Skt. 5/8"        | 45190 Univ. Jnt.  |
| 40612 Flex Skt. 3/8"   | 45122 Skt. 11/16"      | 3870 Roto-Ratchet |

| 1/2" Drive           |                      |                        |
|----------------------|----------------------|------------------------|
| 401 Adapter          | 40134 Skt. 1 1/16"   | 40822 Dp. Skt. 1 1/16" |
| 40114 Skt. 7/16"     | 40136 Skt. 1 1/8"    | 40824 Dp. Skt. 3/4"    |
| 40116 Skt. 1/2"      | 40138 Skt. 1 3/16"   | 40826 Dp. Skt. 13/16"  |
| 4V118 Fd. Skt. 9/16" | 40140 Skt. 1 1/4"    | 40828 Dp. Skt. 7/8"    |
| 40118 Skt. 9/16"     | 40160 Ext. 2"        | 40830 Dp. Skt. 15/16"  |
| 40120 Skt. 5/8"      | 40161 Ext. 5"        | 40832 Dp. Skt. 1"      |
| 40122 Skt. 11/16"    | 40162 Ext. 10"       | 40834 Dp. Skt. 1 1/16" |
| 40124 Skt. 3/4"      | 40181 Speeder        | 40836 Dp. Skt. 1 1/8"  |
| 40126 Skt. 13/16"    | 40190 Univ. Jnt.     | 4826 S. P. Skt. 13/16" |
| 40128 Skt. 7/8"      | 40816 Dp. Skt. 1/2"  | 41653 Flex Handle      |
| 40130 Skt. 15/16"    | 40818 Dp. Skt. 9/16" | 42470 Ratchet          |
| 40132 Skt. 1"        | 40820 Dp. Skt. 5/8"  | 40170 Ratchet          |

Dimensions 24" x 32" high

Shipping Weight 52.8 lbs.



## A No. 5 SPASAVER DISPLAY

Five fast-selling S-K Sets arranged for maximum sales "step-up". SpaSaver display mounts on perfbord, or on other surfaces, stands on counter. Everything instantly visible in this smart display, with no waste space. Companion to No. 8 Display.

| Qn. | No.  | Description            |
|-----|------|------------------------|
| 1   | 4915 | 1/4" Drive — (15 Pcs.) |
| 1   | 4512 | 3/8" Drive — (12 Pcs.) |
| 1   | 4521 | 3/8" Drive — (21 Pcs.) |
| 1   | 4116 | 1/2" Drive — (16 Pcs.) |
| 1   | 4123 | 1/2" Drive — (23 Pcs.) |

Dimensions 16" x 23"

Shipping Weight 43.0 lbs.

## D No. 26 SPASAVER DISPLAY

A compact arrangement of adjustable wrenches (polished) slip joint pliers (polished), Tongue-N-Groove pliers and solid joint pliers (all with cushion grip). One-to-two each of 26 popular items. Total inventory: 48 tools.



| Qn. | Part No. | Description              | Qn. | Part No. | Description                    |
|-----|----------|--------------------------|-----|----------|--------------------------------|
| 2   | 8004     | 4" Pol. Adj. Wr.         | 2   | 181      | 4 1/2" Diag. Cutter*           |
| 2   | 8006     | 6" Pol. Adj. Wr.         | 2   | 15016    | 6" Diag. Cutter*               |
| 2   | 8008     | 8" Pol. Adj. Wr.         | 2   | 15027    | 7" Diag. Cutter*               |
| 2   | 8010     | 10" Pol. Adj. Wr.        | 2   | 182      | 4 1/2" End Cutting Nipper*     |
| 2   | 8012     | 12" Pol. Adj. Wr.        | 1   | 18507    | 7" End Cutting Nipper*         |
| 1   | 8016     | 16" Pol. Adj. Wr.        | 1   | 18507    | 7" End Cutting Nipper*         |
| 2   | 7507     | 7" Tongue-N-Groove*      | 2   | 183      | 4 1/2" Chain Nose Plier*       |
| 2   | 7510     | 10" Tongue-N-Groove*     | 2   | 16415    | 5" Chain Nose Pl.*             |
| 1   | 7516     | 16" Tongue-N-Groove*     | 2   | 16616    | 6" Chain Nose Pl.*             |
| 2   | 7206     | 6" Pol. Comb. Pl.        | 2   | 17817    | 7" Chain Nose Pl.*             |
| 2   | 7208     | 8" Pol. Comb. Pl.        | 2   | 16107    | 7" Heavy Duty Diagonal Cutter* |
| 2   | 7265     | Pol. T.N. Comb. Plier    | 1   | 18307    | 7" Electrician's Plier*        |
| 2   | 7408     | 8" Pol. Hose Clamp Plier | 2   | 16315    | 5 1/2" Curved Chain Nose*      |
| 2   | 19488    | 8" Battery Plier*        |     |          |                                |

Dimensions 24" x 32" high


Shipping Weight 42 lbs.

\* Denotes items with Cushion Grip handles.

**ALL DISPLAY EQUIPMENT SUPPLIED FREE WITH PURCHASE OF TOOL INVENTORY**







B

### B No. 8 SPASAVER DISPLAY

An exciting new merchandiser designed for impulse volume on 7 forged wrench sets. Compact unit mounts on perboard or stands as easel unit on counters. Companion to No. 5 Display.

| Qn. | Set No. | Description                           |
|-----|---------|---------------------------------------|
| 1   | 333     | 3 pc. Short Pattern (3/8" to 1 1/16") |
| 1   | 350     | 5 pc. Long Pattern (3/8" to 7/8")     |
| 1   | 550     | 5 pc. Open End (1/4" to 3/4")         |
| 1   | 570     | 7 pc. Open End (1/4" to 1")           |
| 1   | 1707    | 7 pc. Combination (1/4" to 5/8")      |
| 1   | 1709    | 9 pc. Combination (1/4" to 3/4")      |
| 1   | 1712    | 12 pc. Combination (1/4" to 1 5/16")  |

Dimensions 16" x 26".  
Shipping Weight 19.0 lbs.

### F No. 33 SPASAVER DISPLAY

This compact display merchandises the full line of S-K Wayne screwdrivers, punches and chisels. Total inventory of 69 tools and 5 sets includes 2 screwdriver sets and one each of 3 punch and chisel sets plus 32 screwdrivers, 23 punches and 14 chisels.

#### SCREWDRIVERS

| Quantity | No.   | Description                 |
|----------|-------|-----------------------------|
| 1        | 70600 | 6-pc. Professional Set      |
| 1        | 73400 | 4-pc. Phillips Set          |
| 2        | 70044 | 3 1/2" Round Keystone Blade |
| 2        | 70084 | 4" Round Keystone Blade     |
| 2        | 70086 | 6" Round Keystone Blade     |
| 2        | 70106 | 6" Round Keystone Blade     |
| 2        | 70128 | 8" Round Keystone Blade     |
| 2        | 72081 | 1 1/4" Stubby Square Blade  |
| 2        | 72084 | 4" Square Blade             |
| 2        | 72106 | 6" Square Blade             |
| 2        | 72128 | 8" Square Blade             |
| 2        | 72130 | 10" Square Blade            |
| 2        | 71064 | 4" Round Cabinet Blade      |
| 2        | 71066 | 6" Round Cabinet Blade      |
| 2        | 73001 | #1 Phillips                 |
| 2        | 73002 | #2 Phillips                 |
| 2        | 73003 | #3 Phillips                 |
| 2        | 73022 | #2 Stubby Phillips          |

### E No. 36 SPASAVER DISPLAY

Box, open end and combination wrenches conveniently arranged to invite impulse buying. Display contains part number identification and pre-pricing. Total inventory: 67 tools.

#### Box Wrenches

|   |        |                |   |        |                |
|---|--------|----------------|---|--------|----------------|
| 2 | B-1214 | 3/8" x 7/16"   | 2 | B-2628 | 1 3/16" x 7/8" |
| 2 | B-1416 | 7/16" x 1/2"   | 2 | B-3032 | 1 5/16" x 1"   |
| 2 | B-1618 | 1/2" x 9/16"   | 2 | M-1214 | 3/8" x 7/16"   |
| 2 | B-1820 | 9/16" x 5/8"   | 2 | M-1618 | 1/2" x 9/16"   |
| 2 | B-2024 | 5/8" x 3/4"    | 2 | M-2022 | 5/8" x 1 1/16" |
| 2 | B-2224 | 1 1/16" x 3/4" |   |        |                |

#### Combination Wrenches

|   |      |       |   |      |         |   |      |         |
|---|------|-------|---|------|---------|---|------|---------|
| 2 | C-8  | 1/4"  | 2 | C-20 | 5/8"    | 2 | C-32 | 1"      |
| 2 | C-10 | 5/16" | 2 | C-22 | 1 1/16" | 1 | C-34 | 1 1/16" |
| 2 | C-12 | 3/8"  | 2 | C-24 | 3/4"    | 1 | C-36 | 1 3/8"  |
| 2 | C-14 | 7/16" | 2 | C-26 | 13/16"  | 1 | C-40 | 1 1/4"  |
| 2 | C-16 | 1/2"  | 2 | C-28 | 7/8"    |   |      |         |
| 2 | C-18 | 9/16" | 2 | C-30 | 1 5/16" |   |      |         |

#### Open End Wrenches

|   |        |              |   |        |                |
|---|--------|--------------|---|--------|----------------|
| 2 | O-810  | 1/4" x 5/16" | 2 | O-1820 | 9/16" x 5/8"   |
| 2 | O-1214 | 3/8" x 7/16" | 2 | O-2224 | 1 1/16" x 3/4" |
| 2 | O-1416 | 7/16" x 1/2" | 2 | O-2628 | 1 3/16" x 7/8" |
| 2 | O-1618 | 1/2" x 9/16" | 2 | O-3032 | 1 5/16" x 1"   |


Dimensions 24" x 32" high Shipping Weight 48.0 lbs.

#### PUNCHES & CHISELS (one each)

| No.   | Description               | No.   | Description          |
|-------|---------------------------|-------|----------------------|
| 3404  | 4-pc. Pin Punch Set       | 6308  | Aligning Punch       |
| 3405  | 5-pc. Punch & Chisel Set  | 6310  | Aligning Punch       |
| 3412  | 12-pc. Punch & Chisel Set | 6910  | Center Punch         |
| 6010  | Prick Punch (5/16" stock) | 6912  | Center Punch         |
| 6012  | Prick Punch (3/8" stock)  | 6912L | Center Punch         |
| 6103  | Pin Punch                 | 6914  | Center Punch         |
| 6104  | Pin Punch                 | 6916  | Center Punch         |
| 6105  | Pin Punch                 | 6916L | Center Punch         |
| 6105L | Pin Punch                 | 6508  | Cold Chisel          |
| 6106  | Pin Punch                 | 6510  | Cold Chisel          |
| 6106L | Pin Punch                 | 6512  | Cold Chisel          |
| 6108  | Pin Punch                 | 6516  | Cold Chisel          |
| 6110  | Pin Punch                 | 6516L | Cold Chisel          |
| 6204  | Machine Drift Punch       | 6520  | Cold Chisel          |
| 6206  | Machine Drift Punch       | 6520L | Cold Chisel          |
| 6208  | Machine Drift Punch       | 6524  | Cold Chisel          |
| 6304  | Aligning Punch            | 6524L | Cold Chisel          |
| 6306  | Aligning Punch            | 6528  | Cold Chisel          |
|       |                           | 6532  | Cold Chisel          |
|       |                           | 6612  | Diamond Point Chisel |
|       |                           | 6708  | Cape Chisel          |
|       |                           | 6808  | Rd. Nose Cape Chisel |

Dimensions 24" x 32" high Shipping Weight 55.0 lbs.

**ALL DISPLAY EQUIPMENT SUPPLIED FREE WITH PURCHASE OF TOOL INVENTORY**



E



F



# SPASAVER DISPLAYS

**S-K  
WAYNE  
TOOLS**

## A No. 56 SPASAVER DISPLAY

A profit-producing, low-inventory assortment of S-K  $\frac{3}{8}$ " and  $\frac{1}{2}$ " drive tools. Includes 70 sockets and handles.

### $\frac{3}{8}$ " Drive



|                                     |                                |
|-------------------------------------|--------------------------------|
| 1—451 Adapter                       | 1—45118 Skt. $\frac{9}{16}$ "  |
| 2—40412 Dp. Skt. $\frac{3}{8}$ "    | 1—45120 Skt. $\frac{7}{8}$ "   |
| 2—40414 Dp. Skt. $\frac{7}{16}$ "   | 1—45122 Skt. $\frac{11}{16}$ " |
| 2—40416 Dp. Skt. $\frac{1}{2}$ "    | 1—45124 Skt. $\frac{3}{4}$ "   |
| 2—40418 Dp. Skt. $\frac{9}{16}$ "   | 1—45126 Skt. $\frac{13}{16}$ " |
| 2—40420 Dp. Skt. $\frac{5}{8}$ "    | 1—45128 Skt. $\frac{7}{8}$ "   |
| 2—40422 Dp. Skt. $\frac{11}{16}$ "  | 1—45159 Ext. $1\frac{1}{2}$ "  |
| 2—40424 Dp. Skt. $\frac{3}{4}$ "    | 1—45160 Ext. 3"                |
| 2—40426 Dp. Skt. $\frac{13}{16}$ "  | 1—45161 Ext. 6"                |
| 2—4426 S. P. Skt. $\frac{13}{16}$ " | 1—45162 Ext. 12"               |
| 1—45112 Skt. $\frac{3}{8}$ "        | 1—45170 Ratchet                |
| 1—45114 Skt. $\frac{7}{16}$ "       | 1—45181 Speeder                |
| 1—45116 Skt. $\frac{1}{2}$ "        | 1—45190 Univ. Joint            |

### $\frac{1}{2}$ " Drive

|                                |                                     |
|--------------------------------|-------------------------------------|
| 1—401 Adapter                  | 1—40160 Ext. 2"                     |
| 1—40114 Skt. $\frac{7}{16}$ "  | 1—40161 Ext. 5"                     |
| 1—40116 Skt. $\frac{1}{2}$ "   | 1—40162 Ext. 10"                    |
| 1—40118 Skt. $\frac{9}{16}$ "  | 1—40181 Speeder                     |
| 1—40120 Skt. $\frac{5}{8}$ "   | 1—40190 Univ. Joint                 |
| 1—40122 Skt. $\frac{11}{16}$ " | 1—40816 Dp. Skt. $\frac{1}{2}$ "    |
| 1—40124 Skt. $\frac{3}{4}$ "   | 2—40818 Dp. Skt. $\frac{9}{16}$ "   |
| 1—40126 Skt. $\frac{13}{16}$ " | 1—40820 Dp. Skt. $\frac{5}{8}$ "    |
| 1—40128 Skt. $\frac{7}{8}$ "   | 1—40822 Dp. Skt. $\frac{11}{16}$ "  |
| 1—40130 Skt. $\frac{15}{16}$ " | 2—40824 Dp. Skt. $\frac{3}{4}$ "    |
| 1—40132 Skt. 1"                | 2—40826 Dp. Skt. $\frac{13}{16}$ "  |
| 1—40134 Skt. $1\frac{1}{16}$ " | 2—40828 Dp. Skt. $\frac{7}{8}$ "    |
| 1—40136 Skt. $1\frac{1}{8}$ "  | 1—41653 Flex                        |
| 1—40138 Skt. $1\frac{3}{16}$ " | 1—42470 Ratchet                     |
| 1—40140 Skt. $1\frac{1}{4}$ "  | 2—4826 S. P. Skt. $\frac{13}{16}$ " |

Dimensions 19" x 32" High

Shipping Weight 35.0 lbs.



B

## B No. 70 SPASAVER DISPLAY

Smart grained backing and chrome-plated tubular steel legs, provides a spectacular showcase for ten popular S-K Wayne socket sets. Your customers can see at a glance the exact socket set that meets his needs best.

| Qn. No. | Description                                |
|---------|--|
| 1 4915  | $\frac{1}{4}$ " Drive—(15 Pcs.)            |
| 1 4921  | $\frac{3}{4}$ " Drive—(21 Pcs.)            |
| 1 4224  | $\frac{1}{4}$ " and $\frac{3}{8}$ " Drive— |
| 1       | (24 Pcs.)                                  |
| 1 4512  | $\frac{3}{8}$ " Drive—(12 Pcs.)            |
| 1 4521  | $\frac{3}{8}$ " Drive—(21 Pcs.)            |
| 1 4525  | $\frac{3}{8}$ " Drive—(25 Pcs.)            |
| 1 4112  | $\frac{1}{2}$ " Drive—(12 Pcs.)            |
| 1 4116  | $\frac{1}{2}$ " Drive—(16 Pcs.)            |
| 1 4123  | $\frac{1}{2}$ " Drive—(23 Pcs.)            |
| 1 4126  | $\frac{1}{2}$ " Drive—(26 Pcs.)            |

Dimensions 18" x 52"

Shipping Weight 91.0 lbs.

## C No. 27 SPASAVER DISPLAY

Eye catching arrangements of economy adjustable wrenches, slip joint pliers and solid joint pliers specially selected for fast turnover. Total inventory: 35 tools.

| Qn. No. | Description    | Qn. No. | Description         |
|---------|----------------|---------|---------------------|
| 2 8104  | 4" Adj. Wr.    | 2 7500  | 10" Tongue-N-Groove |
| 2 8106  | 6" Adj. Wr.    |         | 6" Diagonal         |
| 2 8108  | 8" Adj. Wr.    | 2 16006 | Cutter              |
| 2 8110  | 10" Adj. Wr.   | 2 16077 | 7" Diagonal         |
| 2 8112  | 12" Adj. Wr.   |         | Cutter              |
| 1 8116  | 16" Adj. Wr.   | 2 17007 | 7" Heavy Duty       |
| 2 7306  | 6" Comb. Pl.   |         | Cutter              |
| 2 7308  | 8" Comb. Pl.   | 2 13808 | 8" Side             |
| 2 7310  | 10" Comb. Pl.  |         | Cutter              |
| 2 7365  | 6" Thin Nose   | 2 16606 | 6" Chain Nose       |
|         | Comb. Plier    |         | Plier               |
| 2 7410  | 10" Water Pump | 2 17807 | 7" Chain Nose       |
|         | Plier          |         | Plier               |

Dimensions 19" x 32" High

Shipping Wt. 35.0 lbs.



C




**ALL DISPLAY EQUIPMENT SUPPLIED FREE  
WITH PURCHASE OF TOOL INVENTORY**

**D No. 10 SPASAVER DISPLAY**

Total of 11 fast selling pipe tools, including pipe wrenches, chain wrenches, strap wrenches and tube cutter.

| Quantity | No.   | Description                |
|----------|-------|----------------------------|
| 1        | 11006 | 6" Heavy Duty Pipe Wrench  |
| 1        | 11008 | 8" Heavy Duty Pipe Wrench  |
| 1        | 11010 | 10" Heavy Duty Pipe Wrench |
| 1        | 11014 | 14" Heavy Duty Pipe Wrench |
| 1        | 11018 | 18" Heavy Duty Pipe Wrench |
| 1        | 11024 | 24" Heavy Duty Pipe Wrench |
| 1        | 11144 | 4" Chain Wrench            |
| 1        | 11146 | 6" Chain Wrench            |
| 1        | 11152 | 12" Strap Wrench           |
| 1        | 11155 | 18" Strap Wrench           |
| 1        | 10826 | Tube Cutter                |

Dimensions 24" x 32" High Shipping Weight 31.0 lbs.



D

**E No. 30 SPASAVER DISPLAY (heavy duty)**

Newly designed SpāSaver display shows off these heavy duty tools brilliantly. Presents 26 of the most popular 3/4" drive items plus 4 combination wrenches. Includes 26 sockets and 6 handles. Total inventory: 36 tools.

| 3/4" Drive            |                           |
|-----------------------|---------------------------|
| 1—47128 Skt. 7/8"     | 1—47158 Skt. 1 13/16"     |
| 2—47130 Skt. 15/16"   | 1—47160 Skt. 1 7/8"       |
| 1—47132 Skt. 1"       | 1—47164 Skt. 2"           |
| 2—47134 Skt. 1 1/16"  | 1—47168 Skt. 2 1/8"       |
| 2—47136 Skt. 1 1/8"   | 1—47172 Skt. 2 1/4"       |
| 1—47138 Skt. 1 3/16"  | 1—47153 Slide T           |
| 2—47140 Skt. 1 1/4"   | 1—47155 Flex              |
| 2—47142 Skt. 1 5/16"  | 1—47159 Extension 3"      |
| 1—47144 Skt. 1 3/8"   | 1—47161 Extension 8"      |
| 1—47146 Skt. 1 7/16"  | 1—47162 Extension 16"     |
| 2—47148 Skt. 1 1/2"   | 1—47170 Ratchet           |
| 1—47150 Skt. 1 9/16"  | C-42—Comb. Wrench 1 5/16" |
| 1—47152 Skt. 1 3/8"   | C-44—Comb. Wrench 1 3/8"  |
| 1—47154 Skt. 1 11/16" | C-46—Comb. Wrench 1 7/16" |
| 1—47156 Skt. 1 3/4"   | C-48—Comb. Wrench 1 1/2"  |

Dimensions 24" x 32" High Shipping Weight 71.0 lbs.



E


**F No. 16 METRIC SPASAVER DISPLAY**

Sixty-one fast selling metric items, including alloy combination wrenches (individually and in sets) plus 3/4" drive sockets (individually and in complete socket sets) . . . all merchandised on one convenient display.

| Qn. No. | Description             | Qn. No. | Description      |
|---------|-------------------------|---------|------------------|
| 2 13    | 13 Pc. Skt. Set         | 2 318   | 18 mm. Skt.      |
| 1 14    | 14 Pc. Skt. Set         | 2 319   | 19 mm. Skt.      |
| 1 1807  | 7 Pc. Comb. Wrench Set  | 2 8307  | 7 mm. Comb. Wr.  |
| 1 1811  | 11 Pc. Comb. Wrench Set | 2 8308  | 8 mm. Comb. Wr.  |
| 2 307   | 7 mm. Skt.              | 2 8309  | 9 mm. Comb. Wr.  |
| 2 308   | 8 mm. Skt.              | 2 8310  | 10 mm. Comb. Wr. |
| 2 309   | 9 mm. Skt.              | 2 8311  | 11 mm. Comb. Hr. |
| 2 310   | 10 mm. Skt.             | 2 8312  | 12 mm. Comb. Wr. |
| 2 311   | 11 mm. Skt.             | 2 8313  | 13 mm. Comb. Wr. |
| 2 312   | 12 mm. Skt.             | 2 8314  | 14 mm. Comb. Wr. |
| 2 313   | 13 mm. Skt.             | 2 8315  | 15 mm. Comb. Wr. |
| 2 314   | 14 mm. Skt.             | 2 8316  | 16 mm. Comb. Wr. |
| 2 315   | 15 mm. Skt.             | 2 8317  | 17 mm. Comb. Wr. |
| 2 316   | 16 mm. Skt.             | 2 8318  | 18 mm. Comb. Wr. |
| 2 317   | 17 mm. Skt.             | 2 8319  | 19 mm. Comb. Wr. |
|         |                         | 2 8321  | 21 mm. Comb. Wr. |
|         |                         | 2 8322  | 22 mm. Comb. Wr. |

Dimensions 24" x 32" High

Shipping Weight 31.0 lbs.



F



# SPASAVER DISPLAYS

**S-K  
WAYNE  
TOOLS**



## A S-K WAYNE SNIPS DISPLAY No. 4

Versatile Snips Display mounts on wall or stands as easel unit on counters. Features drop-forged Standard, Duck Bill and Aviation Pattern Snips with Cushion Grip handles. Total inventory: 18 tools.

| Quantity | No.  | Description                  |
|----------|------|------------------------------|
| 2        | 7607 | 7" Standard Pattern          |
| 2        | 7610 | 10" Standard Pattern         |
| 2        | 7612 | 12 3/4" Standard Pattern     |
| 2        | 7707 | 7" Duck Bill Pattern         |
| 2        | 7710 | 10" Duck Bill Pattern        |
| 2        | 7712 | 12 3/4" Duck Bill Pattern    |
| 2        | 7801 | 10" Aviation (cuts left)     |
| 2        | 7802 | 10" Aviation (cuts right)    |
| 2        | 7803 | 10" Aviation (cuts straight) |

Dimensions: 25" wide x 19" high Shipping Weight 24.5 lbs.

## B S-K WAYNE PUNCH AND CHISEL DISPLAY No. 2

Practical metal display rack holds most popular line of S-K Wayne punches and chisels. Rack hangs on wall or stands as easel unit on counters. Total inventory: 32 tools and 6 sets.

| Quan. No. | Description              | Quan. No. | Description     |
|-----------|--------------------------|-----------|-----------------|
| 2 3403    | 3-pc. Chisel Set         | 2 6914    | Center Punch    |
| 2 3405    | 5-pc. Punch & Chisel Set | 2 6012    | Prick Punch     |
| 2 3404    | 4-pc. Pin Punch Set      | 2 6508    | Cold Chisel     |
| 2 6306    | Aligning Punch           | 2 6512    | Cold Chisel     |
| 2 6103    | Pin Punch                | 2 6516    | Cold Chisel     |
| 2 6104    | Pin Punch                | 2 6520    | Cold Chisel     |
| 2 6105    | Pin Punch                | 2 6524    | Cold Chisel     |
| 2 6106    | Pin Punch                | 2 6708    | Cape Chisel     |
| 2 6910    | Center Punch             | 2 6808    | Rd. Nose Chisel |
|           |                          | 2 6612    | Dia. Pt. Chisel |

Dimensions: 12 1/2" wide x 15 1/2" high Shipping Weight 15.0 lbs.

## C S-K WAYNE DISPLAY No. 11

Colorful self-merchandising carton contains 12 No. 4420 Spark Plug Sockets, 3/8" drive (3/8" 6 pt.). Display stands on counter for easy access, fast sales . . . has lid that folds back to provide die-cut "billboard" for prominent display. Carton furnish FREE with purchase of 12-socket package.

| Quantity | No.  | Description                       |
|----------|------|-----------------------------------|
| 12       | 4420 | 3/8" Spark Plug Skt, 3/8" (6 pt.) |

Dimensions: 4" x 7 1/2" x 2 3/8" Shipping Weight 3.5 lbs.

## D S-K WAYNE METRIC DISPLAY No. 17



This compact metal display merchandises the full line of S-K Wayne metric combination wrenches and sets. Versatile unit hangs on wall or stands on counter . . . attracts maximum attention, either way. Complete with printed tool identification numbers and pricing. Total inventory: 32 items.

| Quan. No. | Size*                          | Quan. No. | Size*  |
|-----------|--------------------------------|-----------|--------|
| 1 1807    | 7-pc. wr. set, (7 mm.—15 mm.)  | 2 8313    | 13 mm. |
| 1 1811    | 11-pc. wr. set, (7 mm.—19 mm.) | 2 8314    | 14 mm. |
| 2 8307    | 7 mm.                          | 2 8315    | 15 mm. |
| 2 8308    | 8 mm.                          | 2 8316    | 16 mm. |
| 2 8309    | 9 mm.                          | 2 8317    | 17 mm. |
| 2 8310    | 10 mm.                         | 2 8318    | 18 mm. |
| 2 8311    | 11 mm.                         | 2 8319    | 19 mm. |
| 2 8312    | 12 mm.                         | 2 8321    | 21 mm. |
|           |                                | 2 8322    | 22 mm. |

\*7mm thru 13mm wrenches have 6 pt. box ends.  
14mm thru 22mm wrenches have 12 pt. box ends.

Dimensions: 19" wide x 24 1/4" high Shipping Weight 17.3 lbs.

**ALL DISPLAY EQUIPMENT SUPPLIED FREE WITH PURCHASE OF TOOL INVENTORY**





# MASTER TOOL DISPLAY

**S-K  
WAYNE**  
TOOLS

## S-K WAYNE SPASAVER DISPLAY NO 1:

Here's the best tool-merchandising idea that's come along in years! 437 of our fastest-selling sets and items . . . all dramatically displayed on one traffic-stopping unit. It's a real show-and-sell merchandiser that makes your outlet the place to go for hand tools.

Handsome walk-around unit is just 6' long, 2' wide at the base. Tools and sets are displayed on both sides . . . with no waste space whatever. Colorful header panel attracts attention for impulse buying. Pricing circles and printed identification numbers keep everything perfectly organized, easy to inventory.

Sturdy construction. Masonite display panels, in handsome green-grained finish, are securely mounted on sturdy metal frame. Mounted on easy-gliding casters.

Dimensions 6' long x 2' wide (at base) Shipped prepaid

## TOOL INVENTORY: DISPLAY NO. 1

### **A 10 SOCKET SETS**

Entire content of S-K Wayne Display No. 70 (see page 44).

### **B 8 ALLOY WRENCH SETS**

Entire content of S-K Wayne Display No. 8 (see page 43), plus Set No. 1713 (see page 16).

### **C 61 METRIC WRENCHES AND SETS**

Entire content of S-K Wayne Display No. 16 (see page 45).

### **D 92 INDIVIDUAL SOCKETS AND HANDLES**

Entire content of S-K Wayne Display No. 87 (see page 42).

### **E 36 INDIVIDUAL HEAVY DUTY ITEMS**

Entire content of S-K Wayne Display No. 30 (see page 45).

### **F 48 POLISHED ADJUSTABLE WRENCHES AND PLIERS**

Entire content of S-K Wayne Display No. 26 (see page 42).

### **G 67 INDIVIDUAL ALLOY WRENCHES**

Entire content of S-K Wayne Display No. 36 (see page 43).

### **H 74 PUNCH, CHISEL AND SCREWDRIVER ITEMS**

Entire content of S-K Wayne Display No. 33 (see page 43).

### **J 8 PIPE TOOLS**

Special assortment includes the following items:


| Qn. No. | Description     | Qn. No. | Description      |
|---------|-----------------|---------|------------------|
| 1 11018 | 18" Pipe Wrench | 1 11006 | 6" Pipe Wrench   |
| 1 11014 | 14" Pipe Wrench | 1 11155 | 18" Strap Wrench |
| 1 11010 | 10" Pipe Wrench | 1 11152 | 12" Strap Wrench |
| 1 11008 | 8" Pipe Wrench  | 1 10826 | Tube Cutter      |

### **K 33 ECONOMY PLIERS AND ADJUSTABLE WRENCHES**

Special assortment includes the following items:

| Qn. No. | Description              | Qn. No. | Description          |
|---------|--------------------------|---------|----------------------|
| 2 8104  | 4" Adj. Wr.              | 2 7410  | 10" Water Pump Plier |
| 2 8106  | 6" Adj. Wr.              | 2 7500  | 10" Tongue-N-Groove  |
| 2 8108  | 8" Adj. Wr.              | 2 16606 | 6" Chain Nose Pl.    |
| 2 8110  | 10" Adj. Wr.             | 2 17807 | 7" Chain Nose Pl.    |
| 2 8112  | 12" Adj. Wr.             | 2 13808 | 8" Side Cutter       |
| 1 8116  | 16" Adj. Wr.             | 2 16006 | 6" Diagonal Cutter   |
| 2 7306  | 6" Comb. Plier           | 2 16077 | 7" Diagonal Cutter   |
| 2 7308  | 8" Comb. Plier           | 2 17007 | 7" Diagonal Cutter   |
| 2 7365  | 6" Thin Nose Comb. Plier |         |                      |


New! A complete tool department  
. . . all in just 12 sq. ft. of floor space!






# AIR COMPRESSORS

SYMINGTON  
**WAYNE**  
AIR COMPRESSORS



MODEL 6158-SV

HIGH PRESSURE,  
TWO-STAGE  
COMPRESSORS;  
1, 1½, 2, 3, 5, 7½, 10, 15




MODEL 376SH

LOW PRESSURE,  
TWO-STAGE  
COMPRESSORS;  
1½ through 10 H.P.



MODEL 67520-SH



## WAYNE LO-OIL SENTINEL

Wayne's new Lo-Oil Sentinel is standard equipment, at no extra cost on all Wayne 1-10 hp, 2-stage air compressors. Lo-Oil Sentinel stops compressor when oil falls below safe level. Risk of compressor "burnouts" and expensive repairs is avoided. Does not require air or oil pressure for activation—can be used for both start-stop and continuous operation.

Operation of Lo-Oil Sentinel is simple. When oil is at proper level in float bowl (1) visible on sight gage (2) float stem (3) keeps a Microswitch (4) closed. As oil level goes down, float stem drops. At low position, Microswitch lever (5) passes over top of float stem, opening circuit and shutting off compressor. Unlike other lo-oil devices, Wayne Lo-Oil Sentinel prevents starting of compressor until adequate supply of oil is added. Simply pushing reset button closes circuit and allows float stem to rise.


## ELECTRIC MOTOR DRIVEN

| Model<br>(see foot-<br>note) | Motor<br>H.P. | No.<br>Cyls. | Disp.<br>C.F.M. | Comp.<br>R.P.M. | Press.<br>P.S.I. | Bore & Stroke |              | ASME<br>Tank<br>Gal. | Dimensions |     |     | Approx.<br>Shipping<br>Weight |
|------------------------------|---------------|--------------|-----------------|-----------------|------------------|---------------|--------------|----------------------|------------|-----|-----|-------------------------------|
|                              |               |              |                 |                 |                  | Low<br>Cyl.   | High<br>Cyl. |                      | L          | W   | H   |                               |
| 353                          | 1             | 2            | 5.1             | 355             | 175              | 3¼x3          | 1¼x3         | 30                   | 40         | 20½ | 17  | 350                           |
| 356                          |               |              |                 |                 |                  |               |              | 60                   | 54         | 31½ | 24  | 360                           |
| 358                          |               |              |                 |                 |                  |               |              | 80                   | 71         | 34  | 24  | 494                           |
| 3512                         |               |              |                 |                 |                  |               |              | 120                  | 74         | 35½ | 25½ | 614                           |
| 373                          | 1½            | 2            | 7.5             | 530             | 175              | 3¼x3          | 1¼x3         | 30                   | 40         | 20½ | 17  | 350                           |
| 376                          |               |              |                 |                 |                  |               |              | 60                   | 54         | 31½ | 24  | 360                           |
| 378                          |               |              |                 |                 |                  |               |              | 80                   | 71         | 34  | 24  | 525                           |
| 3712                         |               |              |                 |                 |                  |               |              | 120                  | 74         | 35½ | 25½ | 647                           |
| 3103                         | 2             | 2            | 10.0            | 700             | 175              | 3¼x3          | 1¼x3         | 30                   | 40         | 20½ | 17  | 350                           |
| 3106                         |               |              |                 |                 |                  |               |              | 60                   | 54         | 31½ | 24  | 360                           |
| 3108                         |               |              |                 |                 |                  |               |              | 80                   | 71         | 34  | 24  | 525                           |
| 31012                        |               |              |                 |                 |                  |               |              | 120                  | 74         | 35½ | 25½ | 655                           |
| 6156                         | 3             | 2            | 15.0            | 490             | 175              | 4¼x3          | 2½x3         | 60                   | 55½        | 34  | 24  | 615                           |
| 6158                         |               |              |                 |                 |                  |               |              | 80                   | 71½        | 36  | 23  | 650                           |
| 61512                        |               |              |                 |                 |                  |               |              | 120                  | 74         | 38  | 26  | 775                           |
| X61512-SH                    | 3             |              | 30.0            |                 |                  |               |              | 120                  | 73         | 38  | 38  | 1315                          |
| 6223-H                       | 5             | 2            | 22.4            | 725             | 175              | 4¼x3          | 2½x3         | 30                   | 40         | 20½ | 17  | 350                           |
| 6226                         |               |              |                 |                 |                  |               |              | 60                   | 55½        | 34  | 23  | 380                           |
| 6228-H                       |               |              |                 |                 |                  |               |              | 80                   | 71½        | 36  | 23  | 615                           |
| 62212                        |               |              |                 |                 |                  |               |              | 120                  | 74         | 38  | 26  | 660                           |
| X62212-SH                    | 5             |              | 44.8            |                 |                  |               |              | 120                  | 73         | 38  | 38  | 790                           |
| X62220-SH                    | 5             |              | 44.8            |                 |                  |               |              | 200                  | 77         | 38  | 38  | 1385                          |
| 6378-H                       | 7½            | 4            | 37.2            | 605             | 175              | 4¼x3          | 2½x3         | 80                   | 63         | 49  | 27  | 1122                          |
| 63712                        |               |              |                 |                 |                  |               |              | 120                  | 66         | 28½ | 31½ | 1211                          |
| 63720-H                      |               |              |                 |                 |                  |               |              | 200                  | 72         | 32  | 32  | 1755                          |
| X63720-SH                    | 7½            |              | 74.4            |                 |                  |               |              | 200                  | 77½        | 57½ | 61½ | 2290                          |
| 6468-H                       | 10            | 4            | 46.2            | 750             | 175              | 4¼x3          | 2½x3         | 80                   | 63         | 49  | 27  | 1170                          |
| 64612                        |               |              |                 |                 |                  |               |              | 120                  | 66         | 28½ | 31½ | 1330                          |
| 64620-H                      |               |              |                 |                 |                  |               |              | 200                  | 72         | 32  | 32  | 1775                          |
| X64620-SH                    | 10            |              | 92.8            |                 |                  |               |              | 200                  | 77½        | 57½ | 61½ | 2370                          |
| 67512-SH                     | 15            | 4            | 75.0            | 880             | 175              | 4¼x4          | 2½x4         | 120                  | 73         | 25½ | 62  | 1312                          |
| 67520-SH                     |               |              | 75.0            |                 |                  |               |              | 200                  | 78½        | 31½ | 68  | 1498                          |
| X67520-SH                    |               |              | 150.0           |                 |                  |               |              | 200                  | 78½        | 57½ | 68  | 2462                          |
| 67524-SH                     |               |              | 75.0            |                 |                  |               |              | 240                  | 92         | 31½ | 68  | 1578                          |
| 393-L                        | 1½            | 2            | 9.5             | 645             | 100              | 3¼x3          | 1¼x3         | 30                   | 40         | 20½ | 17  | 350                           |
| 396-L                        |               |              |                 |                 |                  |               |              | 60                   | 54         | 31½ | 24  | 360                           |
| 398-L                        |               |              |                 |                 |                  |               |              | 80                   | 71         | 34  | 24  | 500                           |
| 3912-L                       |               |              |                 |                 |                  |               |              | 120                  | 74         | 35½ | 25½ | 602                           |
| 3113-L                       | 2             | 2            | 11.2            | 780             | 100              | 3¼x3          | 1¼x3         | 30                   | 40         | 20½ | 17  | 350                           |
| 3116-L                       |               |              |                 |                 |                  |               |              | 60                   | 54         | 31½ | 24  | 360                           |
| 3118-L                       |               |              |                 |                 |                  |               |              | 80                   | 71         | 34  | 24  | 500                           |
| 31112-L                      |               |              |                 |                 |                  |               |              | 120                  | 74         | 35½ | 25½ | 602                           |
| 6186-L                       | 3             | 2            | 18.0            | 586             | 100              | 4¼x3          | 2½x3         | 60                   | 55½        | 34  | 24  | 615                           |
| 6188-L                       |               |              |                 |                 |                  |               |              | 80                   | 71½        | 36  | 23  | 650                           |
| 61812-L                      |               |              |                 |                 |                  |               |              | 120                  | 74         | 38  | 26  | 775                           |
| X61812-SH                    | 3             |              | 36.0            |                 |                  |               |              | 120                  | 73         | 38  | 38  | 1315                          |
| 6243-HL                      | 5             | 2            | 23.6            | 770             | 100              | 4¼x3          | 2½x3         | 30                   | 47         | 20½ | 17  | 350                           |
| 6246-L                       |               |              |                 |                 |                  |               |              | 60                   | 55½        | 34  | 23  | 380                           |
| 6248-L                       |               |              |                 |                 |                  |               |              | 80                   | 71½        | 36  | 23  | 615                           |
| 62412-L                      |               |              |                 |                 |                  |               |              | 120                  | 74         | 38  | 26  | 660                           |
| X62412-SH                    | 5             |              | 47.2            |                 |                  |               |              | 120                  | 73         | 38  | 38  | 790                           |
| X62420-SH                    | 5             |              | 47.2            |                 |                  |               |              | 200                  | 77         | 38  | 38  | 1385                          |
| 6418-HL                      | 7½            | 4            | 40.3            | 655             | 100              | 4¼x3          | 2½x3         | 80                   | 63         | 49  | 27  | 1122                          |
| 64112-L                      |               |              |                 |                 |                  |               |              | 120                  | 66         | 28½ | 31½ | 1211                          |
| 64120-HL                     |               |              |                 |                 |                  |               |              | 200                  | 72         | 32  | 32  | 1755                          |
| X64120-SH                    | 7½            |              | 80.6            |                 |                  |               |              | 200                  | 77½        | 57½ | 61½ | 2290                          |
| 6498-HL                      | 10            | 4            | 48.2            | 785             | 100              | 4¼x3          | 2½x3         | 80                   | 63         | 49  | 27  | 1170                          |
| 64912-L                      |               |              |                 |                 |                  |               |              | 120                  | 66         | 28½ | 31½ | 1330                          |
| 64920-HL                     |               |              |                 |                 |                  |               |              | 200                  | 72         | 32  | 32  | 1775                          |
| X64920-SH                    | 10            |              | 96.4            |                 |                  |               |              | 200                  | 77½        | 57½ | 61½ | 2370                          |



## HOSE REELS

SYMINGTON  
**WAYNE**  
HOSE REELS




MODEL 340

MODEL 350

MODEL 344

### ENCLOSED MODELS

| Model | Type   | Hose Length | I.D. | Approx. Shpg. Wt. |
|-------|--------|-------------|------|-------------------|
| 340   | T/001  | 12          | 1/4" | 23                |
| 340   | T/Spec | Less Hose   |      | 21                |
| 343   | T/001  | 25          | 1/4" | 47                |
| 343   | T/002  | 25          | 3/8" | 48                |
| 343   | T/Spec | 15          | 1/2" | 51                |
| 343   | T/Spec | Less Hose   |      | 42                |
| 344   | T/001  | 35          | 3/8" | 56                |
| 350   | T/003  | 50          | 1/4" | 98                |
| 350   | T/001  | 50          | 3/8" | 102               |
| 350   | T/002  | 50          | 1/2" | 107               |
| 350   | T/Spec | Less Hose   |      | 93                |



MODEL 345

MODEL 343

MODEL 351

### OPEN MODELS

| Model | Type   | Hose Length | I.D. | Approx. Shpg. Wt. |
|-------|--------|-------------|------|-------------------|
| 345   | T/001  | 25          | 1/4" | 46                |
| 345   | T/002  | 25          | 3/8" | 47                |
| 345   | T/Spec | 15          | 1/2" | 50                |
| 345   | T/012  | 20          | 1/4" | 48                |
| 345   | T/Spec | Less Hose   |      | 41                |
| 351   | T/003  | 50          | 1/4" | 79                |
| 351   | T/001  | 50          | 3/8" | 81                |
| 351   | T/002  | 50          | 1/2" | 84                |
| 351   | T/Spec | Less Hose   |      | 72                |

## HAND PUMPS

SYMINGTON  
**WAYNE**  
HAND PUMPS



### MODEL 210


Complete Hand Pump with handle, bleeder valve and bung type swivel base; ready for immediate use. Designed for use with easily - installed accessories — including gallons counter and 8 or 12 gallon flow meter. Threaded swivel bung adapter on pump fits 2 inch barrel bung.

### MODEL 210A

Complete Hand Pump with standard discharge spout, swivel type bung adapter for 2 inch threads and 39 inch long fixed suction pipe.

### MODEL 210C

Complete Hand Pump with standard hose and nozzle, telescoping suction pipe with "notched" lower end. Wayne design includes 2 inch thread swivel base bung adapter for use with many barrel types.



### MODEL 210B

Complete Hand Pump with standard hose assembly, plain nozzle and swivel type bung adapter that fits 2 inch threads, standard 39 inch long fixed suction pipe.



**S-K  
WAYNE**  
TOOLS

*"Let your hands  
be the judge"*



**S-K  
WAYNE**  
TOOLS

*"Let your hands  
be the judge"*



**S-K WAYNE TOOL COMPANY**

Order Department: 3535 West 47th Street • Chicago, Illinois 60632  
Return Goods Department: 3535 West 47th Street • Chicago, Illinois 60632  
Sales Office: 332 South Michigan Avenue • Chicago, Illinois 60634  
Subsidiary of Symington Wayne Corporation

